

Using rbambools package

Wolfgang Kaisers, CIBs HHU Dusseldorf

29. Juli 2014

1 Introduction

BAM files are a important and powerful file format in Bioinformatics. This package pursues several objectives:

- Provide a technical (reading and writing) access to BAM files from within R.
- Give an authentic representation of the informational structure inside BAM files as programming interface.
- Provide a fast, C-based access to special (cumulative) aspects of the stored information.

These objectives transform into three implementational layers:

- The samtools C-library (written by Heng Li).
- C-based align and align-gap container.
- A R S4 class library.

The samtools library is an adapted version of samtools. Samtools version 0.1.18 (last modified 02 Sept 2011) had been downloaded on 07 Sept 2011 from the samtools homepage ¹. The then current version of the samtools file format description was (v1.4-r985, 0.1.18).

All file interactions are done via samtools. There is C-code which handle align data for whole ranges and C-code for accumulation of information about splice-sites from gapped aligns.

The R-part of the code contains objects which communicate directly with samtools for reading and writing files, managing of file-header data, managing data for single aligns and functions which transform align data into data.frame format. Additionally there are objects that calculate and keep align-gap information

¹<http://sourceforge.net/projects/samtools/files/samtools/0.1.18/>

for whole BAM-files and to summarize align-gap data over several BAM-files.

Align-gaps are emphasized here because they are highly informative representations of genomic splice-sites in RNA-seq data.

2 SAM file format

Data in BAM files is compressed and optionally indexed data in SAM file format. The current definition of the SAM file format [2] can be found on the samtools homepage².

BAM files contain sequence alignment data which is the result of potentially incomplete matching sequence snippets to a reference sequence. In practice the snippets are DNA sequences which come from short read sequencing of DNA or RNA extracted from a biological probe and the reference sequence is a genome reference.

Usually one BAM file contains align data from one biological probe where the read number is in the magnitude of 100 million reads. The size of the corresponding compressed files is in the range of 10 Gbyte. A very important feature of BAM files is that sorted BAM files can be indexed and indexed files allow random access. This allows very fast access to aligns that are located in arbitrary regions of the reference genome.

The content of BAM files is divided in a header section and an alignment section.

2.1 The header section

The header section contains the following information:

Tag	Description	Explanation
HD	Header line	Format version and sorting
SQ	Reference sequence dictionary	Indexed reference sequences*
RG	Read group	Sequencing technology
PG	Program	Alignment program
CO	Comment	

*Entries in the reference sequence dictionary usually are Chromosomes (e.g. 'chr1')

There are accessor functions in this package for reading and writing the listed fields. The header section is stored and retrieved as binary structure (`bamHeader`) which is converted into a tag delimited string representation (`bamHeaderText`). All processing steps on BAM-header data work on the string representation.

²<http://samtools.sourceforge.net/SAM1.pdf>

rbamtools-objects parse and compose strings from and to object slots which then can be accessed via script code.

2.1.1 The reference sequence dictionary

The reference sequence dictionary section contains a list of reference sequences (usually chromosomes). Of the six fields (declared in the SAM file format specification) usually only two are used:

Tag	Description
SN	Reference sequence name
LN	Reference sequence length

The reference sequence dictionary section misses an index entry (refid) which is used in alignment structures and is described below in 2.2.1.

2.2 The alignment section

The alignment section contains a series of align datasets. Each align describes the coordinates of the identified sequence matches in the reference sequence. The information for each align basically consists of:

Field	Content
QNAME	Align name (read identifier)
RNAME	Reference sequence identifier
POS	Mapping position: <u>0-based</u>
CIGAR	Matching type string
FLAG	A set of bitwise flags.

2.2.1 The RNAME identifier: refid

Although RNAME associates with a textual entry, usually this field contains a number which identifies a sequence in the header section. To make things complicated, RNAME is a *0-based* sequential identifier which is not explicitly included in the *Reference sequence dictionary* (SQ). So, RNAME=0 means the first SQ entry and the "0" is not present in the header.

We call this missing value *refid* throughout this document and there are functions in this package that automatically generate and use this id. The refid value is used by the samtools library as sequence identifier in align-structures and for defining ranges in index based random access.

2.2.2 Position

The position entry gives the align start position. In order to check the analogy between query and reference sequence see the given position in refid defined string.

In order to find the exact matching position it's necessary to notice the base of the position notation. We distinguish *0-based* and *1-based* position notations. They differ by the index of the starting position (and therefore all positions).

The first position in a *0-based* notation is 0 whereas the first position in a *1-based* notation is 1:

0-based	0	1	2
1-based	1	2	3

Both notations appear in samtools. The SAM file format specification says (see [2], section 1.4): 'POS: 1-based leftmost mapping POSition of the first machting base'. Samtools source code comments (bam.h, line 164) state the contrary: 'pos 0-based leftmost coordinate'. As to experiences with aligners (tophat 2.0.0) and annotation data (Ensembl and UCSC), the latter seems to be true (i.e. position entries are 0-based).

In order to reflect the technical file content, two functions (position on bamAlign objects and as.data.frame on bamRange objects) return the file contained value (which is 0-based). In order to get values that are congruent with annotation (and IGV genome-browser data) the position values have to be increased by one.

The bamGapList objects which operate on align gaps contain *1-based* positions. So, overlapping with annotation data, can be done without correction.

2.2.3 Navigation on reference sequence

Printing the reference sequence results in characters that are ordered from left to right in ascending order of their position coordinate (consistent with ordinary reading succession). We refer to this image when two or more locations are compared. Lower coordinates are assumed to be on the *left* side and higher coordinates are assumed to be on the *right* side.

So, for genes coding on the (+) strand, *left* would be synonymous to *upstream* and *right* would be synonymous to *downstream*.

2.2.4 CIGAR string

Alignments algorithms usually tolerate to some extend inexact matching. The type of matching is described in the CIGAR string (see [2] 1.4, Nr. 6). The CIGAR

string is made up of CIGAR-items. A CIGAR-item consists of a integer number and a character. The number counts the affected positions (cigar-length). The character describes the type of operation (cigar-type). The following table shows relevant operations:

Operation	Label	Description
M	Match	Exact match of x positions
N	Alignment gap	Next x positions on ref don't match
D	Deletion	Next x positions on ref don't match
I	Insertion	Next x positions on query don't match

(x = cigar-length)

The operations 'N' and 'D' are mechanistic identical but they describe biological different entities: 'D' means genomic deletions, where few nucleotides on the genome get lost whereas 'N' means gaps which occur in RNA-seq alignments. These gaps are due to DNA-splicing events and their size can achieve magnitude of $10^3 - 10^5$.

First example: The shown alignment is an exact match and will give position = 2 (0-based!) and CIGAR = 6M:

```
AAGTCTAGAA (ref)
  GTCTAG    (query)
```

Second example: We see an alignment with two nucleotides ("GA") inserted into the reference. The align entries will be position=3 (0-based!) and CIGAR=3M2I2M:

```
AAAGTCGATGAA (ref)
  GTC  TG      (query)
```

Third example: Here we have a deletion on the reference. The 'C' in the query sequence has no match. The align entries will be position=3 and CIGAR=2M1D3M:

```
AAGT TAGAA (ref)
  GTCTAG    (query)
```


Fourth example: This is a gapped alignment (due to a splicing event in RNA-seq). It will give the entries position=3 and CIGAR=3M7N4M:

CCCTACGTCCCAGTCAC (ref)
TAC TCAC (query)

We see the alignment gap (GTCCCAG). From the 'GT' and 'AG' at the gap boundaries, one can assume that this splice-site is on the (+) strand.

2.3 Gapped alignments

A special focus of functionality inside this package are Alignment gaps. Alignment gaps in RNA-seq experiments are viewed as phenomena that rely on biological splicing mechanisms during protein-biosynthesis and the resulting exon-intron structure of the genome.



2.4 Gap-sites

Gap-sites are alignment gaps (=gap-regions) that are shared by one or more aligns. The nucleotides on the reference sequence that are skipped in the alignment (i.e. the reference region which is depicted by "N" cigar items) form the gap-region.

Gap-sites are also characterized by the fact that they are bordered by M-segments on either side. The amount of information about the existence of gap-site in the alignment is proportional to the number of matching nucleotides that make up the framing M-segments. The calculated derived values on gap-sites therefore center on three measures:

- The number of aligns that define the gap-site.
- The Length of the framing M-segments.
- The number of different length values in the framing M-segments.
- The number of alignments (probes, number of BAM-files) in which the gap-site is found.

Gap-sites are of special interest in RNA-seq experiments because they arise from mRNA sequence which spans a processed splice site (splicing results in removal of intronic sequence ranges from pre-mRNA). Gapped alignments contain highly specific information about splicing events. Of central interest in RNA-seq experiments is the identification and quantification of splicing events.

In order to describe and illustrate the parameters that are calculated and kept within this package we show the following example:

2.4.1 Example

The following table example shows a short reference sequence and three different alignments that define a gap-site. The reference nucleotides that constitute the gap-region are printed in red:

		qname	position	CIGAR
AG	CCTTGATG	align1	3	2M6N8M
CAG	CCTTGAT	align2	2	3M6N7M
CCAG	CCT	align3	1	4M6N3M
CCCAG GTCCAG CCTTGATGTCC		(reference)	(0-based)	

For each gapped align from which the gap-site is constituted, three values concerning the number of matching nucleotides are kept:

- **lcl** (left cigar length) is the length of the left adjacent match in the CIGAR string.
- **rcl** (right cigar length) is the length of the right adjacent match in the CIGAR string.
- **mcl** (minimum cigar length) is the minimum of the lcl and rcl value for each align.

For these parameters we have values in the example:

qname	position	CIGAR	lcl	rcl	mcl
align1	3	2M6N8M	2	8	2
align2	2	3M6N7M	3	7	3
align3	1	4M6N3M	4	3	3

2.4.2 Gap-site coordinates

For each gap-site, localisation-coordinates are defined as:

- **refid** (reference sequence identifier)

- **lend** (left-end) is the (1-based) coordinate of the last matching nucleotide on the left side: CCCAG**GTCCAG**CCTTGATGTCC
- **rstart** (right-start) is the (1-based) coordinate of first matching nucleotide on the right side: CCCAG**GTCCAG**CCTTGATGTCC

We call all aligns that share identical localisation-coordinates **gap-site-defining-aligns**. In order to derive a lower boundary for the size of the adjacent exons are calculated:

- **lstart** (left-start) is the (1-based) coordinate of the leftmost nucleotide for which a match exists in the set of left adjacent matching regions: **CC**CAG**GTCCAG**CCTTGATGTCC.
The position is calculated by $lstart = lend - \max(lcl) + 1$.
- **rend** (right-end) is the (1-based) coordinate of the rightmost nucleotide for which a match exists in the set of right adjacent matching regions: CCCAG**GTCCAG**CCTTGAT**G**TCC.
The position is calculated by $rend = rstart + \max(rcl) - 1$.

As derivative, the number of nucleotides in the gap-region (denoted **gaplen**) is calculated as $gaplen = rend - lstart - 1$. Altogether, the gap-site and the adjacent putative matching regions in this example are:

CC**C**AG**GTCCAG**CCTTGAT**G**CCTTGATGTCC.

The associated numeric values for the shown example are:

Name	value	base	
refid	0	0	We assume, there is only one reference sequence
lstart	2	1	Leftmost match position (C)
lend	5	1	Last match on left side (G)
rstart	12	1	First match on right side (C)
rend	20	1	Rightmost match position (G)
gaplen	6		Number of nucleotides in gap

2.4.3 Quantification of align numbers

The number of gap-site-defining-aligns are quantified in:

- **nAligns**, the number of aligns that define the gap-site.
- **nProbes**, the number of alignments (BAM-files) in which this gap-site is found.

In the present example, the resulting values are nAligns=3 and nProbes=1.

2.4.4 Quantification of informational support for gap-site's

In order to quantify the information content for each gap-site `lcl` and `mcl` values are stored as single byte values inside of an unsigned long long integer. We define `n` as the number of bytes they contain.

On a 32-bit operating system there is $n = 4$ and on a 64-bit operating system $n = 8$. With that, we can view `lcl` and `mcl` as n -dimensional vectors: $lcl = (lcl_i)_{i=1,\dots,n}$ and $mcl = (mcl_i)_{i=1,\dots,n}$ in which values are placed in descending order.

- **nlstart**, the number of different match start positions, which equals the number of different values in the `lcl` vector.
 $nlstart := \#\{lgl_i : i = 1, \dots, n\}.$
- **lm_sum**, the number of matching nucleotides on the left side of the gap.
 $lm_sum := \sum_{i=1}^l gl_i.$
- **qsm**, the sum of the four largest `mcl` values (quartet sum of minimal cigar length): $\sum_{i=1}^4 mcl_i$

2.4.5 Gap quality score (gqs)

The gap quality score is calculated as

$$gqs = 10 \times \frac{nlstart}{n} \quad \frac{2qsm}{4} \quad (1)$$

$$= 10 \times \frac{\#\{lgl_i : i = 1, \dots, n\}}{n} \times \frac{2 \sum_{i=1}^4 mcl_i}{4} \quad (2)$$

The score quantifies number of align start positions and matching nucleotides in order to distinguish biological existing splice-sites from alignment phenomenon.

The stored information accumulates with increasing the number of included alignments (BAM-files). The score is given as a positive integer value and the maximum reachable number is $10 * \text{read-length}$.

The higher the score the more likely is the fact that a gap-site represents a splice-site. `gqs` is not intended quantify gene expression although the two values correlate.

3 Object types inside rbamtools package

The description of object types in this section starts with reading and writing access to BAM files, proceeds to objects which elementary data inside BAM files and ends with the description of more complex containers.

3.1 Included example files within rbamtools

There are two example files included which are located in the `"/inst/extdata"` sub-directory of the package installation site. The directory contains a sorted BAM file `'accepted_hits.bam'` and the corresponding index file `'accepted_hits.bam.bai'`. They were produced (using the `extractRanges` function) from a RNA-seq experiment. A human probe was sequenced using an Illumina HiSeq sequencer. Fastq-reads were aligned with tophat against homo sapiens UCSC reference genome. Complex aligns (i.e. aligns with `nCigar > 1`) were extracted for genes KLHL17 (chr1) and SNRNP25 (chr16). The BAM file contains 3333 aligns.

3.2 Reading and writing access

Immediate reading and writing access is provided by `bamReader` and `bamWriter` Objects.

3.3 bamReader

An object of class `bamReader` is constructed and returned by the function `bamReader` in the following way:

```
> bam <- system.file("extdata",  
+                   "accepted_hits.bam", package="rbamtools")  
> # Open bam file  
> reader <- bamReader(bam)
```

An opened `bamReader` can be used to access the BAM header section and to read aligns sequentially. `bamReader` can also be used to sort and index BAM files.

Sorting large BAM files requires some time and produces intermediate files. So the recommended way of sorting large BAM files is to use the samtools command line version. Sorting BAM files within R can be done with:

```
> bamSort(reader, prefix="my_sorted",  
+         byName=FALSE, maxmem=1e+9)
```

Sorted BAM files can be indexed. Indexing results in a second file which is usually named as the BAM file itself with an added suffix `".bai"`. An index file can be created with:

```
> create.index(reader, idx_filename="index_file_name.bai")
```

Omitting the `idx_filename` argument results in adding the `".bai"` suffix to the filename of the BAM file which is then automatically located in the same directory as the BAM file itself:

```
> create.index(reader)
```

The creation of indexes for large BAM files (10 GB) takes some minutes time but can readily be done with this routine and of course has to be done only once per file.

The index files must be loaded before they can be used:

```
> idx <- system.file("extdata", "accepted_hits.bam.bai", package="rbamtools")
> load.index(reader, idx)
```

The reader object can be checked for loaded index with:

```
> index.initialized(reader)
```

```
[1] TRUE
```

A shortcut for opening a BAM file and loading the standard index at the same time is:

```
> reader <- bamReader(bam, idx=TRUE)
```

3.4 Tabled reference sequences: `getRefData`

A data.frame with the reference sequences contained in the BAM header can be obtained with:

```
> getRefData(reader)
```

	ID	SN	LN
1	0	chr1	249250621
2	1	chr16	90354753

The returned data.frame contains in the first column (ID) the mentioned re-fid 2.2.1 value which is not part of the header but uses as identifier for aligns and ranges.

3.5 `bamWriter`

For creation of a `bamWriter` object, a `bamHeader` and a filename must be given. The most convenient way of obtaining a `bamHeader` class is retrieving one from an opened `bamReader` object.

```
> header <- getHeader(reader)
> writer <- bamWriter(header, "test.bam")
> # Write aligns using bamSave
> bamClose(writer)
```

Aligns can be written to a BAM file either from single instances of `bamAlign`'s or from whole `bamRange` objects.

4 Elementary data structures

The content of BAM files can be divided in header section and alignment section.

4.1 Structures for header section

The complete header information (in binary representation) can be retrieved from a BAM file with the function `getHeader`. An object of this type is needed for creation of a `bamWriter` object.

In order to get Access to the data itself, the binary data has to be converted into a string representation which is maintained inside an object of class `bamHeaderText`:

```
> header <- getHeader(reader)
> htxt <- getHeaderText(header)
```

The header section is divided into several segments (as described above) with data tags that describe the origin of the contained alignments. For each segment there is a class which can be obtained by calling the appropriate function on a `bamHeaderText` object:

Segment	Description	S4 class	Accessor
HD	The header line	headerLine	headerLine
SQ	Reference sequence dictionary	refSeqDict	refSeqDict
RG	Read group		
PG	Program	headerProgram	header Program
CO	Comment		

A complete `bamHeader` object can be created from scratch with the following code:

```
> bh <- new("bamHeaderText")
> headl <- new("headerLine")
> setVal(headl, "SQ", "coordinate")
> dict <- new("refSeqDict")
> addSeq(dict, SN="chr1", LN=249250621)
> addSeq(dict, SN="chr16", LN=90354753)
> dict
```

An object of class "refSeqDict"

```
      SN      LN AS M5 SP UR
1  chr1 249250621    0
2 chr16  90354753    0
```

```

> prog <- new("headerProgram")
> setVal(prog, "ID", "1")
> setVal(prog, "PN", "tophat")
> setVal(prog, "CL",
+   "tophat --library-type fr-unstranded hs_ucsc_index reads.fastq")
> setVal(prog, "VN", "2.0.0")
> bh <- bamHeaderText(head=head1, dict=dict, prog=prog)
> header <- bamHeader(bh)

```

4.2 Structures for alignment section

Single aligns can be retrieved from opened reader via `getNextAlign`:

```

> align <- getNextAlign(reader)

```

The alignment section in BAM files is a series of alignment (`align`) records. The data inside of each record is represented by a `bamAlign` object. Section 1.4 [2] describes the information content for each `align` in detail. The fields and the corresponding `bamAlign` accessors are listed below:

Field	Description	Accessor
QNAME	Name	<code>name</code>
FLAG	Multiple Flags	<code>flag</code>
RNAME	refid	2.2.1 <code>refID</code>
POS	Mapping position	2.2.2 <code>position</code> (0-based!)
MAPQ	Mapping quality	<code>mapQuality</code>
CIGAR	CIGAR string	<code>cigarData</code>
	Number of cigar entries	<code>nCigar</code>
RNEXT	Ref name of mate segment	<code>mateRefID</code>
PNEXT	Position of mate segment	<code>matePosition</code>
SEQ	segment sequence	<code>alignSeq</code>
QUAL	Pred-scaled Quality String	<code>alignQual</code>

The accessors can be used in the following way:

```

> name(align)
> flag(align)
> refID(align)
> position(align)
> mapQuality(align)
> cigarData(align)
> nCigar(align)
> mateRefID(align)
> matePosition(align)

```

```
> alignSeq(align)
> alignQual(align)
```

Flag segments: The flag field contains multiple bit-coded flags which are kept together inside an integer value:

Bit	Description	Accessor
0x1	Paired align	paired
0x2	Proper pair	properPair
0x4	Unmapped	unmapped
0x8	Mate unmapped	mateUnmapped
0x10	Reverse Strand	reverseStrand
0x20	Mate reverse Strand	mateReverseStrand
0x40	First in pair	firstInPair
0x80	Second in pair	secondInPair
0x100	Secondary align	secondaryAlign
0x200	Not passing quality control	failedQC
0x400	PCR or optical duplicate	pcrOpt_duplicate

The following code demonstrates the usage of the flag-accessors:

```
> paired(align)
> properPair(align)
> unmapped(align)
> mateUnmapped(align)
> reverseStrand(align)
> mateReverseStrand(align)
> firstInPair(align)
> secondInPair(align)
> secondaryAlign(align)
> failedQC(align)
> pcrOpt_duplicate(align)
```

The same accessors can also be used for setting values:

```
> unmapped(align) <- TRUE
```

4.2.1 Creating bamAlign objects from scratch

The bamAlign function can be used to create bamAlign objects from scratch:

```
> align <- bamAlign("HWUSI-0001", "ATGTACGTCG", "Qual/Strng",
+                   "4M10N6M", refid=0, position=100)
> align
```

```

Class      : bamAlign
refId      : 0
Position   : 100

```

```

Cigar Data :
  Length Type
0         4   M
1        10   N
2         6   M

```

```

> name(align)

[1] "HWUSI-0001"

> alignSeq(align)

[1] "ATGTACGTCG"

> alignQual(align)

[1] "Qual/Strng"

> cigarData(align)

  Length Type
0         4   M
1        10   N
2         6   M

> refID(align)

[1] 0

> position(align)

[1] 100

```

The created bamAlign objects can be added to a bamRange list or be written to a BAM-file via bamWriter.

5 Complex and cumulative container

5.1 Align lists for specific reference regions: bamRange

bamRange objects manage a list of bamAlign's. As BAM files usually contain alignment results against a reference-genome, bamRange objects contain list of all aligns that match between a given start and stop position on a given chromosome. Region coordinates are thereby defined by a refid 2.2.1 and a start and stop position.

5.1.1 Reading bamRange from bamReader

In order to create a bamRange object, an index-initialized bamReader object and a numeric coordinates-vector of length three are passed to the bamRange function.

There are several ways to provide the coordinates for which the aligns are to be retrieved. The first way is to specify a circumscribed genomic region (e.g. where a gene of interest is located). The names for the coordinates are not required and only added for explanatory purposes:

```
> coords <- c(0,899000,900000)
> names(coords) <- c("refid","start","stop")
> range <- bamRange(reader,coords)
> size(range)
```

```
[1] 0
```

The second way is to specify coordinates for a whole reference sequence (chromosome). As can be seen from the output of the getRefData function, the coordinates for the whole first chromosome should be given as:

```
> getRefData(reader)
```

	ID	SN	LN
1	0	chr1	249250621
2	1	chr16	90354753

```
> coords <- c(0,0,249250621)
> names(coords) <- c("refid","start","stop")
> range <- bamRange(reader,coords)
> size(range)
```

```
[1] 2216
```

The function getRefCoords is used here as shortcut:

```
> coords <- getRefCoords(reader,"chr1")
> coords
```

```
[1]          0          0 249250621
```

```
> range <- bamRange(reader,coords)
> size(range)
```

```
[1] 2216
```


bamRange objects keep a pointer to a current align structure for iteration purposes. Additionally there are some summarizing values stored (which are displayed by show) which describe the range inside the reference from which the bamRange object was read (seqid, qrBegin, qrEnd, complex) and some statistics (size, qSeqMinLen, qSeqMaxLen). Most of the values are printed upon show:

```
> range
```

```
Class      : bamRange
Size       : 2.216
Seqid      : 0
qrBegin    : 0
qrEnd      : 249.250.621
Complex    : 0
rSeqLen(LN) : 249.250.621
qSeqMinLen : 101
qSeqMaxLen : 101
Refname    : chr1
```

```
> getCoords(range)
```

```
seqid    begin    end
0         0 249250621
```

```
> getSeqLen(range)
```

```
min max
101 101
```

```
> getParams(range)
```

```
seqid    qrBegin    qrEnd    complex    rSeqLen
0         0 249250621    0 249250621
qSeqMinLen qSeqMaxLen
101        101
```

```
> getRefName(range)
```

```
[1] "chr1"
```

The (0-based) positions of the leftmost and rightmost matching nucleotides in the align-list are not included by default but can be separately calculated:

```
> getAlignRange(range)
```

```
min_pos max_end
14398    29867
```

5.1.2 Accessing aligns in bamReader

`bamReader` objects keep a list of `bamAlign` objects. The objects can sequentially accessed or a `data.frame` with the align data can be retrieved. Therefore `bamRange` objects internally keep a pointer to the current align.

When no current align object is set, the next call to `getNextAlign` will set the current to the first align in list. When the last align in list is reached, the next call to `getNextAlign` will return `NULL`.

The `bamAlign` objects in a `bamRange` container can be sequentially accessed with the `getNextAlign` function:

```
> align <- getNextAlign(range)
```

After rewinding the `bamRange` container, the next call to `getNextAlign` returns the first stored align:

```
> rewind(range)
> while(!is.null(align))
+ {
+   # Process align data here
+   align <- getNextAlign(range)
+ }
```

A fast way to get tabled align information out of `bamRange` container is to convert the object into a `data.frame` by using `as.data.frame`:

```
> rdf <- as.data.frame(range)
```

5.2 gapList

`gapList` objects represent a list of align gaps. They contain one record for single each align-gap present in align data. Each align-gap can be linked to a single align in the BAM file (via `refid` and position coordinates).

The function `gapList` takes an open and indexed instance of `bamReader` and a set range coordinates (`refid,start,stop`). The function will scan all aligns that are overlap with the given range in the opened BAM file for gapped aligns.

For every contained align gap, the `refid` and the position of the align, the match length on both sides (`left_cigar_len`, `right_cigar_len`) and the (1-based) positions of the last nucleotide the left side of the gap (`left_stop`) and the (1-based) position of the first nucleotide on the right side of the gap (`right_start`).

```

> coords <- getRefCoords(reader, "chr1")
> gl <- gapList(reader, coords)
> gl

An object of class 'gapList'. size: 2297
nAligns: 2216          nAlignGaps: 2297

> dfr <- as.data.frame(gl)
> dfr[1:6, c(1:3, 5:8)]

  refid position left_cigar_len left_stop gaplen
0     0    14729           100    14829    140
1     0    14729           100    14829    140
2     0    14729           100    14829    140
3     0    14729           100    14829    140
4     0    14729           100    14829    140
5     0    14729           100    14829    140
  right_start right_cigar_len
0      14970             1
1      14970             1
2      14970             1
3      14970             1
4      14970             1
5      14970             1

```

The columns 4 and 9 contain the type of the adjacent cigar items (which should always be 'M') are omitted.

The `size` function returns the number of gaps contained in the object. The functions `nAligns` and `nAlignGaps` return the total number of aligns and the number of gapped aligns in the scanned range respectively:

```

> size(gl)
> nAligns(gl)
> nAlignGaps(gl)

```

5.3 gapSiteList

`gapSiteList` objects contain pooled align-gap information. The single gaps are condensed by `refid`, `left-stop` and `right-start`. So each combination of coordinates appears only once in the list. The number of aligns in which each gap has been found is counted into the value `nAligns`.

Two `gapSiteList` objects can be merged to one. The basic coordinates of the contained gap-sites (`refid`, `lend`, `rstart`) are compared. Gap-sites with no counterpart are just copied into the new list whereas gap-sites with counterpart are

merged into one record. In this merging process, the core coordinates are just copied. The following table gives an overview over the calculations which are done for merging:

Column name	Site identificator	Resulting value
id		New running index will be created
refid	+	Copied
lstart		Minimum
lend	+	Copied
rstart	+	Copied
rend		Maximum
gaplen		Copied
nAligns		Sum
nProbes		Sum
nlstart		(See text)
lm_sum		(See text)
lcl		(See text)
mcl		(See text)

For `lm_sum`, `lcl` and `mcl`, there are specialiced merging operations.

```
> coords <- getRefCoords(reader, "chr1")
> sl <- siteList(reader, coords)
```

```
[gap_site_list_fetch] Fetched list of size 32.
```

```
> size(sl)
```

```
[1] 32
```

```
> nAligns(sl)
```

```
[1] 2216
```

```
> nAlignGaps(sl)
```

```
[1] 2297
```

```
> sl
```

```
An object of class 'gapSiteList'. size: 32
nAligns: 2216      nAlignGaps: 2297
```

```
> df <- as.data.frame(sl)
> head(df)
```

	id	refid	lstart	lend	rstart	rend	gaplen	nAligns	nProbes
1	1	0	14730	14829	14970	15052	140	553	1
2	2	0	14944	15038	15796	15888	757	201	1
3	3	0	15909	15947	16607	16702	659	29	1
4	4	0	15953	16027	16607	16669	579	4	1
5	5	0	16730	16765	16854	16941	88	5	1
6	6	0	16682	16765	16858	16957	92	34	1

	nlstart	lm_sum	lcl	mcl
1	8	772	1633837924	842150450
2	8	601	1163550303	757935406
3	8	196	387456295	387456295
4	4	220	640172875	438445608
5	5	108	236198180	236198180
6	8	358	690630740	690563632

5.4 bamGapList

`bamGapList` Objects are designed to contain information about gap-sites for a complete BAM file (i.e. for all `refid`'s). `bamGapList`'s can be merged, so it's possible to cumulate information about gap-sites from a large number of BAM files (e.g. 50). As the whole collection and merging process is done in C, the whole process usually runs with a processing rate $> 1.000.000$ aligns/sec (on a desktop machine).

```
> bsl <- bamGapList(reader)
> bsl
```

```
An object of class 'bamGapList'. size: 39
nAligns: 3.230          nAlignGaps: 3.443
```

```
> size(bsl)
```

```
[1] 39
```

```
> nAligns(bsl)
```

```
[1] 3230
```

```
> nAlignGaps(bsl)
```

```
[1] 3443
```

```
> summary(bsl)
```

	ID	SN	LN	start	size	nAligns	nAlignGaps
1	0	chr1	249250621	0	32	2216	2297
2	1	chr16	90354753	0	7	1014	1146

```
> dfr <- as.data.frame(bsl)
> head(dfr)
```

	id	seqid	lstart	lend	rstart	rend	gaplen	nAligns	nProbes
0	1	chr1	14730	14829	14970	15052	140	553	1
1	2	chr1	14944	15038	15796	15888	757	201	1
2	3	chr1	15909	15947	16607	16702	659	29	1
3	4	chr1	15953	16027	16607	16669	579	4	1
4	5	chr1	16730	16765	16854	16941	88	5	1
5	6	chr1	16682	16765	16858	16957	92	34	1

	nlstart	qsm	nmcl	gqs
0	8	200	8	1000
1	8	181	8	905
2	8	115	8	575
3	4	138	4	345
4	5	95	5	296
5	8	172	8	860

6 Miscellaneous functions

6.1 bamCount and bamCountAll

The `bamCount` counts aligns and CIGAR-items in align ranges defined by coordinates. The function returns a named integer vector of length 10.

The `bamCountAll` counts aligns and CIGAR-items for whole BAM-files (represented by a `bamReader`). The function optionally takes a `verbose` argument which controls the textual output during runtime. The function returns a `data.frame`. Each line contains counts for one reference sequence, each column contains data for one CIGAR-OP type. Columns with total counts, reference sequence id (ID) and reference sequence length (LN) are added.

```
> coords <- c(0, 0, 14730)
> count <- bamCount(reader, coords)
> xtable(matrix(count, nrow=1))
```

	1	2	3	4	5	6	7	8	9	10
1	30	0	2	13	0	0	0	0	0	15

```
> count <- bamCountAll(reader, verbose=TRUE)

[bamCountAll] Counting chr1          [ 1/2]
[bamCountAll] Counting chr16         [ 2/2]
[bamCountAll] Finished.
```

	M	I	D	N	S	H	P	=	X	nAligns	ID	LN
chr1	4577	18	46	2297	0	0	0	0	0	2216	0	249250621
chr16	2164	4	0	1146	0	0	0	0	0	1014	1	90354753

6.2 countNucs

The `countNucs` counts occurrence of the nucleotides ACGT in `bamAlign` and `bamRange` objects. An integer vector of length 4 is returned. The names give the nucleotide which is counted at each position. The syntax is identical for `bamAlign`

```
> align <- bamAlign("HWUSI-0001", "ACCGGGTTTT", "Qual/Strng",
+                    "4M10N6M", refid=0, position=100)
> countNucs(align)
```

```
A C G T N
1 2 3 4 0
```

and `bamRange`

```
> reader <- bamReader(bam, idx=TRUE)
> coords <- c(0, 0, 14730)
> range <- bamRange(reader, coords)
> countNucs(range)
```

```
A C G T N
237 490 533 255 0
```

objects.

6.3 nucStats

nucStats for bamReader The `nucStats` function counts occurrence of the nucleotides ACGT in whole BAM files via opened `bamReader` objects. Any other character values are subsumed in the value N. The last two columns contain values for GC content and AG/GC ratio.

The function returns a `data.frame` with one row for each reference sequence which is listed in the BAM-header section.

```
> ncs <- nucStats(reader)
```

nucStats for BAM file names The `nucStats` function counts occurrence of the the nucleotides ACGT for a given list of BAM file names. The last two columns contain values for GC content and AG/GC ratio. The function returns a `data.frame` with one row for each given BAM file name.

```
> ncs <- nucStats(bam)
```

	nAligns	A	C	G	T	N	gcc	at_gc_ratio
chr1	2216	37756	72232	61721	52102	5	0.58	0.71
chr16	1014	28090	25298	31102	17921	3	0.58	0.71

	nAligns	A	C	G	T	N	gcc	at_gc_ratio
1	3230	65846	97530	92823	70023	8	0.58	0.71

6.4 create.idx.batch

The `create.idx.batch` is intended to create index files for a batch of given BAM-files. The names of the created BAM-index files can optionally be added. The standard name for BAM-index files is the name of the BAM file plus an added suffix ".bai".

The third (optional) argument is `rebuild`. When `rebuild` is `FALSE` the function will only create not already existing BAM-index files. When `rebuild` is `TRUE` the function will build BAM-index for all given BAM-files.

Sometimes (especially when BAM-files have been copied), they content may be corrupt. Rebuilding index files is a way to check the integrity of a BAM-file.

```
> create.idx.batch(bam)
```

6.5 reader2fastq, range2fastq

reader2fastq: The `reader2fastq` and `range2fastq` take (optionally random subsets) of whole BAM-files (via `bamReader`) or selected ranges (via `bamRange`) and copy aligns to fastq files.

For handling of aligns inside whole BAM-files, use the `reader2fastq` function. Aligns are read from BAM files via `getNextAlign`. For an opened file, there is a pointer to the last retrieved align kept. So multiple calls to `getNextAlign` will retrieve subsequent aligns.

This comes into play when there are precedent calls to `getNextAlign` or a subset has been drawn via a given logical vector. When a logical vector is given, there will be a call to `getNextAlign` for every entry in the vector. The function then returns the number of checked aligns.

When EOF is reached before the vector is processed, the number of checked aligns is smaller than the length of the given logical vector. When no logical vector is given, the function returns the number of written aligns.


```

> reader <- bamReader(bam)
> reader2fastq(reader, "out.fastq")
> bamClose(reader)
> # Reopen in order to point to first align
> reader <- bamReader(bam)
> index <- sample(1:100, 20)
> reader2fastq(reader, "out_subset.fastq", which=index)

```

range2fastq: The function range2fastq writes all aligns in a bamRange object into a compressed fastq file. Optionally, a logical vector (where length must be equal to size of range) can be given. In this case only the depicted aligns are copied into the fastq file and the remaining aligns are skipped.

```

> reader <- bamReader(bam, idx=TRUE)
> coords <- as.integer(c(0,0,249250621))
> range <- bamRange(reader, coords)
> range2fastq(range, "rg.fq.gz")
> index <- sample(1:size(range), 100)
> range2fastq(range, "rg_subset.fq.gz", which=index)

```

6.6 Functions for reading and displaying Phred quality scores

Phred quality scores Q are defined as $Q = -10\log_{10}P$ where P is the base calling error probability.

getQualDf takes a bamReader and returns a data.frame. The data.frame has 94 rows which represent values from 0 to 93 ([1]). The number of columns equals the maximum sequence length in the given bamRange.

```

> qdf <- getQualDf(range)
> qdf[32:38, 1:10]

  1 2 3 4 5 6 7 8 9 10
31 2 2 1 0 1 0 0 1 1 1
32 0 2 0 3 0 2 0 0 0 0
33 0 0 1 1 3 0 2 1 1 1
34 1 3 1 0 0 0 0 0 0 0
35 0 7 7 7 7 8 7 7 7 6
36 0 0 0 0 0 0 0 0 0 0
37 0 0 0 2 2 2 2 3 0 1

> qdr <- getQualDf(range, prob=TRUE)
> qrr <- round(qdr, 2)
> qrr[32:38, 1:10]

```

	1	2	3	4	5	6	7	8	9	10
32	0.13	0.13	0.07	0.00	0.07	0.00	0.00	0.07	0.07	0.07
33	0.00	0.13	0.00	0.20	0.00	0.13	0.00	0.00	0.00	0.00
34	0.00	0.00	0.07	0.07	0.20	0.00	0.13	0.07	0.07	0.07
35	0.07	0.20	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36	0.00	0.47	0.47	0.47	0.47	0.53	0.47	0.47	0.47	0.40
37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38	0.00	0.00	0.00	0.13	0.13	0.13	0.13	0.20	0.00	0.07


getQualQuantiles takes a `bamReader` and a vector of quantiles (must be between 0 and 1) and returns a `data.frame`. The `data.frame` contains one row for each quantile and also as many columns as the maximum sequence length.

```
> qt <- getQualQuantiles(range,c(0.25,0.5,0.75))
> qt[,1:10]
```

	1	2	3	4	5	6	7	8	9	10
q_25	23	32	30	32	33	32	30	31	29	27
q_50	24	34	34	35	35	35	35	35	35	35
q_75	30	35	35	36	36	36	36	36	36	36

plotQualQuant takes a `bamReader` and plots the 0.1, 0.25, 0.5, 0.75 and 0.9 quantiles for all occurring sequence positions.

```
> plotQualQuant(range)
```



6.7 Functions for calculation and displaying align-depth

Align depth means quantification of present matches for each nucleotide position in a given range.

The alignDepth member function calculates align depth for a given bamRange object. From the bamRange object, the range is extracted and for each nucleotide position within this range the numbers of align matches are calculated. When alignDepth is called with gap=TRUE, the function counts aligns solely for gap-adjacent match regions (cigar-op's).

When we extract a bamRange for the WASH7:

```
> # WASH7P coordinates
> xlim <- c(10000, 30000)
> coords <- c(0,xlim[1], xlim[2])
> range <- bamRange(reader, coords)
> bamClose(reader)
> ad <- alignDepth(range)
> ad
```

```
Class      : alignDepth
Seqid      : 0
```

```

qrBegin      :      10.000
qrEnd        :      30.000
Complex      :          0
rSeqLen(LN)  :    249.250.621
qSeqMinLen   :         101
qSeqMaxLen   :         101
refname      :        chr1
10001 10002 10003 10004 10005 10006
      0      0      0      0      0      0


> getParams(ad)

      seqid      qrBegin      qrEnd      complex      rSeqLen
      0      10000      30000          0  249250621
qSeqMinLen qSeqMaxLen      gap
      101      101          0

> # Identifier
> gene <- "WASH7P"
> ensg_id <- "ENSG00000227232"
> enst_id <- "ENST00000538476"
> # Get exon positions
> start <- c(14411, 15000, 15796, 15904, 16607, 16748, 16858, 17233,
+           17602, 17915, 18268, 24737, 29534)
> end <- c(14502, 15038, 15901, 15947, 16745, 16765, 17055, 17364,
+         17742, 18061, 18366, 24891, 29806)

> plotAlignDepth(ad, lwd = 2, xlim = xlim,
+               main = paste("Align depth for gene",gene),
+               ylab = "Align depth", start = start,
+               end = end, strand = "-",
+               transcript = paste("Chromosome 1",
+                                 "\tGene ENSG00000227232", ensg_id,
+                                 "\tTranscript ",enst_id
+ ))

```



Literatur

- [1] PJA Cock, CJ Fields, N Goto, ML Heuer, and Rice PM. The sanger fastq file format for sequences with quality scores and the solexa/illumina fastq variants. *Nucleic Acids Research*, 38:1767–1771, 2010.
- [2] The SAM Format Specication Working Group. The sam format specication (v1.4-r985). <http://samtools.sourceforge.net/SAM1.pdf>.