

# Package ‘cvms’

April 18, 2020

**Title** Cross-Validation for Model Selection

**Version** 1.0.1

**Description** Cross-validate one or multiple regression and classification models and get relevant evaluation metrics in a tidy format. Validate the best model on a test set and compare it to a baseline evaluation. Alternatively, evaluate predictions from an external model. Currently supports regression and classification (binary and multiclass). Described in chp. 5 of Jeyaraman, B. P., Olsen, L. R., & Wambugu M. (2019, ISBN: 9781838550134).

**License** MIT + file LICENSE

**URL** <https://github.com/ludvigolsen/cvms>

**BugReports** <https://github.com/ludvigolsen/cvms/issues>

**Depends** R (>= 3.5)

**Imports** broom (>= 0.5.5),  
checkmate (>= 2.0.0),  
data.table (>= 1.12),  
dplyr (>= 0.8.5),  
ggplot2,  
lifecycle,  
lme4 (>= 1.1-23),  
MuMIn (>= 1.43.15),  
plyr,  
pROC (>= 1.16.0),  
purrr,  
recipes (>= 0.1.10),  
rlang (>= 0.4.0),  
stats,  
stringr,  
tibble (>= 2.1.1),  
tidyr (>= 1.0.2),  
utils

**Suggests** AUC,  
covr (>= 3.3.1),  
e1071 (>= 1.7-2),  
frrrr,  
ggimage (>= 0.2.7),  
groupdata2 (>= 1.2.0),

knitr,  
 nnet ( $\geq 7.3-12$ ),  
 randomForest ( $\geq 4.6-14$ ),  
 rmarkdown,  
 rsvg,  
 testthat ( $\geq 2.3.2$ ),  
 xpectr ( $\geq 0.3.0$ )

**VignetteBuilder** knitr

**RdMacros** lifecycle

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

## R topics documented:

baseline	3
baseline_binomial	9
baseline_gaussian	12
baseline_multinomial	15
binomial_metrics	19
combine_predictors	21
compatible.formula.terms	23
confusion_matrix	24
cross_validate	27
cross_validate_fn	32
cvms	42
evaluate	42
evaluate_residuals	49
font	51
gaussian_metrics	52
model_functions	54
most_challenging	55
multiclass_probability_tibble	60
multinomial_metrics	61
musicians	64
participant.scores	65
plot_confusion_matrix	65
plot_metric_density	69
precomputed.formulas	71
predicted.musicians	72
predict_functions	73
preprocess_functions	74
reconstruct_formulas	75
select_definitions	76
select_metrics	76
simplify_formula	77
summarize_metrics	78
update_hyperparameters	79
validate	80
validate_fn	85

<i>baseline</i>	3
wines . . . . .	93
<b>Index</b>	<b>95</b>

---

<i>baseline</i>	<i>Create baseline evaluations</i>
-----------------	------------------------------------

---

## Description

### Maturing

Create a baseline evaluation of a test set.

In modelling, a baseline is a result that is meaningful to compare the results from our models to. For instance, in classification, we usually want our results to be better than *random guessing*. E.g. if we have three classes, we can expect an accuracy of 33.33%, as for every observation we have 1/3 chance of guessing the correct class. So our model should achieve a higher accuracy than 33.33% before it is more useful to us than guessing.

While this expected value is often fairly straightforward to find analytically, it only represents what we can expect on average. In reality, it's possible to get far better results than that by guessing. `baseline()` (binomial, multinomial) finds the range of likely values by evaluating multiple sets of random predictions and summarizing them with a set of useful descriptors. If random guessing frequently obtains an accuracy of 40%, perhaps our model should have better performance than this, before we declare it better than guessing.

### How:

When family is binomial: evaluates n sets of random predictions against the dependent variable, along with a set of all 0 predictions and a set of all 1 predictions. See also [baseline\\_binomial\(\)](#).

When family is multinomial: creates one-vs-all (binomial) baseline evaluations for n sets of random predictions against the dependent variable, along with sets of "all class x,y,z,..." predictions. See also [baseline\\_multinomial\(\)](#).

When family is gaussian: fits baseline models ( $y \sim 1$ ) on n random subsets of `train_data` and evaluates each model on `test_data`. Also evaluates a model fitted on all rows in `train_data`. See also [baseline\\_gaussian\(\)](#).

### Wrapper functions:

Consider using one of the wrappers, as they are simpler to use and understand: [baseline\\_gaussian\(\)](#), [baseline\\_multinomial\(\)](#), and [baseline\\_binomial\(\)](#).

## Usage

```
baseline(
  test_data,
  dependent_col,
  family,
  train_data = NULL,
  n = 100,
  metrics = list(),
  positive = 2,
  cutoff = 0.5,
  random_generator_fn = runif,
  random_effects = NULL,
  min_training_rows = 5,
```

```

    min_training_rows_left_out = 3,
    REML = FALSE,
    parallel = FALSE
  )

```

## Arguments

test_data	Data frame.
dependent_col	Name of dependent variable in the supplied test and training sets.
family	Name of family. (Character) Currently supports "gaussian", "binomial" and "multinomial".
train_data	Data frame. Only used when family is "gaussian".
n	Number of random samplings to perform. (Default is 100) For gaussian: The number of random samplings of train_data to fit baseline models on. For binomial and multinomial: The number of sets of random predictions to evaluate.
metrics	List for enabling/disabling metrics. E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the regression results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics. You can enable/disable all metrics at once by including "all" = TRUE/FALSE in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric. The list can be created with <code>gaussian_metrics()</code> , <code>binomial_metrics()</code> , or <code>multinomial_metrics()</code> . Also accepts the string "all".
positive	Level from dependent variable to predict. Either as character ( <i>preferable</i> ) or level index (1 or 2 - alphabetically). E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat". <b>Note:</b> For <i>reproducibility</i> , it's preferable to <b>specify the name directly</b> , as different <code>locales</code> may sort the levels differently. Used when calculating confusion matrix metrics and creating ROC curves. N.B. Only affects evaluation metrics, not the returned predictions. <b>N.B. Binomial only.</b> (Character or Integer)
cutoff	Threshold for predicted classes. (Numeric) <b>N.B. Binomial only</b>
random_generator_fn	Function for generating random numbers when type is "multinomial". The softmax function is applied to the generated numbers to transform them to probabilities. The first argument must be the number of random numbers to generate, as no other arguments are supplied. To test the effect of using different functions, see <code>multiclass_probability_tibble()</code> . <b>N.B. Multinomial only</b>

random_effects	Random effects structure for Gaussian baseline model. (Character) E.g. with "(1 ID)", the model becomes "y ~ 1 + (1 ID)". <b>N.B. Gaussian only</b>
min_training_rows	Minimum number of rows in the random subsets of train_data. <b>Gaussian only.</b> (Integer)
min_training_rows_left_out	Minimum number of rows left out of the random subsets of train_data. I.e. a subset will maximally have the size: $\text{max\_rows\_in\_subset} = \text{nrow}(\text{train\_data}) - \text{min\_training\_rows\_left\_out}$ . <b>N.B. Gaussian only.</b> (Integer)
REML	Whether to use Restricted Maximum Likelihood. (Logical) <b>N.B. Gaussian only.</b> (Integer)
parallel	Whether to run the n evaluations in parallel. (Logical) Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code> .

## Details

Packages used:

### Models:

Gaussian: `stats::lm`, `lme4::lmer`

### Results: Gaussian:

r2m : `MuMIn::r.squaredGLMM`

r2c : `MuMIn::r.squaredGLMM`

AIC : `stats::AIC`

AICc : `MuMIn::AICc`

BIC : `stats::BIC`

### Binomial and Multinomial:

ROC and related metrics:

Binomial: `pROC::roc`

Multinomial: `pROC::multiclass.roc`

## Value

List containing:

1. a tibble with summarized results (called `summarized_metrics`)
2. a tibble with random evaluations (`random_evaluations`)
3. a tibble with the summarized class level results (`summarized_class_level_results`) (**Multinomial only**)

---

### Gaussian Results:

---

The **Summarized Results** tibble contains:

Average RMSE, MAE, NRMSE (IQR), RRSE, RAE, RMSLE.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

The **Measure** column indicates the statistical descriptor used on the evaluations. The row where Measure == All\_rows is the evaluation when the baseline model is trained on all rows in train\_data.

The **Training Rows** column contains the aggregated number of rows used from train\_data, when fitting the baseline models.

.....

The **Random Evaluations** tibble contains:

The **non-aggregated metrics**.

A nested tibble with the **predictions** and targets.

A nested tibble with the **coefficients** of the baseline models.

Number of **training rows** used when fitting the baseline model on the training set.

Specified **family**.

Name of **dependent** variable.

Name of **fixed** effect (bias term only).

**Random** effects structure (if specified).

---

### Binomial Results:

Based on the generated test set predictions, a confusion matrix and ROC curve are used to get the following:

ROC:

AUC, Lower CI, and Upper CI

Note, that the ROC curve is only computed when AUC is enabled.

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

.....

The **Summarized Results** tibble contains:

The **Measure** column indicates the statistical descriptor used on the evaluations. The row where Measure == All\_0 is the evaluation when all predictions are 0. The row where Measure == All\_1 is the evaluation when all predictions are 1.

The **aggregated metrics**.

.....

The **Random Evaluations** tibble contains:

The **non-aggregated metrics**.

A nested tibble with the **predictions** and targets.

A list of **ROC** curve objects (if computed).

A nested tibble with the **confusion matrix**. The Pos\_ columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

Specified **family**.

Name of **dependent** variable.

---

## Multinomial Results:

---

Based on the generated test set predictions, one-vs-all (binomial) evaluations are performed and aggregated to get the same metrics as in the binomial results (excluding MCC, AUC, Lower CI and Upper CI), with the addition of **Overall Accuracy** and *multiclass* **MCC** in the summarized results. It is possible to enable multiclass **AUC** as well, which has been disabled by default as it is slow to calculate when there's a large set of classes.

Note: we also refer to the *one-vs-all evaluations* as the *class level results*.

.....

The **Summarized Results** tibble contains:

Summary of the random evaluations.

**How:** First, the one-vs-all binomial evaluations are aggregated by repetition, then, these aggregations are summarized. Besides the metrics from the binomial evaluations (see *Binomial Results* above), it also includes Overall Accuracy and *multiclass* MCC.

The **Measure** column indicates the statistical descriptor used on the evaluations. The **Mean**, **Median**, **SD**, **IQR**, **Max**, **Min**, **NAs**, and **INFs** measures describe the *Random Evaluations* tibble, while the **CL\_Max**, **CL\_Min**, **CL\_NAs**, and **CL\_INF**s describe the **Class Level** results.

The rows where Measure == All\_<<class name>> are the evaluations when all the observations are predicted to be in that class.

.....

The **Summarized Class Level Results** tibble contains:

The (nested) summarized results for each class, with the same metrics and descriptors as the *Summarized Results* tibble. Use `tidyr::unnest` on the tibble to inspect the results.

**How:** The one-vs-all evaluations are summarized by class.

The rows where Measure == All\_0 are the evaluations when none of the observations are predicted to be in that class, while the rows where Measure == All\_1 are the evaluations when all of the observations are predicted to be in that class.

.....

The **Random Evaluations** tibble contains:

The repetition results with the same metrics as the *Summarized Results* tibble.

**How:** The one-vs-all evaluations are aggregated by repetition. If a metric contains one or more NAs in the one-vs-all evaluations, it will lead to an NA result for that repetition.

Also includes:

A nested tibble with the one-vs-all binomial evaluations (**Class Level Results**), including nested **Confusion Matrices** and the **Support** column, which is a count of how many observations from the class is in the test set.

A nested tibble with the **predictions** and targets.

A list of **ROC** curve objects.

A nested tibble with the multiclass **confusion matrix**.

Specified **family**.

Name of **dependent** variable.

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

## See Also

Other baseline functions: `baseline_binomial()`, `baseline_gaussian()`, `baseline_multinomial()`

## Examples

```
# Attach packages
library(cvms)
library(groupdata2) # partition()
library(dplyr) # %>% arrange()
library(tibble)

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(1)

# Partition data
partitions <- partition(data, p = 0.7, list_out = TRUE)
train_set <- partitions[[1]]
test_set <- partitions[[2]]

# Create baseline evaluations
# Note: usually n=100 is a good setting

# Gaussian
baseline(
  test_data = test_set, train_data = train_set,
  dependent_col = "score", random_effects = "(1|session)",
  n = 2, family = "gaussian"
)

# Binomial
baseline(
  test_data = test_set, dependent_col = "diagnosis",
  n = 2, family = "binomial"
)

# Multinomial

# Create some data with multiple classes
multiclass_data <- tibble(
  "target" = rep(paste0("class_", 1:5), each = 10)
) %>%
  dplyr::sample_n(35)

baseline(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 4, family = "multinomial"
)

# Parallelize evaluations

# Attach doParallel and register four cores
# Uncomment:
# library(doParallel)
# registerDoParallel(4)
```



```

# Binomial
baseline(
  test_data = test_set, dependent_col = "diagnosis",
  n = 4, family = "binomial"
  #, parallel = TRUE # Uncomment
)

# Gaussian
baseline(
  test_data = test_set, train_data = train_set,
  dependent_col = "score", random_effects = "(1|session)",
  n = 4, family = "gaussian"
  #, parallel = TRUE # Uncomment
)

# Multinomial
(mb <- baseline(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 6, family = "multinomial"
  #, parallel = TRUE # Uncomment
))

# Inspect the summarized class level results
# for class_2
mb$summarized_class_level_results %>%
  dplyr::filter(Class == "class_2") %>%
  tidyr::unnest(Results)

# Multinomial with custom random generator function
# that creates very "certain" predictions
# (once softmax is applied)

rcertain <- function(n) {
  (runif(n, min = 1, max = 100)^1.4) / 100
}

baseline(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 6, family = "multinomial",
  random_generator_fn = rcertain
  #, parallel = TRUE # Uncomment
)

```

baseline\_binomial

*Create baseline evaluations for binary classification***Description****Maturing**

Create a baseline evaluation of a test set.

In modelling, a baseline is a result that is meaningful to compare the results from our models to. For instance, in classification, we usually want our results to be better than *random guessing*. E.g. if we have three classes, we can expect an accuracy of 33.33%, as for every observation we have 1/3 chance of guessing the correct class. So our model should achieve a higher accuracy than 33.33% before it is more useful to us than guessing.

While this expected value is often fairly straightforward to find analytically, it only represents what we can expect on average. In reality, it's possible to get far better results than that by guessing. `baseline_binomial()` finds the range of likely values by evaluating multiple sets of random predictions and summarizing them with a set of useful descriptors. Additionally, it evaluates a set of all 0 predictions and a set of all 1 predictions.

## Usage

```
baseline_binomial(
  test_data,
  dependent_col,
  n = 100,
  metrics = list(),
  positive = 2,
  cutoff = 0.5,
  parallel = FALSE
)
```

## Arguments

<code>test_data</code>	Data frame.
<code>dependent_col</code>	Name of dependent variable in the supplied test and training sets.
<code>n</code>	The number of sets of random predictions to evaluate. (Default is 100)
<code>metrics</code>	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("F1" = FALSE)</code> would remove F1 from the results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "Accuracy" = TRUE)</code> would return only the Accuracy metric.</p> <p>The list can be created with <code>binomial_metrics()</code>.</p> <p>Also accepts the string <code>"all"</code>.</p>
<code>positive</code>	<p>Level from dependent variable to predict. Either as character (<i>preferable</i>) or level index (1 or 2 - alphabetically).</p> <p>E.g. if we have the levels <code>"cat"</code> and <code>"dog"</code> and we want <code>"dog"</code> to be the positive class, we can either provide <code>"dog"</code> or 2, as alphabetically, <code>"dog"</code> comes after <code>"cat"</code>.</p> <p><b>Note:</b> For <i>reproducibility</i>, it's preferable to <b>specify the name directly</b>, as different <code>locales</code> may sort the levels differently.</p> <p>Used when calculating confusion matrix metrics and creating ROC curves.</p> <p>N.B. Only affects evaluation metrics, not the returned predictions.</p>
<code>cutoff</code>	Threshold for predicted classes. (Numeric)
<code>parallel</code>	<p>Whether to run the <code>n</code> evaluations in parallel. (Logical)</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>

**Details**

Packages used:

ROC and AUC: [pROC::roc](#)

**Value**

List containing:

1. a tibble with summarized results (called `summarized_metrics`)
2. a tibble with random evaluations (`random_evaluations`)

.....

Based on the generated test set predictions, a confusion matrix and ROC curve are used to get the following:

ROC:

AUC, Lower CI, and Upper CI

Note, that the ROC curve is only computed when AUC is enabled.

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

.....

The **Summarized Results** tibble contains:

The **Measure** column indicates the statistical descriptor used on the evaluations. The row where `Measure == All_0` is the evaluation when all predictions are 0. The row where `Measure == All_1` is the evaluation when all predictions are 1.

The **aggregated metrics**.

.....

The **Random Evaluations** tibble contains:

The **non-aggregated metrics**.

A nested tibble with the **predictions** and targets.

A list of **ROC** curve objects (if computed).

A nested tibble with the **confusion matrix**. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

Specified **family**.

Name of **dependent** variable.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other baseline functions: [baseline\\_gaussian\(\)](#), [baseline\\_multinomial\(\)](#), [baseline\(\)](#)

**Examples**

```

# Attach packages
library(cvms)
library(groupdata2) # partition()
library(dplyr) # %>% arrange()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(1)

# Partition data
partitions <- partition(data, p = 0.7, list_out = TRUE)
train_set <- partitions[[1]]
test_set <- partitions[[2]]

# Create baseline evaluations
# Note: usually n=100 is a good setting

baseline_binomial(
  test_data = test_set,
  dependent_col = "diagnosis",
  n = 2
)

# Parallelize evaluations

# Attach doParallel and register four cores
# Uncomment:
# library(doParallel)
# registerDoParallel(4)

# Make sure to uncomment the parallel argument
baseline_binomial(
  test_data = test_set,
  dependent_col = "diagnosis",
  n = 4
  #, parallel = TRUE # Uncomment
)

```

baseline\_gaussian

*Create baseline evaluations for regression models***Description****Maturing**

Create a baseline evaluation of a test set.

In modelling, a baseline is a result that is meaningful to compare the results from our models to. In regression, we want our model to be better than a model without any predictors. If our model does not perform better than such a simple model, it's unlikely to be useful.

`baseline_gaussian()` fits the intercept-only model ( $y \sim 1$ ) on  $n$  random subsets of `train_data` and evaluates each model on `test_data`. Additionally, it evaluates a model fitted on all rows in `train_data`.

### Usage

```
baseline_gaussian(
  test_data,
  train_data,
  dependent_col,
  n = 100,
  metrics = list(),
  random_effects = NULL,
  min_training_rows = 5,
  min_training_rows_left_out = 3,
  REML = FALSE,
  parallel = FALSE
)
```

### Arguments

<code>test_data</code>	Data frame.
<code>train_data</code>	Data frame.
<code>dependent_col</code>	Name of dependent variable in the supplied test and training sets.
<code>n</code>	The number of random samplings of <code>train_data</code> to fit baseline models on. (Default is 100)
<code>metrics</code>	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the results, and <code>list("TAE" = TRUE)</code> would add the Total Absolute Error metric to the results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric.</p> <p>The list can be created with <a href="#">gaussian_metrics()</a>.</p> <p>Also accepts the string <code>"all"</code>.</p>
<code>random_effects</code>	<p>Random effects structure for baseline model. (Character)</p> <p>E.g. with <code>"(1 ID)"</code>, the model becomes <math>y \sim 1 + (1 ID)</math>.</p>
<code>min_training_rows</code>	Minimum number of rows in the random subsets of <code>train_data</code> .
<code>min_training_rows_left_out</code>	<p>Minimum number of rows left out of the random subsets of <code>train_data</code>.</p> <p>I.e. a subset will maximally have the size:</p> <p><code>max_rows_in_subset = nrow(train_data) - min_training_rows_left_out</code>.</p>
<code>REML</code>	Whether to use Restricted Maximum Likelihood. (Logical)
<code>parallel</code>	<p>Whether to run the <math>n</math> evaluations in parallel. (Logical)</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>

## Details

Packages used:

### Models:

`stats::lm`, `lme4::lmer`

### Results:

`r2m` : `MuMIn::r.squaredGLMM`

`r2c` : `MuMIn::r.squaredGLMM`

`AIC` : `stats::AIC`

`AICc` : `MuMIn::AICc`

`BIC` : `stats::BIC`

## Value

List containing:

1. a tibble with summarized results (called `summarized_metrics`)
2. a tibble with random evaluations (`random_evaluations`)

.....

The **Summarized Results** tibble contains:

Average RMSE, MAE, NRMSE (IQR), RRSE, RAE, RMSLE.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

The **Measure** column indicates the statistical descriptor used on the evaluations. The row where `Measure == All_rows` is the evaluation when the baseline model is trained on all rows in `train_data`.

The **Training Rows** column contains the aggregated number of rows used from `train_data`, when fitting the baseline models.

.....

The **Random Evaluations** tibble contains:

The **non-aggregated metrics**.

A nested tibble with the **predictions** and targets.

A nested tibble with the **coefficients** of the baseline models.

Number of **training rows** used when fitting the baseline model on the training set.

Specified **family**.

Name of **dependent** variable.

Name of **fixed** effect (bias term only).

**Random** effects structure (if specified).

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

## See Also

Other baseline functions: [baseline\\_binomial\(\)](#), [baseline\\_multinomial\(\)](#), [baseline\(\)](#)

**Examples**

```

# Attach packages
library(cvms)
library(groupdata2) # partition()
library(dplyr) # %>% arrange()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(1)

# Partition data
partitions <- partition(data, p = 0.7, list_out = TRUE)
train_set <- partitions[[1]]
test_set <- partitions[[2]]

# Create baseline evaluations
# Note: usually n=100 is a good setting

baseline_gaussian(
  test_data = test_set,
  train_data = train_set,
  dependent_col = "score",
  random_effects = "(1|session)",
  n = 2
)

# Parallelize evaluations

# Attach doParallel and register four cores
# Uncomment:
# library(doParallel)
# registerDoParallel(4)

# Make sure to uncomment the parallel argument
baseline_gaussian(
  test_data = test_set,
  train_data = train_set,
  dependent_col = "score",
  random_effects = "(1|session)",
  n = 4
  #, parallel = TRUE # Uncomment
)

```

---

baseline\_multinomial    *Create baseline evaluations*


---

**Description****Maturing**

Create a baseline evaluation of a test set.

In modelling, a baseline is a result that is meaningful to compare the results from our models to. For instance, in classification, we usually want our results to be better than *random guessing*. E.g. if we have three classes, we can expect an accuracy of 33.33%, as for every observation we have 1/3 chance of guessing the correct class. So our model should achieve a higher accuracy than 33.33% before it is more useful to us than guessing.

While this expected value is often fairly straightforward to find analytically, it only represents what we can expect on average. In reality, it's possible to get far better results than that by guessing. `baseline_multinomial()` finds the range of likely values by evaluating multiple sets of random predictions and summarizing them with a set of useful descriptors.

Technically, it creates *one-vs-all* (binomial) baseline evaluations for the `n` sets of random predictions and summarizes them. Additionally, sets of "all class x,y,z,..." predictions are evaluated.

## Usage

```
baseline_multinomial(
  test_data,
  dependent_col,
  n = 100,
  metrics = list(),
  random_generator_fn = runif,
  parallel = FALSE
)
```

## Arguments

<code>test_data</code>	Data frame.
<code>dependent_col</code>	Name of dependent variable in the supplied test and training sets.
<code>n</code>	The number of sets of random predictions to evaluate. (Default is 100)
<code>metrics</code>	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("F1" = FALSE)</code> would remove F1 from the results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "Accuracy" = TRUE)</code> would return only the Accuracy metric.</p> <p>The list can be created with <code>multinomial_metrics()</code>.</p> <p>Also accepts the string <code>"all"</code>.</p>
<code>random_generator_fn</code>	<p>Function for generating random numbers. The softmax function is applied to the generated numbers to transform them to probabilities.</p> <p>The first argument must be the number of random numbers to generate, as no other arguments are supplied.</p> <p>To test the effect of using different functions, see <code>multiclass_probability_tibble()</code>.</p>
<code>parallel</code>	<p>Whether to run the <code>n</code> evaluations in parallel. (Logical)</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>

## Details

Packages used:

Multiclass ROC curve and AUC: `pROC::multiclass.roc`



**Value**

List containing:

1. a tibble with summarized results (called `summarized_metrics`)
2. a tibble with random evaluations (`random_evaluations`)
3. a tibble with the summarized class level results (`summarized_class_level_results`)

.....

**Macro metrics:**

Based on the generated predictions, *one-vs-all* (binomial) evaluations are performed and aggregated to get the following **macro** metrics:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, and Prevalence.

In general, the metrics mentioned in `binomial_metrics()` can be enabled as macro metrics (excluding MCC, AUC, Lower CI, Upper CI, and the AIC/AICc/BIC metrics). These metrics also has a weighted average version.

**N.B.** we also refer to the *one-vs-all evaluations* as the *class level results*.

**Multiclass metrics:**

In addition, the Overall Accuracy and *multiclass* MCC metrics are computed. *Multiclass* AUC can be enabled but is slow to calculate with many classes.

.....

The **Summarized Results** tibble contains:

Summary of the random evaluations.

**How:** The one-vs-all binomial evaluations are aggregated by repetition and summarized. Besides the metrics from the binomial evaluations, it also includes Overall Accuracy and *multiclass* MCC.

The **Measure** column indicates the statistical descriptor used on the evaluations. The **Mean**, **Median**, **SD**, **IQR**, **Max**, **Min**, **NAs**, and **INFs** measures describe the *Random Evaluations* tibble, while the **CL\_Max**, **CL\_Min**, **CL\_NAs**, and **CL\_INFs** describe the **Class Level** results.

The rows where `Measure == All_<<class name>>` are the evaluations when all the observations are predicted to be in that class.

.....

The **Summarized Class Level Results** tibble contains:

The (nested) summarized results for each class, with the same metrics and descriptors as the *Summarized Results* tibble. Use `tidyr::unnest` on the tibble to inspect the results.

**How:** The one-vs-all evaluations are summarized by class.

The rows where `Measure == All_0` are the evaluations when none of the observations are predicted to be in that class, while the rows where `Measure == All_1` are the evaluations when all of the observations are predicted to be in that class.

.....

The **Random Evaluations** tibble contains:

The repetition results with the same metrics as the *Summarized Results* tibble.

**How:** The one-vs-all evaluations are aggregated by repetition. If a metric contains one or more NAs in the one-vs-all evaluations, it will lead to an NA result for that repetition.

Also includes:

A nested tibble with the one-vs-all binomial evaluations (**Class Level Results**), including nested **Confusion Matrices** and the **Support** column, which is a count of how many observations from the class is in the test set.

A nested tibble with the **predictions** and targets.

A list of **ROC** curve objects.

A nested tibble with the multiclass **confusion matrix**.

Specified **family**.

Name of **dependent** variable.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other baseline functions: [baseline\\_binomial\(\)](#), [baseline\\_gaussian\(\)](#), [baseline\(\)](#)

### Examples

```
# Attach packages
library(cvms)
library(groupdata2) # partition()
library(dplyr) # %>% arrange()
library(tibble)

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(1)

# Partition data
partitions <- partition(data, p = 0.7, list_out = TRUE)
train_set <- partitions[[1]]
test_set <- partitions[[2]]

# Create baseline evaluations
# Note: usually n=100 is a good setting

# Create some data with multiple classes
multiclass_data <- tibble(
  "target" = rep(paste0("class_", 1:5), each = 10)
) %>%
  dplyr::sample_n(35)

baseline_multinomial(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 4
)

# Parallelize evaluations

# Attach doParallel and register four cores
```

```

# Uncomment:
# library(doParallel)
# registerDoParallel(4)

# Make sure to uncomment the parallel argument
(mb <- baseline_multinomial(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 6
  #, parallel = TRUE # Uncomment
))

# Inspect the summarized class level results
# for class_2
mb$summarized_class_level_results %>%
  dplyr::filter(Class == "class_2") %>%
  tidyr::unnest(Results)

# Multinomial with custom random generator function
# that creates very "certain" predictions
# (once softmax is applied)

rcertain <- function(n) {
  (runif(n, min = 1, max = 100)^1.4) / 100
}

# Make sure to uncomment the parallel argument
baseline_multinomial(
  test_data = multiclass_data,
  dependent_col = "target",
  n = 6,
  random_generator_fn = rcertain
  #, parallel = TRUE # Uncomment
)

```

---

binomial\_metrics

*Select metrics for binomial evaluation*


---

## Description

### Experimental

Enable/disable metrics for binomial evaluation. Can be supplied to the `metrics` argument in many of the `cvms` functions.

Note: Some functions may have slightly different defaults than the ones supplied here.

## Usage

```

binomial_metrics(
  all = NULL,
  balanced_accuracy = NULL,
  accuracy = NULL,
  f1 = NULL,

```

```

sensitivity = NULL,
specificity = NULL,
pos_pred_value = NULL,
neg_pred_value = NULL,
auc = NULL,
lower_ci = NULL,
upper_ci = NULL,
kappa = NULL,
mcc = NULL,
detection_rate = NULL,
detection_prevalence = NULL,
prevalence = NULL,
false_neg_rate = NULL,
false_pos_rate = NULL,
false_discovery_rate = NULL,
false_omission_rate = NULL,
threat_score = NULL,
aic = NULL,
aicc = NULL,
bic = NULL
)

```

### Arguments

all	Enable/disable all arguments at once. (Logical) Specifying other metrics will overwrite this, why you can use (all = FALSE, accuracy = TRUE) to get only the Accuracy metric.
balanced_accuracy	Balanced Accuracy (Default: TRUE)
accuracy	Accuracy (Default: FALSE)
f1	F1 (Default: TRUE)
sensitivity	Sensitivity (Default: TRUE)
specificity	Specificity (Default: TRUE)
pos_pred_value	Pos Pred Value (Default: TRUE)
neg_pred_value	Neg Pred Value (Default: TRUE)
auc	AUC (Default: TRUE)
lower_ci	Lower CI (Default: TRUE)
upper_ci	Upper CI (Default: TRUE)
kappa	Kappa (Default: TRUE)
mcc	MCC (Default: TRUE)
detection_rate	Detection Rate (Default: TRUE)
detection_prevalence	Detection Prevalence (Default: TRUE)
prevalence	Prevalence (Default: TRUE)
false_neg_rate	False Neg Rate (Default: FALSE)
false_pos_rate	False Pos Rate (Default: FALSE)
false_discovery_rate	False Discovery Rate (Default: FALSE)

```

false_omission_rate
                        False Omission Rate (Default: FALSE)
threat_score          Threat Score (Default: FALSE)
aic                   AIC. (Default: FALSE)
aicc                  AICc. (Default: FALSE)
bic                   BIC. (Default: FALSE)

```

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other evaluation functions: [confusion\\_matrix\(\)](#), [evaluate\\_residuals\(\)](#), [evaluate\(\)](#), [gaussian\\_metrics\(\)](#), [multinomial\\_metrics\(\)](#)

**Examples**

```

# Attach packages
library(cvms)

# Enable only Balanced Accuracy
binomial_metrics(all = FALSE, balanced_accuracy = TRUE)

# Enable all but Balanced Accuracy
binomial_metrics(all = TRUE, balanced_accuracy = FALSE)

# Disable Balanced Accuracy
binomial_metrics(balanced_accuracy = FALSE)

```

---

combine_predictors	<i>Generate model formulas by combining predictors</i>
--------------------	--

---

**Description****Maturing**

Create model formulas with every combination of your fixed effects, along with the dependent variable and random effects. 259,358 formulas have been precomputed with two- and three-way interactions for up to 8 fixed effects, with up to 5 included effects per formula. Uses the + and \* operators, so lower order interactions are automatically included.

**Usage**

```

combine_predictors(
  dependent,
  fixed_effects,
  random_effects = NULL,
  max_fixed_effects = 5,
  max_interaction_size = 3,
  max_effect_frequency = NULL
)

```

**Arguments**

- dependent** Name of dependent variable. (Character)
- fixed\_effects** List of fixed effects. (Character)  
 Max. limit of 8 effects **when interactions are included!**  
 A fixed effect name cannot contain: white spaces, "\*" or "+".  
 Effects in sublists will be interchanged. This can be useful, when we have multiple versions of a predictor (e.g. x1 and log(x1)) that we do not wish to have in the same formula.  
 Example of interchangeable effects:  
`list( list( "x1", "log_x1" ), "x2", "x3" )`
- random\_effects** The random effects structure. (Character)  
 Is appended to the model formulas.
- max\_fixed\_effects**  
 Maximum number of fixed effects in a model formula. (Integer)  
 Max. limit of 5 **when interactions are included!**
- max\_interaction\_size**  
 Maximum number of effects in an interaction. (Integer)  
 Max. limit of 3.  
 Use this to limit the n-way interactions allowed. 0 or 1 excludes interactions all together.  
 A model formula can contain multiple interactions.
- max\_effect\_frequency**  
 Maximum number of times an effect is included in a formula string.

**Value**

List of model formulas.

E.g.:

`c("y ~ x1 + (1|z)", "y ~ x2 + (1|z)", "y ~ x1 + x2 + (1|z)", "y ~ x1 * x2 + (1|z)").`

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**Examples**

```
# Attach packages
library(cvms)

# Create effect names
dependent <- "y"
fixed_effects <- c("a", "b", "c")
random_effects <- "(1|e)"

# Create model formulas
combine_predictors(
  dependent, fixed_effects,
  random_effects
)
```

```
# Create effect names with interchangeable effects in sublists
fixed_effects <- list("a", list("b", "log_b"), "c")

# Create model formulas
combine_predictors(
  dependent, fixed_effects,
  random_effects
)
```

---

compatible.formula.terms

*Compatible formula terms*


---

## Description

162,660 pairs of compatible terms for building model formulas with up to 15 fixed effects.

## Format

A data frame with 162,660 rows and 5 variables:

**left** term, fixed effect or interaction, with fixed effects separated by "\*"

**right** term, fixed effect or interaction, with fixed effects separated by "\*"

**max\_interaction\_size** maximum interaction size in the two terms, up to 3

**num\_effects** number of unique fixed effects in the two terms, up to 5

**min\_num\_fixed\_effects** minimum number of fixed effects required to use a formula with the two terms, i.e. the index in the alphabet of the last of the alphabetically ordered effects (letters) in the two terms, so 4 if left == "A" and right == "D"

## Details

A term is either a fixed effect or an interaction between fixed effects (up to three-way), where the effects are separated by the "\*" operator.

Two terms are compatible if they are not redundant, meaning that both add a fixed effect to the formula. E.g. as the interaction "x1 \* x2 \* x3" expands to "x1 + x2 + x3 + x1 \* x2 + x1 \* x3 + x2 \* x3 + x1 \* x2 \* x3", the higher order interaction makes these "sub terms" redundant. Note: All terms are compatible with NA.

Effects are represented by the first fifteen capital letters.

Used to generate the model formulas for [combine\\_predictors](#).

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

 confusion\_matrix

 Create a confusion matrix
 

---

## Description

### Experimental

Creates a confusion matrix from targets and predictions. Calculates associated metrics.

Multiclass results are based on one-vs-all evaluations. Both regular averaging and weighted averaging are available. Also calculates the Overall Accuracy.

**Note:** In most cases you should use `evaluate()` instead. It has additional metrics and works in `magrittr` pipes (e.g. `%>%`) and with `dplyr::group_by()`. `confusion_matrix()` is more lightweight and may be preferred in programming when you don't need the extra stuff in `evaluate()`.

## Usage

```
confusion_matrix(
  targets,
  predictions,
  metrics = list(),
  positive = 2,
  c_levels = NULL,
  do_one_vs_all = TRUE,
  parallel = FALSE
)
```

## Arguments

targets	Vector with true classes. Either numeric or character.
predictions	Vector with predicted classes. Either numeric or character.
metrics	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("Accuracy" = TRUE)</code> would add the regular accuracy metric, while <code>list("F1" = FALSE)</code> would remove the F1 metric. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "Accuracy" = TRUE)</code> would return only the Accuracy metric.</p> <p>The list can be created with <code>binomial_metrics()</code> or <code>multinomial_metrics()</code>. Also accepts the string <code>"all"</code>.</p>
positive	<p>Level from targets to predict. Either as character (<i>preferable</i>) or level index (1 or 2 - alphabetically). (<b>Two-class only</b>)</p> <p>E.g. if we have the levels <code>"cat"</code> and <code>"dog"</code> and we want <code>"dog"</code> to be the positive class, we can either provide <code>"dog"</code> or 2, as alphabetically, <code>"dog"</code> comes after <code>"cat"</code>.</p> <p><b>Note:</b> For <i>reproducibility</i>, it's preferable to <b>specify the name directly</b>, as different <code>locales</code> may sort the levels differently.</p>



c_levels	<p>Vector with categorical levels in the targets. Should have same type as targets. If NULL, they are inferred from targets.</p> <p>N.B. the levels are sorted alphabetically. When Positive is numeric (i.e. an index), it therefore still refers to the index of the alphabetically sorted levels.</p>
do_one_vs_all	<p>Whether to perform one-vs-all evaluations when working with more than 2 elements (multiclass).</p> <p>If you are only interested in the confusion matrix, this allows you to skip most of the metric calculations.</p>
parallel	<p>Whether to perform the one-vs-all evaluations in parallel. (Logical)</p> <p>N.B. This only makes sense when you have a lot of classes or a very large dataset.</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>

## Details

The following formulas are used for calculating the metrics:

Sensitivity =  $TP / (TP + FN)$

Specificity =  $TN / (TN + FP)$

Pos Pred Value =  $TP / (TP + FP)$

Neg Pred Value =  $TN / (TN + FN)$

Balanced Accuracy =  $(\text{Sensitivity} + \text{Specificity}) / 2$

Accuracy =  $(TP + TN) / (TP + TN + FP + FN)$

Overall Accuracy =  $\text{Correct} / (\text{Correct} + \text{Incorrect})$

F1 =  $2 * \text{Pos Pred Value} * \text{Sensitivity} / (\text{Pos Pred Value} + \text{Sensitivity})$

MCC =  $((TP * TN) - (FP * FN)) / \sqrt{(TP + FP) * (TP + FN) * (TN + FP) * (TN + FN)}$

Note for MCC: Formula is for the *binary* case. When the denominator is 0, we set it to 1 to avoid NaN. See the metrics vignette for multiclass version.

Detection Rate =  $TP / (TP + FN + TN + FP)$

Detection Prevalence =  $(TP + FP) / (TP + FN + TN + FP)$

Threat Score =  $TP / (TP + FN + FP)$

False Neg Rate =  $1 - \text{Sensitivity}$

False Pos Rate =  $1 - \text{Specificity}$

False Discovery Rate =  $1 - \text{Pos Pred Value}$

False Omission Rate =  $1 - \text{Neg Pred Value}$

For **Kappa** the counts (TP, TN, FP, FN) are normalized to percentages (summing to 1). Then the following is calculated:

$p_{\text{observed}} = TP + TN$

$p_{\text{expected}} = (TN + FP) * (TN + FN) + (FN + TP) * (FP + TP)$

$Kappa = (p_{\text{observed}} - p_{\text{expected}}) / (1 - p_{\text{expected}})$

**Value**

Tbl (tibble) with:

Nested **confusion matrix** (tidied version)

Nested confusion matrix (**table**)

The **Positive Class**.

Multiclass only: Nested **Class Level Results** with the two-class metrics, the nested confusion matrices, and the **Support** metric, which is a count of the class in the target column and is used for the weighted average metrics.

The following metrics are available (see metrics):

**Two classes or more:**

Metric	Name	Default
Balanced Accuracy	"Balanced Accuracy"	Enabled
Accuracy	"Accuracy"	Disabled
F1	"F1"	Enabled
Sensitivity	"Sensitivity"	Enabled
Specificity	"Specificity"	Enabled
Positive Predictive Value	"Pos Pred Value"	Enabled
Negative Predictive Value	"Neg Pred Value"	Enabled
Kappa	"Kappa"	Enabled
Matthews Correlation Coefficient	"MCC"	Enabled
Detection Rate	"Detection Rate"	Enabled
Detection Prevalence	"Detection Prevalence"	Enabled
Prevalence	"Prevalence"	Enabled
False Negative Rate	"False Neg Rate"	Disabled
False Positive Rate	"False Pos Rate"	Disabled
False Discovery Rate	"False Discovery Rate"	Disabled
False Omission Rate	"False Omission Rate"	Disabled
Threat Score	"Threat Score"	Disabled

The **Name** column refers to the name used in the package. This is the name in the output and when enabling/disabling in metrics.

**Three classes or more:**

The metrics mentioned above (excluding MCC) has a weighted average version (disabled by default; weighted by the **Support**).

In order to enable a weighted metric, prefix the metric name with "Weighted " when specifying metrics.

E.g. `metrics = list("Weighted Accuracy" = TRUE)`.

Metric	Name	Default
Overall Accuracy	"Overall Accuracy"	Enabled
Weighted *	"Weighted *"	Disabled
Multiclass MCC	"MCC"	Enabled

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other evaluation functions: [binomial\\_metrics\(\)](#), [evaluate\\_residuals\(\)](#), [evaluate\(\)](#), [gaussian\\_metrics\(\)](#), [multinomial\\_metrics\(\)](#)

**Examples**

```
# Attach cvms
library(cvms)

# Two classes

# Create targets and predictions
targets <- c(0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1)
predictions <- c(1, 1, 0, 0, 0, 1, 1, 1, 0, 1, 0, 0)

# Create confusion matrix with default metrics
cm <- confusion_matrix(targets, predictions)
cm
cm[["Confusion Matrix"]]
cm[["Table"]]

# Three classes

# Create targets and predictions
targets <- c(0, 1, 2, 1, 0, 1, 2, 1, 0, 1, 2, 1, 0)
predictions <- c(2, 1, 0, 2, 0, 1, 1, 2, 0, 1, 2, 0, 2)

# Create confusion matrix with default metrics
cm <- confusion_matrix(targets, predictions)
cm
cm[["Confusion Matrix"]]
cm[["Table"]]

# Enabling weighted accuracy

# Create confusion matrix with Weighted Accuracy enabled
cm <- confusion_matrix(targets, predictions,
  metrics = list("Weighted Accuracy" = TRUE)
)
cm
```

---

cross\_validate

*Cross-validate regression models for model selection*

---

**Description****Stable**

Cross-validate one or multiple linear or logistic regression models at once. Perform repeated cross-validation. Returns results in a tibble for easy comparison, reporting and further analysis.

See [cross\\_validate\\_fn\(\)](#) for use with custom model functions.

## Usage

```
cross_validate(
  data,
  formulas,
  family,
  fold_cols = ".folds",
  control = NULL,
  REML = FALSE,
  cutoff = 0.5,
  positive = 2,
  metrics = list(),
  preprocessing = NULL,
  rm_nc = FALSE,
  parallel = FALSE,
  verbose = FALSE,
  link = deprecated(),
  models = deprecated(),
  model_verbose = deprecated()
)
```

## Arguments

data	Data frame. Must include grouping factor for identifying folds - as made with <code>groupdata2::fold()</code> .
formulas	Model formulas as strings. (Character) E.g. <code>c("y~x", "y~z")</code> . Can contain random effects. E.g. <code>c("y~x+(1 r)", "y~z+(1 r)")</code> .
family	Name of the family. (Character) Currently supports "gaussian" for linear regression with <code>lm()</code> / <code>lme4::lmer()</code> and "binomial" for binary classification with <code>glm()</code> / <code>lme4::glmer()</code> .
fold_cols	Name(s) of grouping factor(s) for identifying folds. (Character) Include names of multiple grouping factors for repeated cross-validation.
control	Construct control structures for mixed model fitting (with <code>lme4::lmer()</code> or <code>lme4::glmer()</code> ). See <code>lme4::lmerControl</code> and <code>lme4::glmerControl</code> . N.B. Ignored if fitting <code>lm()</code> or <code>glm()</code> models.
REML	Restricted Maximum Likelihood. (Logical)
cutoff	Threshold for predicted classes. (Numeric) N.B. <b>Binomial models only</b>
positive	Level from dependent variable to predict. Either as character ( <i>preferable</i> ) or level index (1 or 2 - alphabetically). E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat". <b>Note:</b> For <i>reproducibility</i> , it's preferable to <b>specify the name directly</b> , as different <code>locales</code> may sort the levels differently. Used when calculating confusion matrix metrics and creating ROC curves. The Positive Class column in the output can be used to verify this setting.

	N.B. Only affects evaluation metrics, not the model training or returned predictions.										
	N.B. <b>Binomial models only.</b>										
metrics	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric.</p> <p>The list can be created with <code>gaussian_metrics()</code> or <code>binomial_metrics()</code>.</p> <p>Also accepts the string <code>"all"</code>.</p>										
preprocessing	<p>Name of preprocessing to apply.</p> <p>Available preprocessings are:</p> <table> <thead> <tr> <th>Name</th><th></th></tr> </thead> <tbody> <tr> <td>"standardize"</td><td>Centers and scales the numeric predictors to the 0-1 range.</td></tr> <tr> <td>"range"</td><td>Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.</td></tr> <tr> <td>"scale"</td><td>Scales the numeric predictors to have a standard deviation of 1.</td></tr> <tr> <td>"center"</td><td>Centers the numeric predictors to have a mean of 0.</td></tr> </tbody> </table>	Name		"standardize"	Centers and scales the numeric predictors to the 0-1 range.	"range"	Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.	"scale"	Scales the numeric predictors to have a standard deviation of 1.	"center"	Centers the numeric predictors to have a mean of 0.
Name											
"standardize"	Centers and scales the numeric predictors to the 0-1 range.										
"range"	Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.										
"scale"	Scales the numeric predictors to have a standard deviation of 1.										
"center"	Centers the numeric predictors to have a mean of 0.										
	<p>The preprocessing parameters (mean, SD, etc.) are extracted from the training folds and applied to both the training folds and the test fold. They are returned in the <b>Preprocess</b> column for inspection.</p> <p>N.B. The preprocessings should not affect the results to a noticeable degree, although <code>"range"</code> might due to the truncation.</p>										
rm_nc	Remove non-converged models from output. (Logical)										
parallel	<p>Whether to cross-validate the list of models in parallel. (Logical)</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>										
verbose	Whether to message process information like the number of model instances to fit and which model function was applied. (Logical)										
link, models, model_verbose	Deprecated.										

## Details

Packages used:

### Models:

Gaussian: `stats::lm`, `lme4::lmer`

Binomial: `stats::glm`, `lme4::glmer`

### Results:

*Shared:*

AIC : `stats::AIC`

AICc : `MuMIn::AICc`

BIC : `stats::BIC`

*Gaussian:*

r2m : `MuMIn::r.squaredGLMM`

r2c : `MuMIn::r.squaredGLMM`

*Binomial:*

ROC and AUC: `pROC::roc`

## Value

Tibble with results for each model.

**Shared across families:** A nested tibble with **coefficients** of the models from all iterations.

Number of *total* **folds**.

Number of **fold columns**.

Count of **convergence warnings**. Consider discarding models that did not converge on all iterations. Note: you might still see results, but these should be taken with a grain of salt!

Count of **other warnings**. These are warnings without keywords such as "convergence".

Count of **Singular Fit messages**. See `lme4::isSingular` for more information.

Nested tibble with the **warnings and messages** caught for each model.

Specified **family**.

Name of **dependent** variable.

Names of **fixed** effects.

Names of **random** effects, if any.

Nested tibble with **preprocessing** parameters, if any.

### Gaussian Results:

Average RMSE, MAE, NRMSE (IQR), RRSE, RAE, RMSLE, AIC, AICc, and BIC of all the iterations\*, **omitting potential NAs from non-converged iterations**. Note that the Information Criterion metrics (AIC, AICc, and BIC) are also averages.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

A nested tibble with the **predictions** and targets.

A nested tibble with the non-averaged **results** from all iterations.

\* In *repeated cross-validation*, the metrics are first averaged for each fold column (repetition) and then averaged again.

### Binomial Results:

Based on the **collected** predictions from the test folds\*, a confusion matrix and a ROC curve are created to get the following:

ROC:

AUC, Lower CI, and Upper CI

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

See the additional metrics (disabled by default) at [?binomial\\_metrics](#).

Also includes:

A nested tibble with **predictions**, predicted classes (depends on cutoff), and the targets. Note, that the predictions are *not necessarily* of the *specified* positive class, but of the *model's* positive class (second level of dependent variable, alphabetically).

The `pROC::roc` ROC curve object(s).

A nested tibble with the **confusion matrix**/matrices. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

A nested tibble with the **results** from all fold columns.

The name of the **Positive Class**.

\* In *repeated cross-validation*, an evaluation is made per fold column (repetition) and averaged.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

Benjamin Hugh Zachariae

### See Also

Other validation functions: `cross_validate_fn()`, `validate_fn()`, `validate()`

### Examples

```
# Attach packages
library(cvms)
library(groupdata2) # fold()
library(dplyr) # %>% arrange()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(7)

# Fold data
data <- fold(
  data,
  k = 4,
  cat_col = "diagnosis",
  id_col = "participant"
) %>%
  arrange(.folds)

#
# Cross-validate a single model
#

# Gaussian
cross_validate(
  data,
  formulas = "score~diagnosis",
  family = "gaussian",
  REML = FALSE
)
```

```

# Binomial
cross_validate(
  data,
  formulas = "diagnosis~score",
  family = "binomial"
)

#
# Cross-validate multiple models
#

formulas <- c(
  "score~diagnosis+(1|session)",
  "score~age+(1|session)"
)

cross_validate(
  data,
  formulas = formulas,
  family = "gaussian",
  REML = FALSE
)

#
# Use parallelization
#

# Attach doParallel and register four cores
# Uncomment:
# library(doParallel)
# registerDoParallel(4)

# Cross-validate a list of model formulas in parallel
# Make sure to uncomment the parallel argument
cross_validate(
  data,
  formulas = formulas,
  family = "gaussian"
  #, parallel = TRUE # Uncomment
)

```

---

cross\_validate\_fn

---

*Cross-validate custom model functions for model selection*


---

## Description

### Experimental

Cross-validate your model function with one or multiple model formulas at once. Perform repeated cross-validation. Preprocess the train/test split within the cross-validation. Perform hyperparameter tuning with grid search. Returns results in a tibble for easy comparison, reporting and further analysis.



Compared to `cross_validate()`, this function allows you supply a custom model function, a predict function, a preprocess function and the hyperparameter values to cross-validate.

Supports regression and classification (binary and multiclass). See `type`.

Note that some metrics may not be computable for some types of model objects.

### Usage

```
cross_validate_fn(
  data,
  formulas,
  type,
  model_fn,
  predict_fn,
  preprocess_fn = NULL,
  preprocess_once = FALSE,
  hyperparameters = NULL,
  fold_cols = ".folds",
  cutoff = 0.5,
  positive = 2,
  metrics = list(),
  rm_nc = FALSE,
  parallel = FALSE,
  verbose = TRUE
)
```

### Arguments

<code>data</code>	Data frame. Must include grouping factor for identifying folds - as made with <code>groupdata2::fold()</code> .
<code>formulas</code>	Model formulas as strings. (Character) Will be converted to <code>formula</code> objects before being passed to <code>model_fn</code> . E.g. <code>c("y~x", "y~z")</code> . Can contain random effects. E.g. <code>c("y~x+(1 r)", "y~z+(1 r)")</code> .
<code>type</code>	Type of evaluation to perform: "gaussian" for regression (like linear regression). "binomial" for binary classification. "multinomial" for multiclass classification.
<code>model_fn</code>	Model function that returns a fitted model object. Will usually wrap an existing model function like <code>e1071::svm</code> or <code>nnet::multinom</code> . Must have the following function arguments: <code>function(train_data, formula, hyperparameters)</code>
<code>predict_fn</code>	Function for predicting the targets in the test folds/sets using the fitted model object. Will usually wrap <code>stats::predict()</code> , but doesn't have to. Must have the following function arguments: <code>function(test_data, model, formula, hyperparameters, train_data)</code> Must return predictions in the following formats, depending on type:

**Binomial:** Vector or one-column matrix / data frame with probabilities (0-1) of the second class, alphabetically. E.g.:

`c(0.3, 0.5, 0.1, 0.5)`

**Gaussian:** Vector or one-column matrix / data frame with the predicted value. E.g.:

`c(3.7, 0.9, 1.2, 7.3)`

**Multinomial:** Data frame with one column per class containing probabilities of the class. Column names should be identical to how the class names are written in the target column. E.g.:

class_1	class_2	class_3
0.269	0.528	0.203
0.368	0.322	0.310
0.375	0.371	0.254
...	...	...

**preprocess\_fn** Function for preprocessing the training and test sets.  
Can, for instance, be used to standardize both the training and test sets with the scaling and centering parameters from the training set.  
Must have the following function arguments:  
`function(train_data, test_data, formula, hyperparameters)`  
Must return a list with the preprocessed `train_data` and `test_data`. It may also contain a tibble with the parameters used in preprocessing:  
`list("train" = train_data, "test" = test_data, "parameters" = preprocess_parameters)`  
Additional elements in the returned list will be ignored.  
The optional parameters tibble will be included in the output. It could have the following format:

Measure	var_1	var_2
Mean	37.921	88.231
SD	12.4	5.986
...	...	...

N.B. When `preprocess_once` is `FALSE`, the current formula and hyperparameters will be provided. Otherwise, these arguments will be `NULL`.

**preprocess\_once** Whether to apply the preprocessing once (ignoring the formula and hyperparameters arguments in `preprocess_fn`) or for every model separately. (Logical)  
When preprocessing does not depend on the current formula or hyperparameters, we can do the preprocessing of each train/test split once, to save time. This **may require holding a lot more data in memory** though, why it is not the default setting.

**hyperparameters** Either a named list with hyperparameter values to combine in a grid or a data frame with one row per hyperparameter combination.

**Named list for grid search:** Add `".n"` to sample the combinations. Can be the number of combinations to use, or a percentage between 0 and 1.

E.g.

```
list(".n" = 10, # sample 10 combinations
      "lrn_rate" = c(0.1, 0.01, 0.001),
      "h_layers" = c(10, 100, 1000),
      "drop_out" = runif(5, 0.3, 0.7))
```

**Data frame with specific hyperparameter combinations:** One row per combination to test.

E.g.

lrn_rate	h_layers	drop_out
0.1	10	0.65
0.1	1000	0.65
0.01	1000	0.63
...	...	...

fold_cols	<p>Name(s) of grouping factor(s) for identifying folds. (Character)</p> <p>Include names of multiple grouping factors for repeated cross-validation.</p>
cutoff	<p>Threshold for predicted classes. (Numeric)</p> <p><b>N.B. Binomial models only</b></p>
positive	<p>Level from dependent variable to predict. Either as character (<i>preferable</i>) or level index (1 or 2 - alphabetically).</p> <p>E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat".</p> <p><b>Note:</b> For <i>reproducibility</i>, it's preferable to <b>specify the name directly</b>, as different <a href="#">locales</a> may sort the levels differently.</p> <p>Used when calculating confusion matrix metrics and creating ROC curves.</p> <p>The Positive Class column in the output can be used to verify this setting.</p> <p>N.B. Only affects evaluation metrics, not the model training or returned predictions.</p> <p><b>N.B. Binomial models only.</b></p>
metrics	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the regression results, and <code>list("Accuracy" = TRUE)</code> would add the regular accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric.</p> <p>The list can be created with <a href="#">gaussian_metrics()</a>, <a href="#">binomial_metrics()</a>, or <a href="#">multinomial_metrics()</a>.</p> <p>Also accepts the string "all".</p>
rm_nc	<p>Remove non-converged models from output. (Logical)</p>
parallel	<p>Whether to cross-validate the list of models in parallel. (Logical)</p> <p>Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code>.</p>
verbose	<p>Whether to message process information like the number of model instances to fit. (Logical)</p>

## Details

Packages used:

### Results:

*Shared:*

AIC : `stats::AIC`

AICc : `MuMIn::AICc`

BIC : `stats::BIC`

*Gaussian:*

r2m : `MuMIn::r.squaredGLMM`

r2c : `MuMIn::r.squaredGLMM`

*Binomial and Multinomial:*

ROC and related metrics:

Binomial: `pROC::roc`

Multinomial: `pROC::multiclass.roc`

## Value

Tbl (tibble) with results for each model.

N.B. The **Fold** column in the nested tibbles contains the test fold in that train/test split.

### Shared across families:

A nested tibble with **coefficients** of the models from all iterations. The coefficients are extracted from the model object with `broom::tidy()` or `coef()` (with some restrictions on the output). If these attempts fail, a default coefficients tibble filled with NAs is returned.

Nested tibble with the used **preprocessing parameters**, if a passed `preprocess_fn` returns the parameters in a tibble.

Number of *total folds*.

Number of **fold columns**.

Count of **convergence warnings**, using a limited set of keywords (e.g. "convergence"). If a convergence warning does not contain one of these keywords, it will be counted with **other warnings**. Consider discarding models that did not converge on all iterations. Note: you might still see results, but these should be taken with a grain of salt!

Nested tibble with the **warnings and messages** caught for each model.

Specified **family**.

Name of **dependent** variable.

Names of **fixed** effects.

Names of **random** effects, if any.

---

### Gaussian Results:

Average RMSE, MAE, NRMSE (IQR), RRSE, RAE, RMSLE of all the iterations\*, **omitting potential NAs from non-converged iterations**.

See the additional metrics (disabled by default) at `?gaussian_metrics`.

A nested tibble with the **predictions** and targets.

A nested tibble with the non-averaged **results** from all iterations.

\* In *repeated cross-validation*, the metrics are first averaged for each fold column (repetition) and then averaged again.

---

### Binomial Results:

---

Based on the **collected** predictions from the test folds\*, a confusion matrix and a ROC curve are created to get the following:

ROC:

AUC, Lower CI, and Upper CI

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

See the additional metrics (disabled by default) at [?binomial\\_metrics](#).

Also includes:

A nested tibble with **predictions**, predicted classes (depends on cutoff), and the targets. Note, that the predictions are *not necessarily* of the *specified* positive class, but of the *model's* positive class (second level of dependent variable, alphabetically).

The `pROC::roc` ROC curve object(s).

A nested tibble with the **confusion matrix**/matrices. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

A nested tibble with the **results** from all fold columns.

The name of the **Positive Class**.

\* In *repeated cross-validation*, an evaluation is made per fold column (repetition) and averaged.

---

### Multinomial Results:

---

For each class, a *one-vs-all* binomial evaluation is performed. This creates a **Class Level Results** tibble containing the same metrics as the binomial results described above (excluding MCC, AUC, Lower CI and Upper CI), along with a count of the class in the target column (Support). These metrics are used to calculate the macro metrics. The nested class level results tibble is also included in the output tibble, and could be reported along with the macro and overall metrics.

The output tibble contains the macro and overall metrics. The metrics that share their name with the metrics in the nested class level results tibble are averages of those metrics (note: does not remove NAs before averaging). In addition to these, it also includes the Overall Accuracy and the multiclass MCC.

Other available metrics (disabled by default, see metrics): Accuracy, *multiclass* AUC, Weighted Balanced Accuracy, Weighted Accuracy, Weighted F1, Weighted Sensitivity, Weighted Specificity, Weighted Pos Pred Value, Weighted Neg Pred Value, Weighted Kappa, Weighted Detection Rate, Weighted Detection Prevalence, and Weighted Prevalence.

Note that the "Weighted" average metrics are weighted by the Support.

Also includes:

A nested tibble with the **predictions**, predicted classes, and targets.

A list of **ROC** curve objects when AUC is enabled.

A nested tibble with the multiclass **Confusion Matrix**.

#### Class Level Results

Besides the binomial evaluation metrics and the Support, the nested class level results tibble also contains a nested tibble with the **Confusion Matrix** from the one-vs-all evaluation. The `Pos_`

columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. In our case, 1 is the current class and 0 represents all the other classes together.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other validation functions: [cross\\_validate\(\)](#), [validate\\_fn\(\)](#), [validate\(\)](#)

### Examples

```
# Attach packages
library(cvms)
library(groupdata2) # fold()
library(dplyr) # %>% arrange() mutate()

# Note: More examples of custom functions can be found at:
# model_fn: model_functions()
# predict_fn: predict_functions()
# preprocess_fn: preprocess_functions()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(7)

# Fold data
data <- fold(
  data,
  k = 4,
  cat_col = "diagnosis",
  id_col = "participant"
) %>%
  mutate(diagnosis = as.factor(diagnosis)) %>%
  arrange(.folds)

# Cross-validate multiple formulas

formulas_gaussian <- c(
  "score ~ diagnosis",
  "score ~ age"
)
formulas_binomial <- c(
  "diagnosis ~ score",
  "diagnosis ~ age"
)

#
# Gaussian
#

# Create model function that returns a fitted model object
```

```

lm_model_fn <- function(train_data, formula, hyperparameters) {
  lm(formula = formula, data = train_data)
}

# Create predict function that returns the predictions
lm_predict_fn <- function(test_data, model, formula,
                           hyperparameters, train_data) {
  stats::predict(
    object = model,
    newdata = test_data,
    type = "response",
    allow.new.levels = TRUE
  )
}

# Cross-validate the model function
cross_validate_fn(
  data,
  formulas = formulas_gaussian,
  type = "gaussian",
  model_fn = lm_model_fn,
  predict_fn = lm_predict_fn,
  fold_cols = ".folds"
)

#
# Binomial
#

# Create model function that returns a fitted model object
glm_model_fn <- function(train_data, formula, hyperparameters) {
  glm(formula = formula, data = train_data, family = "binomial")
}

# Create predict function that returns the predictions
glm_predict_fn <- function(test_data, model, formula,
                           hyperparameters, train_data) {
  stats::predict(
    object = model,
    newdata = test_data,
    type = "response",
    allow.new.levels = TRUE
  )
}

# Cross-validate the model function
cross_validate_fn(
  data,
  formulas = formulas_binomial,
  type = "binomial",
  model_fn = glm_model_fn,
  predict_fn = glm_predict_fn,
  fold_cols = ".folds"
)

#
# Support Vector Machine (svm)

```

```

# with hyperparameter tuning
#

# Create model function that returns a fitted model object
# We use the hyperparameters arg to pass in the kernel and cost values
svm_model_fn <- function(train_data, formula, hyperparameters) {

  # Expected hyperparameters:
  # - kernel
  # - cost
  if (!"kernel" %in% names(hyperparameters))
    stop("'hyperparameters' must include 'kernel'")
  if (!"cost" %in% names(hyperparameters))
    stop("'hyperparameters' must include 'cost'")

  e1071::svm(
    formula = formula,
    data = train_data,
    kernel = hyperparameters[["kernel"]],
    cost = hyperparameters[["cost"]],
    scale = FALSE,
    type = "C-classification",
    probability = TRUE
  )
}

# Create predict function that returns the predictions
svm_predict_fn <- function(test_data, model, formula,
                           hyperparameters, train_data) {
  predictions <- stats::predict(
    object = model,
    newdata = test_data,
    allow.new.levels = TRUE,
    probability = TRUE
  )

  # Extract probabilities
  probabilities <- dplyr::as_tibble(
    attr(predictions, "probabilities")
  )

  # Return second column
  probabilities[[2]]
}

# Specify hyperparameters to try
# The optional ".n" samples 4 combinations
svm_hparams <- list(
  ".n" = 4,
  "kernel" = c("linear", "radial"),
  "cost" = c(1, 5, 10)
)

# Cross-validate the model function
cv <- cross_validate_fn(
  data,
  formulas = formulas_binomial,

```



```

    type = "binomial",
    model_fn = svm_model_fn,
    predict_fn = svm_predict_fn,
    hyperparameters = svm_hparams,
    fold_cols = ".folds"
  )

cv

# The `HParams` column has the nested hyperparameter values
cv %>%
  select(Dependent, Fixed, HParams, `Balanced Accuracy`, F1, AUC, MCC) %>%
  tidyr::unnest(cols = "HParams") %>%
  arrange(desc(`Balanced Accuracy`), desc(F1))

#
# Use parallelization
# The below examples show the speed gains when running in parallel
#

# Attach doParallel and register four cores
# Uncomment:
# library(doParallel)
# registerDoParallel(4)

# Specify hyperparameters such that we will
# cross-validate 20 models
hparams <- list(
  "kernel" = c("linear", "radial"),
  "cost" = 1:5
)

# Cross-validate a list of 20 models in parallel
# Make sure to uncomment the parallel argument
system.time({
  cross_validate_fn(
    data,
    formulas = formulas_gaussian,
    type = "gaussian",
    model_fn = svm_model_fn,
    predict_fn = svm_predict_fn,
    hyperparameters = hparams,
    fold_cols = ".folds"
    #, parallel = TRUE # Uncomment
  )
})

# Cross-validate a list of 20 models sequentially
system.time({
  cross_validate_fn(
    data,
    formulas = formulas_gaussian,
    type = "gaussian",
    model_fn = svm_model_fn,
    predict_fn = svm_predict_fn,
    hyperparameters = hparams,

```

```

    fold_cols = ".folds"
    #, parallel = TRUE # Uncomment
  )
})

```

cvms

---

*cvms: A package for cross-validating regression and classification models*


---

## Description

Perform (repeated) cross-validation on a list of model formulas. Validate the best model on a validation set. Perform baseline evaluations on your test set. Generate model formulas by combining your fixed effects. Evaluate predictions from an external model.

## Details

Returns results in a tibble for easy comparison, reporting and further analysis.

The main functions are: [cross\\_validate\(\)](#), [cross\\_validate\\_fn\(\)](#), [validate\(\)](#), [validate\\_fn\(\)](#), [baseline\(\)](#), and [evaluate\(\)](#).

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

evaluate

---

*Evaluate your model's performance*


---

## Description

### Maturing

Evaluate your model's predictions on a set of evaluation metrics.

Create ID-aggregated evaluations by multiple methods.

Currently supports regression and classification (binary and multiclass). See `type`.

## Usage

```

evaluate(
  data,
  target_col,
  prediction_cols,
  type,
  id_col = NULL,
  id_method = "mean",
  apply_softmax = FALSE,
  cutoff = 0.5,
  positive = 2,
  metrics = list(),

```

```

include_predictions = TRUE,
parallel = FALSE,
models = deprecated()
)

```

## Arguments

**data** Data frame with predictions, targets and (optionally) an ID column. Can be grouped with [group\\_by](#).

**Multinomial:** When type is "multinomial", the predictions can be passed in one of two formats.

*Probabilities (Preferable):*

One column per class with the probability of that class. The columns should have the name of their class, as they are named in the target column. E.g.:

class_1	class_2	class_3	target
0.269	0.528	0.203	class_2
0.368	0.322	0.310	class_3
0.375	0.371	0.254	class_2
...	...	...	...

*Classes:*

A single column of type character with the predicted classes. E.g.:

prediction	target
class_2	class_2
class_1	class_3
class_1	class_2
...	...

**Binomial:** When type is "binomial", the predictions can be passed in one of two formats.

*Probabilities (Preferable):* One column with the probability of class being the second class alphabetically (1 if classes are 0 and 1). E.g.:

prediction	target
0.769	1
0.368	1
0.375	0
...	...

*Classes:*

A single column of type character with the predicted classes. E.g.:

prediction	target
class_0	class_1
class_1	class_1
class_1	class_0
...	...

Note: The prediction column will be converted to the probability 0.0 for the first class alphabetically and 1.0 for the second class alphabetically.

**Gaussian:** When type is "gaussian", the predictions should be passed as one column with the predicted values. E.g.:

prediction	target
28.9	30.2
33.2	27.1
23.4	21.3
...	...

target_col	Name of the column with the true classes/values in data. When type is "multinomial", this column should contain the class names, not their indices.
prediction_cols	Name(s) of column(s) with the predictions. Columns can be either numeric or character depending on which format is chosen. See data for the possible formats.
type	Type of evaluation to perform: "gaussian" for regression (like linear regression). "binomial" for binary classification. "multinomial" for multiclass classification.
id_col	Name of ID column to aggregate predictions by. N.B. Current methods assume that the target class/value is constant within the IDs. N.B. When aggregating by ID, some metrics may be disabled.
id_method	Method to use when aggregating predictions by ID. Either "mean" or "majority". When type is gaussian, only the "mean" method is available.  <b>mean:</b> The average prediction (value or probability) is calculated per ID and evaluated. This method assumes that the target class/value is constant within the IDs.  <b>majority:</b> The most predicted class per ID is found and evaluated. In case of a tie, the winning classes share the probability (e.g. $P = 0.5$ each when two majority classes). This method assumes that the target class/value is constant within the IDs.
apply_softmax	Whether to apply the softmax function to the prediction columns when type is "multinomial". N.B. <b>Multinomial models only.</b>
cutoff	Threshold for predicted classes. (Numeric) N.B. <b>Binomial models only.</b>
positive	Level from dependent variable to predict. Either as character ( <i>preferable</i> ) or level index (1 or 2 - alphabetically). E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat".  <b>Note:</b> For <i>reproducibility</i> , it's preferable to <b>specify the name directly</b> , as different <a href="#">locales</a> may sort the levels differently. Used when calculating confusion matrix metrics and creating ROC curves. The Positive Class column in the output can be used to verify this setting. N.B. Only affects the evaluation metrics. N.B. <b>Binomial models only.</b>

metrics	<p>List for enabling/disabling metrics.</p> <p>E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the regression results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics.</p> <p>You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why f.i. <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric.</p> <p>The list can be created with <code>gaussian_metrics()</code>, <code>binomial_metrics()</code>, or <code>multinomial_metrics()</code>.</p> <p>Also accepts the string <code>"all"</code>.</p>
include_predictions	Whether to include the predictions in the output as a nested tibble. (Logical)
parallel	Whether to run evaluations in parallel, when data is grouped with <code>group_by</code> .
models	Deprecated.

## Details

Packages used:

**Binomial** and **Multinomial**:

ROC and AUC:

Binomial: `pROC::roc`

Multinomial: `pROC::multiclass.roc`

## Value

---

### Gaussian Results:

---

Tibble containing the following metrics by default:

Average RMSE, MAE, NRMSE (IQR), RRSE, RAE, RMSLE.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

Also includes:

A nested tibble with the **Predictions** and targets.

---

### Binomial Results:

---

Tibble with the following evaluation metrics, based on a confusion matrix and a ROC curve fitted to the predictions:

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

ROC:

AUC, Lower CI, and Upper CI

Note, that the ROC curve is only computed if AUC is enabled. See `metrics`.

Other available metrics (disabled by default, see `metrics`): Accuracy.

Also includes:

A nested tibble with the **predictions** and targets.

A list of **ROC** curve objects (if computed).

A nested tibble with the **confusion matrix**. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

### Multinomial Results:

For each class, a *one-vs-all* binomial evaluation is performed. This creates a **Class Level Results** tibble containing the same metrics as the binomial results described above (excluding MCC, AUC, Lower CI and Upper CI), along with a count of the class in the target column (Support). These metrics are used to calculate the macro metrics. The nested class level results tibble is also included in the output tibble, and could be reported along with the macro and overall metrics.

The output tibble contains the macro and overall metrics. The metrics that share their name with the metrics in the nested class level results tibble are averages of those metrics (note: does not remove NAs before averaging). In addition to these, it also includes the Overall Accuracy and the multiclass MCC.

Other available metrics (disabled by default, see `metrics`): Accuracy, *multiclass* AUC, Weighted Balanced Accuracy, Weighted Accuracy, Weighted F1, Weighted Sensitivity, Weighted Specificity, Weighted Pos Pred Value, Weighted Neg Pred Value, Weighted Kappa, Weighted Detection Rate, Weighted Detection Prevalence, and Weighted Prevalence.

Note that the "Weighted" average metrics are weighted by the Support.

When having a large set of classes, consider keeping AUC disabled.

Also includes:

A nested tibble with the **Predictions** and targets.

A list of **ROC** curve objects when AUC is enabled.

A nested tibble with the multiclass **Confusion Matrix**.

#### *Class Level Results:*

Besides the binomial evaluation metrics and the Support, the nested class level results tibble also contains a nested tibble with the **Confusion Matrix** from the one-vs-all evaluation. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. In our case, 1 is the current class and 0 represents all the other classes together.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other evaluation functions: `binomial_metrics()`, `confusion_matrix()`, `evaluate_residuals()`, `gaussian_metrics()`, `multinomial_metrics()`

**Examples**

```
# Attach packages
library(cvms)
library(dplyr)

# Load data
data <- participant.scores

# Fit models
gaussian_model <- lm(age ~ diagnosis, data = data)
binomial_model <- glm(diagnosis ~ score, data = data)

# Add predictions
data[["gaussian_predictions"]] <- predict(gaussian_model, data,
  type = "response",
  allow.new.levels = TRUE
)
data[["binomial_predictions"]] <- predict(binomial_model, data,
  allow.new.levels = TRUE
)

# Gaussian evaluation
evaluate(
  data = data, target_col = "age",
  prediction_cols = "gaussian_predictions",
  type = "gaussian"
)

# Binomial evaluation
evaluate(
  data = data, target_col = "diagnosis",
  prediction_cols = "binomial_predictions",
  type = "binomial"
)

#
# Multinomial
#

# Create a tibble with predicted probabilities and targets
data_mc <- multiclass_probability_tibble(
  num_classes = 3, num_observations = 30,
  apply_softmax = TRUE, FUN = runif,
  class_name = "class_",
  add_targets = TRUE
)

class_names <- paste0("class_", 1:3)

# Multinomial evaluation
evaluate(
  data = data_mc, target_col = "Target",
  prediction_cols = class_names,
  type = "multinomial"
)
```

```

#
# ID evaluation
#

# Gaussian ID evaluation
# Note that 'age' is the same for all observations
# of a participant
evaluate(
  data = data, target_col = "age",
  prediction_cols = "gaussian_predictions",
  id_col = "participant",
  type = "gaussian"
)

# Binomial ID evaluation
evaluate(
  data = data, target_col = "diagnosis",
  prediction_cols = "binomial_predictions",
  id_col = "participant",
  id_method = "mean", # alternatively: "majority"
  type = "binomial"
)

# Multinomial ID evaluation

# Add IDs and new targets (must be constant within IDs)
data_mc[["Target"]] <- NULL
data_mc[["ID"]] <- rep(1:6, each = 5)
id_classes <- tibble::tibble(
  "ID" = 1:6,
  "Target" = sample(x = class_names, size = 6, replace = TRUE)
)
data_mc <- data_mc %>%
  dplyr::left_join(id_classes, by = "ID")

# Perform ID evaluation
evaluate(
  data = data_mc, target_col = "Target",
  prediction_cols = class_names,
  id_col = "ID",
  id_method = "mean", # alternatively: "majority"
  type = "multinomial"
)

#
# Training and evaluating a multinomial model with nnet
#

# Create a data frame with some predictors and a target column
class_names <- paste0("class_", 1:4)
data_for_nnet <- multiclass_probability_tibble(
  num_classes = 3, # Here, number of predictors
  num_observations = 30,
  apply_softmax = FALSE,
  FUN = rnorm,
  class_name = "predictor_"
)

```



```

) %>%
  dplyr::mutate(Target = sample(
    class_names,
    size = 30,
    replace = TRUE
  ))

# Train multinomial model using the nnet package
mn_model <- nnet::multinom(
  "Target ~ predictor_1 + predictor_2 + predictor_3",
  data = data_for_nnet
)

# Predict the targets in the dataset
# (we would usually use a test set instead)
predictions <- predict(
  mn_model,
  data_for_nnet,
  type = "probs"
) %>%
  dplyr::as_tibble()

# Add the targets
predictions[["Target"]] <- data_for_nnet[["Target"]]

# Evaluate predictions
evaluate(
  data = predictions,
  target_col = "Target",
  prediction_cols = class_names,
  type = "multinomial"
)

```

---

evaluate_residuals	<i>Evaluate residuals from a regression task</i>
--------------------	--

---

## Description

### Experimental

Calculates a large set of error metrics from regression residuals.

**Note:** In most cases you should use `evaluate()` instead. It works in magrittr pipes (e.g. `%>%`) and with `dplyr::group_by()`. `evaluate_residuals()` is more lightweight and may be preferred in programming when you don't need the extra stuff in `evaluate()`.

## Usage

```
evaluate_residuals(data, targets_col, predictions_col, metrics = list())
```

## Arguments

<code>data</code>	Data frame with predictions and targets.
<code>targets_col</code>	Name of the column with the true values in data.

`predictions_col` Name of column with the predicted values in data.

`metrics` List for enabling/disabling metrics.  
 E.g. `list("RMSE" = FALSE)` would disable RMSE. Default values (TRUE/FALSE) will be used for the remaining available metrics.  
 You can enable/disable all metrics at once by including `"all" = TRUE/FALSE` in the list. This is done prior to enabling/disabling individual metrics, why f.i. `list("all" = FALSE, "RMSE" = TRUE)` would return only the RMSE metric.  
 The list can be created with `gaussian_metrics()`.  
 Also accepts the string `"all"`.

## Details

The metric formulas are listed in *The Available Metrics* vignette.

## Value

Tbl (tibble) with the calculated metrics.

The following metrics are available (see `metrics`):

Metric	Name	Default
Mean Absolute Error	"MAE"	Enabled
Root Mean Square Error	"RMSE"	Enabled
Normalized RMSE (by target range)	"NRMSE(RNG)"	Disabled
Normalized RMSE (by target IQR)	"NRMSE(IQR)"	Enabled
Normalized RMSE (by target STD)	"NRMSE(STD)"	Disabled
Normalized RMSE (by target mean)	"NRMSE(AVG)"	Disabled
Relative Squared Error	"RSE"	Disabled
Root Relative Squared Error	"RRSE"	Enabled
Relative Absolute Error	"RAE"	Enabled
Root Mean Squared Log Error	"RMSLE"	Enabled
Mean Absolute Log Error	"MALE"	Disabled
Mean Absolute Percentage Error	"MAPE"	Disabled
Mean Squared Error	"MSE"	Disabled
Total Absolute Error	"TAE"	Disabled
Total Squared Error	"TSE"	Disabled

The **Name** column refers to the name used in the package. This is the name in the output and when enabling/disabling in `metrics`.

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

## See Also

Other evaluation functions: `binomial_metrics()`, `confusion_matrix()`, `evaluate()`, `gaussian_metrics()`, `multinomial_metrics()`

## Examples

```
# Attach packages
```

```
library(cvms)

data <- data.frame(
  "targets" = rnorm(100, 14.7, 3.6),
  "predictions" = rnorm(100, 13.2, 4.6)
)

evaluate_residuals(
  data = data,
  targets_col = "targets",
  predictions_col = "predictions"
)
```

---

**font***Create a list of font settings for plots*

---

## Description

### Experimental

Creates a list of font settings for plotting with cvms plotting functions.

NOTE: This is very experimental and will likely change.

## Usage

```
font(
  size = NULL,
  color = NULL,
  alpha = NULL,
  nudge_x = NULL,
  nudge_y = NULL,
  angle = NULL,
  family = NULL,
  fontface = NULL,
  hjust = NULL,
  vjust = NULL,
  lineheight = NULL,
  digits = NULL,
  prefix = NULL,
  suffix = NULL
)
```

## Arguments

size, color, alpha, nudge_x, nudge_y, angle, family, fontface, hjust, vjust, lineheight	As passed to <a href="#">ggplot2::geom_text</a> .
digits	Number of digits to round to. If negative, no rounding will take place.
prefix	A string prefix.
suffix	A string suffix.

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

See Also

Other plotting functions: [plot\\_confusion\\_matrix\(\)](#), [plot\\_metric\\_density\(\)](#)

---

gaussian_metrics	Select metrics for Gaussian evaluation
------------------	--

---

Description

Experimental

Enable/disable metrics for Gaussian evaluation. Can be supplied to the metrics argument in many of the cvms functions.

Note: Some functions may have slightly different defaults than the ones supplied here.

Usage

```
gaussian_metrics(  
  all = NULL,  
  rmse = NULL,  
  mae = NULL,  
  nrmse_rng = NULL,  
  nrmse_iqr = NULL,  
  nrmse_std = NULL,  
  nrmse_avg = NULL,  
  rae = NULL,  
  rse = NULL,  
  rrse = NULL,  
  rmsle = NULL,  
  male = NULL,  
  mape = NULL,  
  mse = NULL,  
  tae = NULL,  
  tse = NULL,  
  r2m = NULL,  
  r2c = NULL,  
  aic = NULL,  
  aicc = NULL,  
  bic = NULL  
)
```

Arguments

all	Enable/disable all arguments at once. (Logical) Specifying other metrics will overwrite this, why you can use (all = FALSE , rmse = TRUE) to get only the RMSE metric.
rmse	RMSE. (Default: TRUE) Root Mean Square Error.
mae	MAE. (Default: TRUE) Mean Absolute Error.

nrmse_rng	NRMSE(RNG). (Default: FALSE) Normalized Root Mean Square Error (by target range).
nrmse_iqr	NRMSE(IQR). (Default: TRUE) Normalized Root Mean Square Error (by target interquartile range).
nrmse_std	NRMSE(STD). (Default: FALSE) Normalized Root Mean Square Error (by target standard deviation).
nrmse_avg	NRMSE(AVG). (Default: FALSE) Normalized Root Mean Square Error (by target mean).
rae	RAE. (Default: TRUE) Relative Absolute Error.
rse	RSE. (Default: FALSE) Relative Squared Error.
rrse	RRSE. (Default: TRUE) Root Relative Squared Error.
rmsle	RMSLE. (Default: TRUE) Root Mean Square Log Error.
male	MALE. (Default: FALSE) Mean Absolute Log Error.
mape	MAPE. (Default: FALSE) Mean Absolute Percentage Error.
mse	MSE. (Default: FALSE) Mean Square Error.
tae	TAE. (Default: FALSE) Total Absolute Error
tse	TSE. (Default: FALSE) Total Squared Error.
r2m	r2m. (Default: FALSE) Marginal R-squared.
r2c	r2c. (Default: FALSE) Conditional R-squared.
aic	AIC. (Default: FALSE) Akaike Information Criterion.
aicc	AICc. (Default: FALSE) Corrected Akaike Information Criterion.
bic	BIC. (Default: FALSE) Bayesian Information Criterion.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other evaluation functions: [binomial\\_metrics\(\)](#), [confusion\\_matrix\(\)](#), [evaluate\\_residuals\(\)](#), [evaluate\(\)](#), [multinomial\\_metrics\(\)](#)

Examples

```
# Attach packages
library(cvms)

# Enable only RMSE
gaussian_metrics(all = FALSE, rmse = TRUE)

# Enable all but RMSE
gaussian_metrics(all = TRUE, rmse = FALSE)

# Disable RMSE
gaussian_metrics(rmse = FALSE)
```

---

model_functions	Examples of model_fn functions
-----------------	--------------------------------

---

Description

Experimental

Examples of model functions that can be used in `cross_validate_fn()`. They can either be used directly or be starting points.

The `update_hyperparameters()` function updates the list of hyperparameters with default values for missing hyperparameters. You can also specify required hyperparameters.

Usage

```
model_functions(name)
```

Arguments

name                      Name of model to get model function for, as it appears in the following list:

Name	Function	Hyperparameters (default)
"lm"	<code>stats::lm()</code>	
"lmer"	<code>lme4::lmer()</code>	REML (FALSE)
"glm_binomial"	<code>stats::glm()</code>	
"glmer_binomial"	<code>lme4::glmer()</code>	
"svm_gaussian"	<code>e1071::svm()</code>	kernel ("radial"), cost (1)
"svm_binomial"	<code>e1071::svm()</code>	kernel ("radial"), cost (1)
"svm_multinomial"	<code>e1071::svm()</code>	kernel ("radial"), cost (1)
"naive_bayes"	<code>e1071::naiveBayes()</code>	laplace (0)

Value

A function with the following form:

```
function(train_data, formula, hyperparameters) {
  # Return fitted model object
}
```

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other example functions: [predict\\_functions\(\)](#), [preprocess\\_functions\(\)](#), [update\\_hyperparameters\(\)](#)

---

most\_challenging

*Find the data points that were hardest to predict*


---

**Description**

**Experimental** Finds the data points that, overall, were the most challenging to predict, based on a prediction metric.

**Usage**

```
most_challenging(
  data,
  type,
  obs_id_col = "Observation",
  target_col = "Target",
  prediction_cols = ifelse(type == "gaussian", "Prediction", "Predicted Class"),
  threshold = 0.15,
  threshold_is = "percentage",
  metric = NULL,
  cutoff = 0.5
)
```

**Arguments**

**data** Data frame with predictions, targets and observation IDs. Can be grouped by [dplyr::group\\_by\(\)](#). Predictions can be passed as values, predicted classes or predicted probabilities: **N.B.** Adds [.Machine\\$double.eps](#) to all probabilities to avoid  $\log(0)$ .

**Multinomial:** When type is "multinomial", the predictions can be passed in one of two formats.

*Probabilities (Preferable):*

One column per class with the probability of that class. The columns should have the name of their class, as they are named in the target column. E.g.:

class_1	class_2	class_3	target
0.269	0.528	0.203	class_2
0.368	0.322	0.310	class_3
0.375	0.371	0.254	class_2
...	...	...	...

*Classes:*

A single column of type character with the predicted classes. E.g.:

prediction	target
class_2	class_2
class_1	class_3
class_1	class_2
...	...

**Binomial:** When type is "binomial", the predictions can be passed in one of two formats.

*Probabilities (Preferable):* One column with the **probability of class being the second class alphabetically** ("dog" if classes are "cat" and "dog"). E.g.:

prediction	target
0.769	"dog"
0.368	"dog"
0.375	"cat"
...	...

*Classes:*

A single column of type character with the predicted classes. E.g.:

prediction	target
class_0	class_1
class_1	class_1
class_1	class_0
...	...

**Gaussian:** When type is "gaussian", the predictions should be passed as one column with the predicted values. E.g.:

prediction	target
28.9	30.2
33.2	27.1
23.4	21.3
...	...

type	Type of task used to get the predictions: "gaussian" for regression (like linear regression). "binomial" for binary classification. "multinomial" for multiclass classification.
obs_id_col	Name of column with observation IDs. This will be used to aggregate the performance of each observation.
target_col	Name of column with the true classes/values in data.
prediction_cols	Name(s) of column(s) with the predictions.
threshold	Threshold to filter observations by. Depends on type and threshold_is. The threshold can either be a <b>percentage</b> or a <b>score</b> . For percentages, a lower threshold returns fewer observations. For scores, this depends on type.  <b>Gaussian:</b> <i>threshold_is "percentage":</i> (Approximate) percentage of the observations with the largest root mean square errors to return.



*threshold\_is "score"*: Observations with a root mean square error larger than or equal to the threshold will be returned.

**Binomial, Multinomial:**

*threshold\_is "percentage"*: (Approximate) percentage of the observations to return with:

MAE, Cross Entropy: Highest error scores.

Accuracy: Lowest accuracies

*threshold\_is "score"*: MAE, Cross Entropy: Observations with an error score above or equal to the threshold will be returned.

Accuracy: Observations with an accuracy below or equal to the threshold will be returned.

**threshold\_is** Either "score" or "percentage". See threshold.  
**metric** The metric to use. If NULL, the default metric depends on the format of the prediction columns.

**Binomial, Multinomial:** "Accuracy", "MAE" or "Cross Entropy".

When *one* prediction column with predicted *classes* is passed, the default is "Accuracy". In this configuration, the other metrics are not calculated.

When *one or more* prediction columns with predicted *probabilities* are passed, the default is "MAE". This is the Mean Absolute Error of the probability of the target class.

**Gaussian:** Ignored. Always uses "RMSE".

**cutoff** Threshold for predicted classes. (Numeric)

**N.B. Binomial only.**

**Value**

Data frame with the most challenging observations and their metrics.

'>=' / '<=' denotes the threshold as score.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**Examples**

```
# Attach packages
library(cvms)
library(dplyr)

##
## Multinomial
##

# Find the most challenging data points (per classifier)
# in the predicted.musicians dataset
# which resembles the "Predictions" tibble from the evaluation results

# Passing predicted probabilities
# Observations with 30% highest MAE scores
most_challenging(
```

```

    predicted.musicians,
    obs_id_col = "ID",
    prediction_cols = c("A", "B", "C", "D"),
    type = "multinomial",
    threshold = 0.30
  )

# Observations with 25% highest Cross Entropy scores
most_challenging(
  predicted.musicians,
  obs_id_col = "ID",
  prediction_cols = c("A", "B", "C", "D"),
  type = "multinomial",
  threshold = 0.25,
  metric = "Cross Entropy"
)

# Passing predicted classes
# Observations with 30% lowest Accuracy scores
most_challenging(
  predicted.musicians,
  obs_id_col = "ID",
  prediction_cols = "Predicted Class",
  type = "multinomial",
  threshold = 0.30
)

# The 40% lowest-scoring on accuracy per classifier
predicted.musicians %>%
  dplyr::group_by(Classifier) %>%
  most_challenging(
    obs_id_col = "ID",
    prediction_cols = "Predicted Class",
    type = "multinomial",
    threshold = 0.40
  )

# Accuracy scores below 0.05
most_challenging(
  predicted.musicians,
  obs_id_col = "ID",
  type = "multinomial",
  threshold = 0.05,
  threshold_is = "score"
)

##
## Binomial
##

# Subset the predicted.musicians
binom_data <- predicted.musicians %>%
  dplyr::filter(Target %in% c("A", "B")) %>%
  dplyr::rename(Prediction = B)

# Passing probabilities
# Observations with 30% highest MAE

```

```

most_challenging(
  binom_data,
  obs_id_col = "ID",
  type = "binomial",
  prediction_cols = "Prediction",
  threshold = 0.30
)

# Observations with 30% highest Cross Entropy
most_challenging(
  binom_data,
  obs_id_col = "ID",
  type = "binomial",
  prediction_cols = "Prediction",
  threshold = 0.30,
  metric = "Cross Entropy"
)

# Passing predicted classes
# Observations with 30% lowest Accuracy scores
most_challenging(
  binom_data,
  obs_id_col = "ID",
  type = "binomial",
  prediction_cols = "Predicted Class",
  threshold = 0.30
)

##
## Gaussian
##

set.seed(1)

df <- data.frame(
  "Observation" = rep(1:10, n = 3),
  "Target" = rnorm(n = 30, mean = 25, sd = 5),
  "Prediction" = rnorm(n = 30, mean = 27, sd = 7)
)

# The 20% highest RMSE scores
most_challenging(
  df,
  type = "gaussian",
  threshold = 0.2
)

# RMSE scores above 9
most_challenging(
  df,
  type = "gaussian",
  threshold = 9,
  threshold_is = "score"
)

```

---

multiclass\_probability\_tibble

*Generate a multiclass probability tibble*


---

## Description

### Maturing

Generate a tibble with random numbers containing one column per specified class. When the softmax function is applied, the numbers become probabilities that sum to 1 row-wise. Optionally, add columns with targets and predicted classes.

## Usage

```
multiclass_probability_tibble(
  num_classes,
  num_observations,
  apply_softmax = TRUE,
  FUN = runif,
  class_name = "class_",
  add_predicted_classes = FALSE,
  add_targets = FALSE
)
```

## Arguments

num_classes	The number of classes. Also the number of columns in the tibble.
num_observations	The number of observations. Also the number of rows in the tibble.
apply_softmax	Whether to apply the softmax function row-wise. This will transform the numbers to probabilities that sum to 1 row-wise.
FUN	Function for generating random numbers. The first argument must be the number of random numbers to generate, as no other arguments are supplied.
class_name	The prefix for the column names. The column index is appended.
add_predicted_classes	Whether to add a column with the predicted classes. (Logical) The class with the highest value is the predicted class.
add_targets	Whether to add a column with randomly selected target classes. (Logical)

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

## Examples

```
# Attach cvms
library(cvms)

# Create a tibble with 5 classes and 10 observations
# Apply softmax to make sure the probabilities sum to 1
multiclass_probability_tibble(
```

```

    num_classes = 5,
    num_observations = 10,
    apply_softmax = TRUE
  )

  # Using the rnorm function to generate the random numbers
  multiclass_probability_tibble(
    num_classes = 5,
    num_observations = 10,
    apply_softmax = TRUE,
    FUN = rnorm
  )

  # Add targets and predicted classes
  multiclass_probability_tibble(
    num_classes = 5,
    num_observations = 10,
    apply_softmax = TRUE,
    FUN = rnorm,
    add_predicted_classes = TRUE,
    add_targets = TRUE
  )

  # Creating a custom generator function that
  # exponentiates the numbers to create more "certain" predictions
  rcertain <- function(n) {
    (runif(n, min = 1, max = 100)^1.4) / 100
  }
  multiclass_probability_tibble(
    num_classes = 5,
    num_observations = 10,
    apply_softmax = TRUE,
    FUN = rcertain
  )

```

---

multinomial\_metrics     *Select metrics for multinomial evaluation*

---

## Description

### Experimental

Enable/disable metrics for multinomial evaluation. Can be supplied to the `metrics` argument in many of the `cvms` functions.

Note: Some functions may have slightly different defaults than the ones supplied here.

## Usage

```

multinomial_metrics(
  all = NULL,
  overall_accuracy = NULL,
  balanced_accuracy = NULL,
  w_bbalanced_accuracy = NULL,
  accuracy = NULL,

```

```

w_accuracy = NULL,
f1 = NULL,
w_f1 = NULL,
sensitivity = NULL,
w_sensitivity = NULL,
specificity = NULL,
w_specificity = NULL,
pos_pred_value = NULL,
w_pos_pred_value = NULL,
neg_pred_value = NULL,
w_neg_pred_value = NULL,
auc = NULL,
kappa = NULL,
w_kappa = NULL,
mcc = NULL,
detection_rate = NULL,
w_detection_rate = NULL,
detection_prevalence = NULL,
w_detection_prevalence = NULL,
prevalence = NULL,
w_prevalence = NULL,
false_neg_rate = NULL,
w_false_neg_rate = NULL,
false_pos_rate = NULL,
w_false_pos_rate = NULL,
false_discovery_rate = NULL,
w_false_discovery_rate = NULL,
false_omission_rate = NULL,
w_false_omission_rate = NULL,
threat_score = NULL,
w_threat_score = NULL,
aic = NULL,
aicc = NULL,
bic = NULL
)

```

### Arguments

all	Enable/disable all arguments at once. (Logical) Specifying other metrics will overwrite this, why you can use (all = FALSE, accuracy = TRUE) to get only the Accuracy metric.
overall_accuracy	Overall Accuracy (Default: TRUE)
balanced_accuracy	Balanced Accuracy (Default: TRUE)
w_balanced_accuracy	Weighted Balanced Accuracy (Default: FALSE)
accuracy	Accuracy (Default: FALSE)
w_accuracy	Weighted Accuracy (Default: FALSE)
f1	F1 (Default: TRUE)
w_f1	Weighted F1 (Default: FALSE)

sensitivity	Sensitivity (Default: TRUE)
w_sensitivity	Weighted Sensitivity (Default: FALSE)
specificity	Specificity (Default: TRUE)
w_specificity	Weighted Specificity (Default: FALSE)
pos_pred_value	Pos Pred Value (Default: TRUE)
w_pos_pred_value	Weighted Pos Pred Value (Default: FALSE)
neg_pred_value	Neg Pred Value (Default: TRUE)
w_neg_pred_value	Weighted Neg Pred Value (Default: FALSE)
auc	AUC (Default: FALSE)
kappa	Kappa (Default: TRUE)
w_kappa	Weighted Kappa (Default: FALSE)
mcc	MCC (Default: TRUE) Multiclass Matthews Correlation Coefficient.
detection_rate	Detection Rate (Default: TRUE)
w_detection_rate	Weighted Detection Rate (Default: FALSE)
detection_prevalence	Detection Prevalence (Default: TRUE)
w_detection_prevalence	Weighted Detection Prevalence (Default: FALSE)
prevalence	Prevalence (Default: TRUE)
w_prevalence	Weighted Prevalence (Default: FALSE)
false_neg_rate	False Neg Rate (Default: FALSE)
w_false_neg_rate	Weighted False Neg Rate (Default: FALSE)
false_pos_rate	False Pos Rate (Default: FALSE)
w_false_pos_rate	Weighted False Pos Rate (Default: FALSE)
false_discovery_rate	False Discovery Rate (Default: FALSE)
w_false_discovery_rate	Weighted False Discovery Rate (Default: FALSE)
false_omission_rate	False Omission Rate (Default: FALSE)
w_false_omission_rate	Weighted False Omission Rate (Default: FALSE)
threat_score	Threat Score (Default: FALSE)
w_threat_score	Weighted Threat Score (Default: FALSE)
aic	AIC. (Default: FALSE)
aicc	AICc. (Default: FALSE)
bic	BIC. (Default: FALSE)

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other evaluation functions: [binomial\\_metrics\(\)](#), [confusion\\_matrix\(\)](#), [evaluate\\_residuals\(\)](#), [evaluate\(\)](#), [gaussian\\_metrics\(\)](#)

**Examples**

```
# Attach packages
library(cvms)

# Enable only Balanced Accuracy
multinomial_metrics(all = FALSE, balanced_accuracy = TRUE)

# Enable all but Balanced Accuracy
multinomial_metrics(all = TRUE, balanced_accuracy = FALSE)

# Disable Balanced Accuracy
multinomial_metrics(balanced_accuracy = FALSE)
```

---

musicians	<i>Musician groups</i>
-----------	------------------------

---

**Description**

Made-up data on 60 musicians in 4 groups for multiclass classification.

**Format**

A data frame with 60 rows and 9 variables:

**ID** Musician identifier, 60 levels

**Age** Age of the musician. Between 17 and 66 years.

**Class** The class of the musician. One of "A", "B", "C", and "D".

**Height** Height of the musician. Between 146 and 196 centimeters.

**Drums** Whether the musician plays drums. 0 = No, 1 = Yes.

**Bass** Whether the musician plays bass. 0 = No, 1 = Yes.

**Guitar** Whether the musician plays guitar. 0 = No, 1 = Yes.

**Keys** Whether the musician plays keys. 0 = No, 1 = Yes.

**Vocals** Whether the musician sings. 0 = No, 1 = Yes.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

`predicted.musicians`



---

participant.scores	<i>Participant scores</i>
--------------------	---------------------------

---

### Description

Made-up experiment data with 10 participants and two diagnoses. Test scores for 3 sessions per participant, where participants improve their scores each session.

### Format

A data frame with 30 rows and 5 variables:

**participant** participant identifier, 10 levels

**age** age of the participant, in years

**diagnosis** diagnosis of the participant, either 1 or 0

**score** test score of the participant, on a 0-100 scale

**session** testing session identifier, 1 to 3

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

plot_confusion_matrix	<i>Plot a confusion matrix</i>
-----------------------	--------------------------------

---

### Description

#### Experimental

Creates a [ggplot2](#) object representing a confusion matrix with counts, overall percentages, row percentages and column percentages.

The confusion matrix can be created with [evaluate\(\)](#). See Examples.

### Usage

```
plot_confusion_matrix(
  conf_matrix,
  targets_col = "Target",
  predictions_col = "Prediction",
  counts_col = "N",
  add_counts = TRUE,
  add_normalized = TRUE,
  add_row_percentages = TRUE,
  add_col_percentages = TRUE,
  add_arrows = TRUE,
  add_zero_shading = TRUE,
  counts_on_top = FALSE,
  palette = "Blues",
  theme_fn = ggplot2::theme_minimal,
```

```

place_x_axis_above = TRUE,
rotate_y_text = TRUE,
digits = 1,
font_counts = font(),
font_normalized = font(),
font_row_percentages = font(),
font_col_percentages = font(),
arrow_size = 0.048,
arrow_nudge_from_text = 0.065,
tile_border_color = NA,
tile_border_size = 0.1,
tile_border_linetype = "solid",
darkness = 0.8
)

```

### Arguments

**conf\_matrix** Confusion matrix tibble with each combination of targets and predictions along with their counts.

E.g. for a binary classification:

Target	Prediction	N
class_1	class_1	5
class_1	class_2	9
class_2	class_1	3
class_2	class_2	2

As created with the various evaluation functions in *cvms*, like [evaluate\(\)](#).

**Note:** If you supply the results from [evaluate\(\)](#) or [confusion\\_matrix\(\)](#) directly, the confusion matrix tibble is extracted automatically, if possible.

**targets\_col** Name of column with target levels.

**predictions\_col** Name of column with prediction levels.

**counts\_col** Name of column with a count for each combination of the target and prediction levels.

**add\_counts** Add the counts to the middle of the tiles. (Logical)

**add\_normalized** Normalize the counts to percentages and add to the middle of the tiles. (Logical)

**add\_row\_percentages** Add the row percentages, i.e. how big a part of its row the tile makes up. (Logical)

By default, the row percentage is placed to the right of the tile, rotated 90 degrees.

**add\_col\_percentages** Add the column percentages, i.e. how big a part of its column the tile makes up. (Logical)

By default, the row percentage is placed at the bottom of the tile.

**add\_arrows** Add the arrows to the row and col percentages. (Logical)

Note: Adding the arrows requires the *rsvg* and *ggimage* packages.

add_zero_shading	Add image of skewed lines to zero-tiles. (Logical) Note: Adding the zero-shading requires the <code>rsvg</code> and <code>ggimage</code> packages.
counts_on_top	Switch the counts and normalized counts, such that the counts are on top. (Logical)
palette	Color scheme. Passed directly to <code>palette</code> in <code>ggplot2::scale_fill_distiller</code> . Try these palettes: "Greens", "Oranges", "Greys", "Purples", "Reds", as well as the default "Blues".
theme_fn	The <code>ggplot2</code> theme function to apply.
place_x_axis_above	Move the x-axis text to the top and reverse the levels such that the "correct" diagonal goes from top left to bottom right. (Logical)
rotate_y_text	Whether to rotate the y-axis text to be vertical instead of horizontal. (Logical)
digits	Number of digits to round to (percentages only). Set to a negative number for no rounding. Can be set for each font individually via the <code>font_*</code> arguments.
font_counts	List of font settings for the counts. Can be provided with <code>font()</code> .
font_normalized	List of font settings for the normalized counts. Can be provided with <code>font()</code> .
font_row_percentages	List of font settings for the row percentages. Can be provided with <code>font()</code> .
font_col_percentages	List of font settings for the column percentages. Can be provided with <code>font()</code> .
arrow_size	Size of arrow icons. (Numeric) Is divided by <code>sqrt(nrow(conf_matrix))</code> and passed on to <code>ggimage::geom_icon()</code> .
arrow_nudge_from_text	Distance from the percentage text to the arrow. (Numeric)
tile_border_color	Color of the tile borders. Passed as <code>colour</code> to <code>ggplot2::geom_tile</code> .
tile_border_size	Size of the tile borders. Passed as <code>size</code> to <code>ggplot2::geom_tile</code> .
tile_border_linetype	Linetype for the tile borders. Passed as <code>linetype</code> to <code>ggplot2::geom_tile</code> .
darkness	How dark the darkest colors should be, between 0 and 1, where 1 is darkest. Technically, a lower value increases the upper limit in <code>ggplot2::scale_fill_distiller</code> .

## Details

Inspired by Antoine Sachet's answer at <https://stackoverflow.com/a/53612391/11832955>

## Value

A `ggplot2` object representing a confusion matrix. Color intensity depends on the counts.

By default, each tile has the normalized count (overall percentage) and count in the middle, the column percentage at the bottom, and the row percentage to the right and rotated 90 degrees.

In the "correct" diagonal (upper left to bottom right, by default), the column percentages are the class-level sensitivity scores, while the row percentages are the class-level positive predictive values.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other plotting functions: [font\(\)](#), [plot\\_metric\\_density\(\)](#)

**Examples**

```
# Attach cvms
library(cvms)
library(ggplot2)

# Two classes

# Create targets and predictions data frame
data <- data.frame(
  "target" = c("A", "B", "A", "B", "A", "B",
               "A", "B", "A", "B", "A", "B"),
  "prediction" = c("B", "B", "A", "A", "A", "B",
                  "B", "B", "A", "B", "A", "A"),
  stringsAsFactors = FALSE
)

# Evaluate predictions and create confusion matrix
eval <- evaluate(
  data = data,
  target_col = "target",
  prediction_cols = "prediction",
  type = "binomial"
)

# Inspect confusion matrix tibble
eval[["Confusion Matrix"]][[1]]

# Plot confusion matrix
# Supply confusion matrix tibble directly
plot_confusion_matrix(eval[["Confusion Matrix"]][[1]])
# Plot first confusion matrix in evaluate() output
plot_confusion_matrix(eval)

# Three (or more) classes

# Create targets and predictions data frame
data <- data.frame(
  "target" = c("A", "B", "C", "B", "A", "B", "C",
               "B", "A", "B", "C", "B", "A"),
  "prediction" = c("C", "B", "A", "C", "A", "B", "B",
                  "C", "A", "B", "C", "A", "C"),
  stringsAsFactors = FALSE
)

# Evaluate predictions and create confusion matrix
eval <- evaluate(
  data = data,
```

```

    target_col = "target",
    prediction_cols = "prediction",
    type = "multinomial"
  )

  # Inspect confusion matrix tibble
  eval[["Confusion Matrix"]][[1]]

  # Plot confusion matrix
  # Supply confusion matrix tibble directly
  plot_confusion_matrix(eval[["Confusion Matrix"]][[1]])
  # Plot first confusion matrix in evaluate() output
  plot_confusion_matrix(eval)

  # Counts only
  plot_confusion_matrix(
    eval[["Confusion Matrix"]][[1]],
    add_normalized = FALSE,
    add_row_percentages = FALSE,
    add_col_percentages = FALSE
  )

  # Change color palette to green
  # Change theme to \code{theme_light}.
  plot_confusion_matrix(
    eval[["Confusion Matrix"]][[1]],
    palette = "Greens",
    theme_fn = ggplot2::theme_light
  )

  # The output is a ggplot2 object
  # that you can add layers to
  # Here we change the axis labels
  plot_confusion_matrix(eval[["Confusion Matrix"]][[1]]) +
    ggplot2::labs(x = "True", y = "Guess")

```

---

plot\_metric\_density     *Density plot for a metric*

---

## Description

### Experimental

Creates a [ggplot2](#) object with a density plot for one of the columns in the passed data frame(s).

Note: In its current form, it is mainly intended as a quick way to visualize the results from cross-validations and baselines (random evaluations). It may change significantly in future versions.

## Usage

```

plot_metric_density(
  results = NULL,
  baseline = NULL,
  metric = "",

```

```

    fill = c("darkblue", "lightblue"),
    alpha = 0.6,
    theme_fn = ggplot2::theme_minimal,
    xlim = NULL
  )

```

### Arguments

<code>results</code>	Data frame with a metric column to create density plot for. To only plot the baseline, set to <code>NULL</code> .
<code>baseline</code>	Data frame with the random evaluations from <code>baseline()</code> . Should contain a column for the metric. To only plot the results, set to <code>NULL</code> .
<code>metric</code>	Name of the metric column in <code>results</code> to plot. (Character)
<code>fill</code>	Colors of the plotted distributions. The first color is for the baseline, the second for the results.
<code>alpha</code>	Transparency of the distribution (0 - 1).
<code>theme_fn</code>	The ggplot2 theme function to apply.
<code>xlim</code>	Limits for the x-axis. Can be set to <code>NULL</code> . E.g. <code>c(0, 1)</code> .

### Value

A ggplot2 object with the density of a metric, possibly split in *Results* and *Baseline*.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other plotting functions: `font()`, `plot_confusion_matrix()`

### Examples

```

# Attach packages
library(cvms)
library(dplyr)

# We will use the musicians and predicted.musicians datasets
musicians
predicted.musicians

# Set seed
set.seed(42)

# Create baseline for targets
bsl <- baseline_multinomial(
  test_data = musicians,
  dependent_col = "Class",
  n = 20 # Normally 100
)

```

```

# Evaluate predictions grouped by classifier and fold column
eval <- predicted.musicians %>%
  dplyr::group_by(Classifier, `Fold Column`) %>%
  evaluate(
    target_col = "Target",
    prediction_cols = c("A", "B", "C", "D"),
    type = "multinomial"
  )

# Plot density of the Overall Accuracy metric
plot_metric_density(
  results = eval,
  baseline = bsl$random_evaluations,
  metric = "Overall Accuracy",
  xlim = c(0,1)
)

# The bulk of classifier results are much better than
# the baseline results

```

---

```
precomputed.formulas
```

*Precomputed formulas*

---

## Description

Fixed effect combinations for model formulas with/without two- and three-way interactions. Up to eight fixed effects in total with up to five fixed effects per formula.

## Format

A data frame with 259,358 rows and 5 variables:

**formula\_** combination of fixed effects, separated by "+" and "\*"

**max\_interaction\_size** maximum interaction size in the formula, up to 3

**max\_effect\_frequency** maximum count of an effect in the formula, e.g. the 3 A's in "A \* B + A \* C + A \* D"

**num\_effects** number of unique effects included in the formula

**min\_num\_fixed\_effects** minimum number of fixed effects required to use the formula, i.e. the index in the alphabet of the last of the alphabetically ordered effects (letters) in the formula, so 4 for the formula: "A + B + D"

## Details

Effects are represented by the first eight capital letters.

Used by [combine\\_predictors](#).

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

predicted.musicians	<i>Predicted musician groups</i>
---------------------	----------------------------------

---

### Description

Predictions by 3 classifiers of the 4 classes in the [musicians](#) dataset. Obtained with 5-fold stratified cross-validation (3 repetitions). The three classifiers were fit using `nnet::multinom`, `randomForest::randomForest`, and `e1071::svm`.

### Format

A data frame with 540 rows and 10 variables:

**Classifier** The applied classifier. One of "nnet\_multinom", "randomForest", and "e1071\_svm".

**Fold Column** The fold column name. Each is a unique 5-fold split. One of ".folds\_1", ".folds\_2", and ".folds\_3".

**Fold** The fold. 1 to 5.

**ID** Musician identifier, 60 levels

**Target** The actual class of the musician. One of "A", "B", "C", and "D".

**A** The probability of class "A".

**B** The probability of class "B".

**C** The probability of class "C".

**D** The probability of class "D".

**Predicted Class** The predicted class. The argmax of the four probability columns.

### Details

Used formula: "Class ~ Height + Age + Drums + Bass + Guitar + Keys + Vocals"

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

[musicians](#)

### Examples

```
# Attach packages
library(cvms)
library(dplyr)

# Evaluate each fold column
predicted.musicians %>%
  dplyr::group_by(Classifier, `Fold Column`) %>%
  evaluate(target_col = "Target",
           prediction_cols = c("A", "B", "C", "D"),
           type = "multinomial")
```



```
# Overall ID evaluation
# I.e. if we average all 9 sets of predictions,
# how well did we predict the targets?
overall_id_eval <- predicted.musicians %>%
  evaluate(target_col = "Target",
           prediction_cols = c("A", "B", "C", "D"),
           type = "multinomial",
           id_col = "ID")
overall_id_eval
# Plot the confusion matrix
plot_confusion_matrix(overall_id_eval$`Confusion Matrix`[[1]])
```

predict_functions	Examples of predict_fn functions
-------------------	----------------------------------

Description

Experimental

Examples of predict functions that can be used in `cross_validate_fn()`. They can either be used directly or be starting points.

Usage

```
predict_functions(name)
```

Arguments

name                      Name of model to get predict function for, as it appears in the following table. The **Model HParams** column lists hyperparameters used in the respective model function.

	Name	Function	Model HParams
	"lm"	stats::lm()	
	"lmer"	lme4::lmer()	
	"glm_binomial"	stats::glm()	family = "binomial"
	"glmer_binomial"	lme4::glmer()	family = "binomial"
	"svm_gaussian"	e1071::svm()	type = "eps-regression"
	"svm_binomial"	e1071::svm()	type = "C-classification", probability = TRUE
	"svm_multinomial"	e1071::svm()	type = "C-classification", probability = TRUE
	"naive_bayes"	e1071::naiveBayes()	
	"nnet_multinom"	nnet::multinom()	
	"nnet_gaussian"	nnet::nnet()	linout = TRUE
	"nnet_binomial"	nnet::nnet()	
	"randomForest_gaussian"	randomForest::randomForest()	
	"randomForest_binomial"	randomForest::randomForest()	
	"randomForest_multinomial"	randomForest::randomForest()	

**Value**

A function with the following form:

```
function(test_data,model,formula,hyperparameters,train_data) {
  # Use model to predict test_data
  # Return predictions
}
```

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other example functions: [model\\_functions\(\)](#), [preprocess\\_functions\(\)](#), [update\\_hyperparameters\(\)](#)

---

```
preprocess_functions  Examples of preprocess_fn functions
```

---

**Description****Experimental**

Examples of preprocess functions that can be used in [cross\\_validate\\_fn\(\)](#) and [validate\\_fn\(\)](#). They can either be used directly or be starting points.

The examples use [recipes](#), but you can also use `caret::preProcess()` or similar functions.

In these examples, the preprocessing will only affect the numeric predictors.

You may prefer to hardcode a formula like "y ~ ." (where y is your dependent variable) as that will allow you to set **preprocess\_one** to TRUE in [cross\\_validate\\_fn\(\)](#) and [validate\\_fn\(\)](#) and save time.

**Usage**

```
preprocess_functions(name)
```

**Arguments**

name                      Name of preprocessing function as it appears in the following list:

Name	Description
"standardize"	Centers and scales the numeric predictors
"range"	Normalizes the numeric predictors to the 0-1 range
"scale"	Scales the numeric predictors to have a standard deviation of one
"center"	Centers the numeric predictors to have a mean of zero
"warn"	Identity function that throws a warning and a message

**Value**

A function with the following form:

```
function(train_data,test_data,formula,hyperparameters) {
```

```

# Preprocess train_data and test_data
# Return a list with the preprocessed datasets
# and optionally a data frame with preprocessing parameters
list(
  "train" = train_data,
  "test" = test_data,
  "parameters" = tidy_parameters
)
}

```

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**See Also**

Other example functions: [model\\_functions\(\)](#), [predict\\_functions\(\)](#), [update\\_hyperparameters\(\)](#)

---

reconstruct\_formulas    *Reconstruct model formulas from results tibbles*

---

**Description****Maturing**

In the (cross-)validation results from functions like [cross\\_validate\(\)](#), the model formulas have been split into the columns Dependent, Fixed and Random. Quickly reconstruct the model formulas from these columns.

**Usage**

```
reconstruct_formulas(results, topn = NULL)
```

**Arguments**

results	Data frame with results from <a href="#">cross_validate()</a> or <a href="#">validate()</a> . (tbl) Must contain at least the columns "Dependent" and "Fixed". For random effects, the "Random" column should be included.
topn	Number of top rows to return. Simply applies head() to the results tibble.

**Value**

List of model formulas.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

select_definitions	Select model definition columns
--------------------	---------------------------------

---

## Description

### Experimental

Select the columns that define the models, such as the formula terms and hyperparameters.

If an expected column is not in the results tibble, it is simply ignored.

## Usage

```
select_definitions(results, unnest_hparams = TRUE, additional_includes = NULL)
```

## Arguments

results	Results tibble. E.g. from <code>cross_validate()</code> or <code>evaluate()</code> .
unnest_hparams	Whether to unnest the HParams column. (Logical)
additional_includes	Names of additional columns to select. (Character)

## Value

The model definition columns from the results tibble.

## Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

select_metrics	Select columns with evaluation metrics and model definitions
----------------	--

---

## Description

### Maturing

When reporting results, we might not want all the nested tibbles and process information columns. This function selects the evaluation metrics and model formulas only.

If an expected column is not in the results tibble, it is simply ignored.

## Usage

```
select_metrics(results, include_definitions = TRUE, additional_includes = NULL)
```

## Arguments

results	Results tibble. E.g. from <code>cross_validate()</code> or <code>evaluate()</code> .
include_definitions	Whether to include the Dependent, Fixed and (possibly) Random and HParams columns. (Logical)
additional_includes	Names of additional columns to select. (Character)

**Value**

The results tibble with only the metric and model definition columns.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

---

simplify\_formula

*Simplify formula with inline functions*

---

**Description****Experimental**

Extracts all variables from a formula object and creates a new formula with all predictor variables added together without the inline functions.

E.g.:

$y \sim x*z + \log(a) + (1|b)$

becomes

$y \sim x + z + a + b.$

This is useful when passing a formula to `recipes::recipe()` for preprocessing a dataset, as used in the `preprocess_functions()`.

**Usage**

```
simplify_formula(formula, data = NULL, string_out = FALSE)
```

**Arguments**

formula	Formula object. If a string is passed, it will be converted with <code>as.formula()</code> . When a side <i>only</i> contains a NULL, it is kept. Otherwise NULLs are removed. An intercept (1) will only be kept if there are no variables on that side of the formula.
data	Data frame. Used to extract variables when the formula contains a ".".
string_out	Whether to return as a string. (Logical)

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**Examples**

```
# Attach cvms
library(cvms)

# Create formula
f1 <- "y ~ x*z + log(a) + (1|b)"

# Simplify formula (as string)
simplify_formula(f1)

# Simplify formula (as formula)
simplify_formula(as.formula(f1))
```

---

summarize_metrics	<i>Summarize metrics with common descriptors</i>
-------------------	--

---

**Description****Experimental**

Summarizes all numeric columns. Counts the NAs and Infs in the columns.

**Usage**

```
summarize_metrics(data, cols = NULL, na.rm = TRUE, inf.rm = TRUE)
```

**Arguments**

data	Data frame with numeric columns to summarize.
cols	Names of columns to summarize. Non-numeric columns are ignored. (Character)
na.rm	Whether to remove NAs before summarizing. (Logical)
inf.rm	Whether to remove Infs before summarizing. (Logical)

**Value**

Tibble where each row is a descriptor of the column.

The **Measure** column contains the name of the descriptor.

The **NAs** row is a count of the NAs in the column.

The **INFs** row is a count of the Infs in the column.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

**Examples**

```
# Attach packages
library(cvms)
library(dplyr)

df <- data.frame("a" = c("a", "a", "a", "b", "b", "b", "c", "c", "c"),
                 "b" = c(0.8, 0.6, 0.3, 0.2, 0.4, 0.5, 0.8, 0.1, 0.5),
                 "c" = c(0.2, 0.3, 0.4, 0.6, 0.5, 0.8, 0.1, 0.8, 0.3))

# Summarize all numeric columns
summarize_metrics(df)

# Summarize column "b"
summarize_metrics(df, cols = "b")
```

---

update\_hyperparameters

*Check and update hyperparameters*


---

**Description****Experimental**

1. Checks if the required hyperparameters are present and throws an error when it is not the case.
2. Inserts the missing hyperparameters with the supplied default values.

For managing hyperparameters in custom model functions for [cross\\_validate\\_fn\(\)](#) or [validate\\_fn\(\)](#).

**Usage**

```
update_hyperparameters(..., hyperparameters, .required = NULL)
```

**Arguments**

...	Default values for missing hyperparameters. E.g.: kernel = "linear", cost = 10
hyperparameters	List of hyperparameters as supplied to <a href="#">cross_validate_fn()</a> . Can also be a single-row data frame.
.required	Names of required hyperparameters. If any of these are not present in the hyperparameters, an error is thrown.

**Value**

A named list with the updated hyperparameters.

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

## See Also

Other example functions: [model\\_functions\(\)](#), [predict\\_functions\(\)](#), [preprocess\\_functions\(\)](#)

## Examples

```
# Attach packages
library(cvms)

# Create a list of hyperparameters
hparams <- list(
  "kernel" = "radial",
  "scale" = TRUE
)

# Update hyperparameters with defaults
# Only 'cost' is changed as it's missing
update_hyperparameters(
  cost = 10,
  kernel = "linear",
  "scale" = FALSE,
  hyperparameters = hparams
)

# 'cost' is required
# throws error
xpectr::capture_side_effects(
  update_hyperparameters(
    kernel = "linear",
    "scale" = FALSE,
    hyperparameters = hparams,
    .required = "cost"
  )
)
```

---

validate

*Validate regression models on a test set*

---

## Description

### Stable

Train linear or logistic regression models on a training set and validate it by predicting a test/validation set. Returns results in a tibble for easy reporting, along with the trained models.

See [validate\\_fn\(\)](#) for use with custom model functions.

## Usage

```
validate(
  train_data,
  formulas,
```



```

family,
test_data = NULL,
partitions_col = ".partitions",
control = NULL,
REML = FALSE,
cutoff = 0.5,
positive = 2,
metrics = list(),
preprocessing = NULL,
err_nc = FALSE,
rm_nc = FALSE,
parallel = FALSE,
verbose = FALSE,
link = deprecated(),
models = deprecated(),
model_verbose = deprecated()
)

```

### Arguments

train_data	<p>Data frame.</p> <p>Can contain a grouping factor for identifying partitions - as made with <code>groupdata2::partition()</code>. See <code>partitions_col</code>.</p>
formulas	<p>Model formulas as strings. (Character)</p> <p>E.g. <code>c("y~x", "y~z")</code>.</p> <p>Can contain random effects.</p> <p>E.g. <code>c("y~x+(1 r)", "y~z+(1 r)")</code>.</p>
family	<p>Name of the family. (Character)</p> <p>Currently supports "gaussian" for linear regression with <code>lm()</code> / <code>lme4::lmer()</code> and "binomial" for binary classification with <code>glm()</code> / <code>lme4::glmer()</code>.</p>
test_data	Data frame. If specifying <code>partitions_col</code> , this can be NULL.
partitions_col	<p>Name of grouping factor for identifying partitions. (Character)</p> <p>Rows with the value 1 in <code>partitions_col</code> are used as training set and rows with the value 2 are used as test set.</p> <p>N.B. <b>Only used if</b> <code>test_data</code> <b>is</b> NULL.</p>
control	<p>Construct control structures for mixed model fitting (with <code>lme4::lmer()</code> or <code>lme4::glmer()</code>). See <code>lme4::lmerControl</code> and <code>lme4::glmerControl</code>.</p> <p>N.B. Ignored if fitting <code>lm()</code> or <code>glm()</code> models.</p>
REML	Restricted Maximum Likelihood. (Logical)
cutoff	<p>Threshold for predicted classes. (Numeric)</p> <p>N.B. <b>Binomial models only</b></p>
positive	<p>Level from dependent variable to predict. Either as character (<i>preferable</i>) or level index (1 or 2 - alphabetically).</p> <p>E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat".</p> <p><b>Note:</b> For <i>reproducibility</i>, it's preferable to <b>specify the name directly</b>, as different <code>locales</code> may sort the levels differently.</p>

	Used when calculating confusion matrix metrics and creating ROC curves. The Positive Class column in the output can be used to verify this setting. N.B. Only affects evaluation metrics, not the model training or returned predictions. N.B. <b>Binomial models only</b> .										
metrics	List for enabling/disabling metrics. E.g. <code>list("RMSE" = FALSE)</code> would remove RMSE from the results, and <code>list("Accuracy" = TRUE)</code> would add the regular Accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics. You can enable/disable all metrics at once by including <code>"all" = TRUE/FALSE</code> in the list. This is done prior to enabling/disabling individual metrics, why <code>list("all" = FALSE, "RMSE" = TRUE)</code> would return only the RMSE metric. The list can be created with <code>gaussian_metrics()</code> or <code>binomial_metrics()</code> . Also accepts the string <code>"all"</code> .										
preprocessing	Name of preprocessing to apply. Available preprocessings are:										
	<table> <thead> <tr> <th>Name</th><th></th></tr> </thead> <tbody> <tr> <td>"standardize"</td><td>Centers and scales the numeric predictors to the 0-1 range.</td></tr> <tr> <td>"range"</td><td>Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.</td></tr> <tr> <td>"scale"</td><td>Scales the numeric predictors to have a standard deviation of 1.</td></tr> <tr> <td>"center"</td><td>Centers the numeric predictors to have a mean of 0.</td></tr> </tbody> </table>	Name		"standardize"	Centers and scales the numeric predictors to the 0-1 range.	"range"	Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.	"scale"	Scales the numeric predictors to have a standard deviation of 1.	"center"	Centers the numeric predictors to have a mean of 0.
Name											
"standardize"	Centers and scales the numeric predictors to the 0-1 range.										
"range"	Normalizes the numeric predictors to the 0-1 range. Values outside the min/max range in the test fold are truncated.										
"scale"	Scales the numeric predictors to have a standard deviation of 1.										
"center"	Centers the numeric predictors to have a mean of 0.										
	<p>The preprocessing parameters (mean, SD, etc.) are extracted from the training folds and applied to both the training folds and the test fold. They are returned in the <b>Preprocess</b> column for inspection.</p> <p>N.B. The preprocessings should not affect the results to a noticeable degree, although <code>"range"</code> might due to the truncation.</p>										
err_nc	Raise error if a model does not converge. (Logical)										
rm_nc	Remove non-converged models from output. (Logical)										
parallel	Whether to validate the list of models in parallel. (Logical) Remember to register a parallel backend first. E.g. with <code>doParallel::registerDoParallel</code> .										
verbose	Whether to message process information like the number of model instances to fit and which model function was applied. (Logical)										
link, models, model_verbose	Deprecated.										

## Details

Packages used:

### Models:

Gaussian: `stats::lm`, `lme4::lmer`

Binomial: `stats::glm`, `lme4::glmer`

### Results:

*Shared:*AIC : [stats::AIC](#)AICc : [MuMIn::AICc](#)BIC : [stats::BIC](#)*Gaussian:*r2m : [MuMIn::r.squaredGLMM](#)r2c : [MuMIn::r.squaredGLMM](#)*Binomial:*ROC and AUC: [pROC::roc](#)**Value**

Tibble with the results and model objects.

**Shared across families:**

A nested tibble with **coefficients** of the models from all iterations.

Count of **convergence warnings**. Consider discarding models that did not converge.

Count of **other warnings**. These are warnings without keywords such as "convergence".

Count of **Singular Fit messages**. See [lme4::isSingular](#) for more information.

Nested tibble with the **warnings and messages** caught for each model.

Specified **family**.

Nested **model** objects.

Name of **dependent** variable.

Names of **fixed** effects.

Names of **random** effects, if any.

Nested tibble with **preprocessing** parameters, if any.

---

**Gaussian Results:**

RMSE, MAE, NRMSE(IQR), RRSE, RAE, RMSLE, AIC, AICc, and BIC.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

A nested tibble with the **predictions** and targets.

---

**Binomial Results:**

Based on predictions of the test set, a confusion matrix and ROC curve are used to get the following:

ROC:

AUC, Lower CI, and Upper CI.

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

See the additional metrics (disabled by default) at [?binomial\\_metrics](#).

Also includes:

A nested tibble with **predictions**, predicted classes (depends on cutoff), and the targets. Note, that the predictions are *not necessarily* of the *specified* positive class, but of the *model's* positive class (second level of dependent variable, alphabetically).

The `PROC::roc` ROC curve object(s).

A nested tibble with the **confusion matrix**/matrices. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

The name of the **Positive Class**.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other validation functions: `cross_validate_fn()`, `cross_validate()`, `validate_fn()`

### Examples

```
# Attach packages
library(cvms)
library(groupdata2) # partition()
library(dplyr) # %>% arrange()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(7)

# Partition data
# Keep as single data frame
# We could also have fed validate() separate train and test sets.
data_partitioned <- partition(
  data,
  p = 0.7,
  cat_col = "diagnosis",
  id_col = "participant",
  list_out = FALSE
) %>%
  arrange(.partitions)

# Validate a model

# Gaussian
validate(
  data_partitioned,
  formulas = "score~diagnosis",
  partitions_col = ".partitions",
  family = "gaussian",
  REML = FALSE
)

# Binomial
validate(data_partitioned,
```

```

    formulas = "diagnosis~score",
    partitions_col = ".partitions",
    family = "binomial"
  )

  ## Feed separate train and test sets

  # Partition data to list of data frames
  # The first data frame will be train (70% of the data)
  # The second will be test (30% of the data)
  data_partitioned <- partition(
    data,
    p = 0.7,
    cat_col = "diagnosis",
    id_col = "participant",
    list_out = TRUE
  )
  train_data <- data_partitioned[[1]]
  test_data <- data_partitioned[[2]]

  # Validate a model

  # Gaussian
  validate(
    train_data,
    test_data = test_data,
    formulas = "score~diagnosis",
    family = "gaussian",
    REML = FALSE
  )

```

---

 validate\_fn

---

*Validate a custom model function on a test set*


---

## Description

### Experimental

Fit your model function on a training set and validate it by predicting a test/validation set. Validate different hyperparameter combinations and formulas at once. Preprocess the train/test split. Returns results and fitted models in a tibble for easy reporting and further analysis.

Compared to `validate()`, this function allows you supply a custom model function, a predict function, a preprocess function and the hyperparameter values to validate.

Supports regression and classification (binary and multiclass). See `type`.

Note that some metrics may not be computable for some types of model objects.

## Usage

```

validate_fn(
  train_data,
  formulas,
  type,

```

```

model_fn,
predict_fn,
test_data = NULL,
preprocess_fn = NULL,
preprocess_once = FALSE,
hyperparameters = NULL,
partitions_col = ".partitions",
cutoff = 0.5,
positive = 2,
metrics = list(),
rm_nc = FALSE,
parallel = FALSE,
verbose = TRUE
)

```

### Arguments

train_data	<p>Data frame.</p> <p>Can contain a grouping factor for identifying partitions - as made with <code>groupdata2::partition()</code>. See <code>partitions_col</code>.</p>
formulas	<p>Model formulas as strings. (Character)</p> <p>Will be converted to <code>formula</code> objects before being passed to <code>model_fn</code>.</p> <p>E.g. <code>c("y~x", "y~z")</code>.</p> <p>Can contain random effects.</p> <p>E.g. <code>c("y~x+(1 r)", "y~z+(1 r)")</code>.</p>
type	<p>Type of evaluation to perform:</p> <p>"gaussian" for regression (like linear regression).</p> <p>"binomial" for binary classification.</p> <p>"multinomial" for multiclass classification.</p>
model_fn	<p>Model function that returns a fitted model object. Will usually wrap an existing model function like <code>e1071::svm</code> or <code>nnet::multinom</code>.</p> <p>Must have the following function arguments:</p> <pre>function(train_data, formula,          hyperparameters)</pre>
predict_fn	<p>Function for predicting the targets in the test folds/sets using the fitted model object. Will usually wrap <code>stats::predict()</code>, but doesn't have to.</p> <p>Must have the following function arguments:</p> <pre>function(test_data, model, formula,          hyperparameters, train_data)</pre> <p>Must return predictions in the following formats, depending on type:</p> <p><b>Binomial:</b> Vector or one-column matrix / data frame with probabilities (0-1) of the second class, alphabetically. E.g.:</p> <pre>c(0.3, 0.5, 0.1, 0.5)</pre> <p><b>Gaussian:</b> Vector or one-column matrix / data frame with the predicted value. E.g.:</p> <pre>c(3.7, 0.9, 1.2, 7.3)</pre> <p><b>Multinomial:</b> Data frame with one column per class containing probabilities of the class. Column names should be identical to how the class names are written in the target column. E.g.:</p>

class_1	class_2	class_3
0.269	0.528	0.203
0.368	0.322	0.310
0.375	0.371	0.254
...	...	...

**test\_data** Data frame. If specifying `partitions_col`, this can be NULL.

**preprocess\_fn** Function for preprocessing the training and test sets.  
 Can, for instance, be used to standardize both the training and test sets with the scaling and centering parameters from the training set.  
 Must have the following function arguments:  
`function(train_data, test_data, formula, hyperparameters)`  
 Must return a list with the preprocessed `train_data` and `test_data`. It may also contain a tibble with the parameters used in preprocessing:  
`list("train" = train_data, "test" = test_data, "parameters" = preprocess_parameters)`  
 Additional elements in the returned list will be ignored.  
 The optional parameters tibble will be included in the output. It could have the following format:

Measure	var_1	var_2
Mean	37.921	88.231
SD	12.4	5.986
...	...	...

N.B. When `preprocess_once` is FALSE, the current formula and hyperparameters will be provided. Otherwise, these arguments will be NULL.

**preprocess\_once** Whether to apply the preprocessing once (ignoring the formula and hyperparameters arguments in `preprocess_fn`) or for every model separately. (Logical)  
 When preprocessing does not depend on the current formula or hyperparameters, we can do the preprocessing of each train/test split once, to save time. This **may require holding a lot more data in memory** though, why it is not the default setting.

**hyperparameters** Either a named list with hyperparameter values to combine in a grid or a data frame with one row per hyperparameter combination.

**Named list for grid search:** Add ".n" to sample the combinations. Can be the number of combinations to use, or a percentage between 0 and 1.

E.g.

```
list(".n" = 10, # sample 10 combinations
      "lrn_rate" = c(0.1, 0.01, 0.001),
      "h_layers" = c(10, 100, 1000),
      "drop_out" = runif(5, 0.3, 0.7))
```

**Data frame with specific hyperparameter combinations:** One row per combination to test.

E.g.

	<b>lrn_rate</b>	<b>h_layers</b>	<b>drop_out</b>
	0.1	10	0.65
	0.1	1000	0.65
	0.01	1000	0.63
	...	...	...
partitions_col	Name of grouping factor for identifying partitions. (Character) Rows with the value 1 in partitions_col are used as training set and rows with the value 2 are used as test set. N.B. <b>Only used if</b> test_data is NULL.		
cutoff	Threshold for predicted classes. (Numeric) N.B. <b>Binomial models only</b>		
positive	Level from dependent variable to predict. Either as character ( <i>preferable</i> ) or level index (1 or 2 - alphabetically). E.g. if we have the levels "cat" and "dog" and we want "dog" to be the positive class, we can either provide "dog" or 2, as alphabetically, "dog" comes after "cat". <b>Note:</b> For <i>reproducibility</i> , it's preferable to <b>specify the name directly</b> , as different <a href="#">locales</a> may sort the levels differently. Used when calculating confusion matrix metrics and creating ROC curves. The Positive Class column in the output can be used to verify this setting. N.B. Only affects evaluation metrics, not the model training or returned predictions. N.B. <b>Binomial models only.</b>		
metrics	List for enabling/disabling metrics. E.g. list("RMSE" = FALSE) would remove RMSE from the regression results, and list("Accuracy" = TRUE) would add the regular accuracy metric to the classification results. Default values (TRUE/FALSE) will be used for the remaining available metrics. You can enable/disable all metrics at once by including "all" = TRUE/FALSE in the list. This is done prior to enabling/disabling individual metrics, why f.i. list("all" = FALSE, "RMSE" = TRUE) would return only the RMSE metric. The list can be created with <a href="#">gaussian_metrics()</a> , <a href="#">binomial_metrics()</a> , or <a href="#">multinomial_metrics()</a> . Also accepts the string "all".		
rm_nc	Remove non-converged models from output. (Logical)		
parallel	Whether to cross-validate the list of models in parallel. (Logical) Remember to register a parallel backend first. E.g. with doParallel::registerDoParallel.		
verbose	Whether to message process information like the number of model instances to fit. (Logical)		

## Details

Packages used:

### Results:

*Shared:*

AIC : [stats::AIC](#)

AICc : [MuMIn::AICc](#)

BIC : [stats::BIC](#)



*Gaussian:*

r2m : `MuMIn::r.squaredGLMM`

r2c : `MuMIn::r.squaredGLMM`

*Binomial and Multinomial:*

ROC and related metrics:

Binomial: `pROC::roc`

Multinomial: `pROC::multiclass.roc`

## Value

Tbl (tibble) with the results and model objects.

### Shared across families:

A nested tibble with **coefficients** of the models. The coefficients are extracted from the model object with `broom::tidy()` or `coef()` (with some restrictions on the output). If these attempts fail, a default coefficients tibble filled with NAs is returned.

Nested tibble with the used **preprocessing parameters**, if a passed `preprocess_fn` returns the parameters in a tibble.

Count of **convergence warnings**, using a limited set of keywords (e.g. "convergence"). If a convergence warning does not contain one of these keywords, it will be counted with **other warnings**. Consider discarding models that did not converge on all iterations. Note: you might still see results, but these should be taken with a grain of salt!

Nested tibble with the **warnings and messages** caught for each model.

Specified **family**.

Nested **model** objects.

Name of **dependent** variable.

Names of **fixed** effects.

Names of **random** effects, if any.

---

### Gaussian Results:

RMSE, MAE, NRMSE (IQR), RRSE, RAE, and RMSLE.

See the additional metrics (disabled by default) at [?gaussian\\_metrics](#).

A nested tibble with the **predictions** and targets.

---

### Binomial Results:

Based on predictions of the test set, a confusion matrix and a ROC curve are created to get the following:

ROC:

AUC, Lower CI, and Upper CI

Confusion Matrix:

Balanced Accuracy, F1, Sensitivity, Specificity, Positive Predictive Value, Negative Predictive Value, Kappa, Detection Rate, Detection Prevalence, Prevalence, and MCC (Matthews correlation coefficient).

See the additional metrics (disabled by default) at [?binomial\\_metrics](#).

Also includes:

A nested tibble with **predictions**, predicted classes (depends on cutoff), and the targets. Note, that the predictions are *not necessarily* of the *specified* positive class, but of the *model's* positive class (second level of dependent variable, alphabetically).

The `pROC::roc` ROC curve object(s).

A nested tibble with the **confusion matrix**/matrices. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. I.e. the level you wish to predict.

The name of the **Positive Class**.

### Multinomial Results:

For each class, a *one-vs-all* binomial evaluation is performed. This creates a **Class Level Results** tibble containing the same metrics as the binomial results described above (excluding MCC, AUC, Lower CI and Upper CI), along with a count of the class in the target column (Support). These metrics are used to calculate the macro metrics. The nested class level results tibble is also included in the output tibble, and could be reported along with the macro and overall metrics.

The output tibble contains the macro and overall metrics. The metrics that share their name with the metrics in the nested class level results tibble are averages of those metrics (note: does not remove NAs before averaging). In addition to these, it also includes the Overall Accuracy and the multiclass MCC.

Other available metrics (disabled by default, see `metrics`): Accuracy, *multiclass* AUC, Weighted Balanced Accuracy, Weighted Accuracy, Weighted F1, Weighted Sensitivity, Weighted Specificity, Weighted Pos Pred Value, Weighted Neg Pred Value, Weighted Kappa, Weighted Detection Rate, Weighted Detection Prevalence, and Weighted Prevalence.

Note that the "Weighted" average metrics are weighted by the Support.

Also includes:

A nested tibble with the **predictions**, predicted classes, and targets.

A list of **ROC** curve objects when AUC is enabled.

A nested tibble with the multiclass **Confusion Matrix**.

#### Class Level Results

Besides the binomial evaluation metrics and the Support, the nested class level results tibble also contains a nested tibble with the **Confusion Matrix** from the one-vs-all evaluation. The `Pos_` columns tells you whether a row is a True Positive (TP), True Negative (TN), False Positive (FP), or False Negative (FN), depending on which level is the "positive" class. In our case, 1 is the current class and 0 represents all the other classes together.

### Author(s)

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

### See Also

Other validation functions: `cross_validate_fn()`, `cross_validate()`, `validate()`

### Examples

```
# Attach packages
```

```

library(cvms)
library(groupdata2) # fold()
library(dplyr) # %>% arrange() mutate()

# Note: More examples of custom functions can be found at:
# model_fn: model_functions()
# predict_fn: predict_functions()
# preprocess_fn: preprocess_functions()

# Data is part of cvms
data <- participant.scores

# Set seed for reproducibility
set.seed(7)

# Fold data
data <- partition(
  data,
  p = 0.8,
  cat_col = "diagnosis",
  id_col = "participant",
  list_out = FALSE
) %>%
  mutate(diagnosis = as.factor(diagnosis)) %>%
  arrange(.partitions)

# Formulas to validate

formula_gaussian <- "score ~ diagnosis"
formula_binomial <- "diagnosis ~ score"

#
# Gaussian
#

# Create model function that returns a fitted model object
lm_model_fn <- function(train_data, formula, hyperparameters) {
  lm(formula = formula, data = train_data)
}

# Create predict function that returns the predictions
lm_predict_fn <- function(test_data, model, formula,
                          hyperparameters, train_data) {
  stats::predict(
    object = model,
    newdata = test_data,
    type = "response",
    allow.new.levels = TRUE
  )
}

# Validate the model function
v <- validate_fn(
  data,
  formulas = formula_gaussian,
  type = "gaussian",
  model_fn = lm_model_fn,

```

```

    predict_fn = lm_predict_fn,
    partitions_col = ".partitions"
  )

  v

  # Extract model object
  v$Model[[1]]

  #
  # Binomial
  #

  # Create model function that returns a fitted model object
  glm_model_fn <- function(train_data, formula, hyperparameters) {
    glm(formula = formula, data = train_data, family = "binomial")
  }

  # Create predict function that returns the predictions
  glm_predict_fn <- function(test_data, model, formula,
                             hyperparameters, train_data) {
    stats::predict(
      object = model,
      newdata = test_data,
      type = "response",
      allow.new.levels = TRUE
    )
  }

  # Validate the model function
  validate_fn(
    data,
    formulas = formula_binomial,
    type = "binomial",
    model_fn = glm_model_fn,
    predict_fn = glm_predict_fn,
    partitions_col = ".partitions"
  )

  #
  # Support Vector Machine (svm)
  # with known hyperparameters
  #

  # Create model function that returns a fitted model object
  # We use the hyperparameters arg to pass in the kernel and cost values
  # These will usually have been found with cross_validate_fn()
  svm_model_fn <- function(train_data, formula, hyperparameters) {

    # Expected hyperparameters:
    # - kernel
    # - cost
    if (!"kernel" %in% names(hyperparameters))
      stop("'hyperparameters' must include 'kernel'")
    if (!"cost" %in% names(hyperparameters))
      stop("'hyperparameters' must include 'cost'")
  }

```

```

e1071::svm(
  formula = formula,
  data = train_data,
  kernel = hyperparameters[["kernel"]],
  cost = hyperparameters[["cost"]],
  scale = FALSE,
  type = "C-classification",
  probability = TRUE
)
}

# Create predict function that returns the predictions
svm_predict_fn <- function(test_data, model, formula,
                           hyperparameters, train_data) {
  predictions <- stats::predict(
    object = model,
    newdata = test_data,
    allow.new.levels = TRUE,
    probability = TRUE
  )

  # Extract probabilities
  probabilities <- dplyr::as_tibble(
    attr(predictions, "probabilities")
  )

  # Return second column
  probabilities[[2]]
}

# Specify hyperparameters to use
# We found these in the examples in ?cross_validate_fn()
svm_hparams <- list(
  "kernel" = "linear",
  "cost" = 10
)

# Validate the model function
validate_fn(
  data,
  formulas = formula_binomial,
  type = "binomial",
  model_fn = svm_model_fn,
  predict_fn = svm_predict_fn,
  hyperparameters = svm_hparams,
  partitions_col = ".partitions"
)

```

---

wines

---

*Wine varieties*


---

## Description

A list of wine varieties in an approximately Zipfian distribution, ordered by descending frequencies.

**Format**

A data frame with 368 rows and 1 variable:

**Variety** Wine variety, 10 levels

**Details**

Based on the wine-reviews (v4) kaggle dataset by Zack Thoutt: <https://www.kaggle.com/zynicide/wine-reviews>

**Author(s)**

Ludvig Renbo Olsen, <r-pkgs@ludvigolsen.dk>

# Index

## \*Topic **data**

- compatible.formula.terms, 23
- musicians, 64
- participant.scores, 65
- precomputed.formulas, 71
- predicted.musicians, 72
- wines, 93
- .Machine\$double.eps, 55
- ?binomial\_metrics, 30, 37, 83, 89
- ?gaussian\_metrics, 6, 14, 30, 36, 45, 83, 89
- as.formula(), 77
- baseline, 3, 11, 14, 18
- baseline(), 42, 70
- baseline\_binomial, 7, 9, 14, 18
- baseline\_binomial(), 3
- baseline\_gaussian, 7, 11, 12, 18
- baseline\_gaussian(), 3
- baseline\_multinomial, 7, 11, 14, 15
- baseline\_multinomial(), 3
- binomial\_metrics, 19, 27, 46, 50, 53, 64
- binomial\_metrics(), 4, 10, 17, 24, 29, 35, 45, 82, 88
- broom::tidy(), 36, 89
- coef(), 36, 89
- combine\_predictors, 21, 23, 71
- compatible.formula.terms, 23
- confusion\_matrix, 21, 24, 46, 50, 53, 64
- confusion\_matrix(), 66
- cross\_validate, 27, 38, 84, 90
- cross\_validate(), 33, 42, 75, 76
- cross\_validate\_fn, 31, 32, 84, 90
- cross\_validate\_fn(), 27, 42, 54, 73, 74, 79
- cvms, 42
- dplyr::group\_by(), 24, 49, 55
- e1071::naiveBayes(), 54, 73
- e1071::svm, 33, 86
- e1071::svm(), 54, 73
- evaluate, 21, 27, 42, 50, 53, 64
- evaluate(), 24, 42, 49, 65, 66, 76
- evaluate\_residuals, 21, 27, 46, 49, 53, 64

- font, 51, 68, 70
- font(), 67
- formula, 33, 86
- gaussian\_metrics, 21, 27, 46, 50, 52, 64
- gaussian\_metrics(), 4, 13, 29, 35, 45, 50, 82, 88
- generate\_formulas (combine\_predictors), 21
- ggimage::geom\_icon(), 67
- ggplot2, 65, 69
- ggplot2::geom\_text, 51
- ggplot2::geom\_tile, 67
- ggplot2::scale\_fill\_distiller, 67
- glm(), 28, 81
- group\_by, 43, 45
- groupdata2::fold(), 28, 33
- groupdata2::partition(), 81, 86
- hardest (most\_challenging), 55
- lm(), 28, 81
- lme4::glmer, 29, 82
- lme4::glmer(), 28, 54, 73, 81
- lme4::glmerControl, 28, 81
- lme4::isSingular, 30, 83
- lme4::lmer, 5, 14, 29, 82
- lme4::lmer(), 28, 54, 73, 81
- lme4::lmerControl, 28, 81
- locales, 4, 10, 24, 28, 35, 44, 81, 88
- model\_functions, 54, 74, 75, 80
- most\_challenging, 55
- multiclass\_probability\_tibble, 60
- multiclass\_probability\_tibble(), 4, 16
- multinomial\_metrics, 21, 27, 46, 50, 53, 61
- multinomial\_metrics(), 4, 16, 24, 35, 45, 88
- MuMIn::AICc, 5, 14, 29, 36, 83, 88
- MuMIn::r.squaredGLMM, 5, 14, 30, 36, 83, 89
- musicians, 64, 72
- nnet::multinom, 33, 86
- nnet::multinom(), 73
- nnet::nnet(), 73

participant.scores, 65  
plot\_confusion\_matrix, 52, 65, 70  
plot\_metric\_density, 52, 68, 69  
precomputed.formulas, 71  
predict\_functions, 55, 73, 75, 80  
predicted.musicians, 72  
preprocess\_functions, 55, 74, 74, 80  
preprocess\_functions(), 77  
pROC::multiclass.roc, 5, 16, 36, 45, 89  
pROC::roc, 5, 11, 30, 31, 36, 37, 45, 83, 84, 89, 90  
  
randomForest::randomForest(), 73  
recipes, 74  
recipes::recipe(), 77  
reconstruct\_formulas, 75  
  
select\_definitions, 76  
select\_metrics, 76  
simplify\_formula, 77  
stats::AIC, 5, 14, 29, 36, 83, 88  
stats::BIC, 5, 14, 29, 36, 83, 88  
stats::glm, 29, 82  
stats::glm(), 54, 73  
stats::lm, 5, 14, 29, 82  
stats::lm(), 54, 73  
stats::predict(), 33, 86  
summarize\_metrics, 78  
  
tidyr::unnest, 7, 17  
  
update\_hyperparameters, 55, 74, 75, 79  
update\_hyperparameters(), 54  
  
validate, 31, 38, 80, 90  
validate(), 42, 75, 85  
validate\_fn, 31, 38, 84, 85  
validate\_fn(), 42, 74, 79, 80  
  
wines, 93