

Package ‘SCpubr’

August 20, 2025

Type Package

Title Generate Publication Ready Visualizations of Single Cell
Transcriptomics Data

Version 3.0.0

Description A system that provides a streamlined way of generating publication ready plots for known Single-Cell transcriptomics data in a “publication ready” format. This is, the goal is to automatically generate plots with the highest quality possible, that can be used right away or with minimal modifications for a research article.

License GPL-3

URL <https://github.com/enblacar/SCpubr/>,
<https://enblacar.github.io/SCpubr-book/>

BugReports <https://github.com/enblacar/SCpubr/issues/>

Depends R (>= 4.0.0)

Suggests assertthat, circlize, cli, cluster, colorspace,
ComplexHeatmap, covr, decoupleR, dplyr (>= 1.1.0), enrichplot,
forcats, ggalluvial (>= 0.12.5), ggbeeswarm, ggdist, ggExtra,
gg4x, ggplot2 (>= 3.4.0), ggplotify, ggrastr, ggrepel,
ggridges, ggsignif, graphics, infercnv, KernSmooth, knitr,
labeling, magrittr, MASS, Matrix, methods, Nebulosa,
org.Hs.eg.db, patchwork, pheatmap, plyr, purrr, qpdf,
RColorBrewer, rjags, rlang, rmarkdown, scales, scattermore,
Seurat, SeuratObject, sf, stringr, svglite, testthat (>= 3.0.0), tibble, tidyr, UCell, viridis, waffle, withr

VignetteBuilder knitr

biocViews Software, SingleCell, Visualization

Config/testthat/edition 3

Encoding UTF-8

LazyData true

LazyDataCompression xz

RoxygenNote 7.3.2

NeedsCompilation no

Author Enrique Blanco-Carmona [cre, aut] (ORCID:
<<https://orcid.org/0000-0002-1208-1691>>)

Maintainer Enrique Blanco-Carmona <scpubr@gmail.com>

Repository CRAN

Date/Publication 2025-08-20 08:40:02 UTC

Contents

do_ActivityHeatmap	3
do_AlluvialPlot	7
do_BarPlot	11
do_BeeSwarmPlot	14
do_BoxPlot	19
do_CellularStatesPlot	23
do_ChordDiagramPlot	28
do_CNVHeatmap	31
do_ColorBlindCheck	35
do_ColorPalette	37
do_CorrelationHeatmap	39
do_DimPlot	43
do_DotPlot	49
do_EnrichmentHeatmap	53
do_ExpressionHeatmap	58
do_FeaturePlot	61
do_GroupwiseDEHeatmap	68
do_LigandReceptorPlot	72
do_LoadingsHeatmap	76
do_MetadataHeatmap	79
do_NebulosaPlot	82
do_PackageReport	86
do_PathwayActivityHeatmap	87
do_RankedEnrichmentHeatmap	91
do_RankedExpressionHeatmap	95
do_RidgePlot	100
do_SCEenrichmentHeatmap	104
do_SCEExpressionHeatmap	109
do_StripPlot	113
do_TermEnrichmentPlot	118
do_TFActivityHeatmap	121
do_ViolinPlot	125
do_VolcanoPlot	128
do_WafflePlot	131
human_chr_locations	133

Index

135

do_ActivityHeatmap	<i>Compute affinity of gene sets to cell populations using decoupleR.</i>
--------------------	---

Description

Major contributions to this function:

- [Marc Elosua Bayés](#) for the core concept code and idea.
- [Pau Badia i Mompel](#) for the network generation.

Usage

```
do_ActivityHeatmap(  
  sample,  
  input_gene_list,  
  subsample = 2500,  
  group.by = NULL,  
  assay = NULL,  
  slot = NULL,  
  statistic = "ulm",  
  number.breaks = 5,  
  values.show = FALSE,  
  values.threshold = NULL,  
  values.size = 3,  
  values.round = 1,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  diverging.palette = "RdBu",  
  diverging.direction = -1,  
  enforce_symmetry = TRUE,  
  legend.position = "bottom",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  na.value = "grey75",  
  font.size = 14,  
  font.type = "sans",  
  axis.text.x.angle = 45,  
  flip = FALSE,  
  colors.use = NULL,
```

```

min.cutoff = NA,
max.cutoff = NA,
verbose = TRUE,
return_object = FALSE,
grid.color = "white",
border.color = "black",
flavor = "Seurat",
nbin = 24,
ctrl = 100,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
input_gene_list	named_list Named list of lists of genes to be used as input.
subsample	numeric Number of cells to subset for the analysis. NA will use all. Cells are selected at random.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
statistic	character DecoupleR statistic to use for the analysis. values in the Idents of the Seurat object are reported, assessing how specific a given gene set is for a given cell population compared to other gene sets of equal expression.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
values.show	logical Whether to add values as text in the heatmap.
values.threshold	numeric Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.
values.size	numeric Size of the text labels.
values.round	numeric Decimal to which round the values to.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .

`viridis.direction`
`numeric` | Either 1 or -1. Controls how the gradient of viridis scale is formed.

`sequential.palette`
`character` | Type of sequential color palette to use. Out of the sequential palettes defined in `brewer.pal`.

`sequential.direction`
`numeric` | Direction of the sequential color scale. Either 1 or -1.

`diverging.palette`
`character` | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.

`diverging.direction`
`numeric` | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`enforce_symmetry`
`logical` | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

`legend.position`
`character` | Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

`legend.length, legend.width`
`numeric` | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framewidth, legend.tickwidth`
`numeric` | Width of the lines of the box in the legend.

`legend.framecolor`
`character` | Color of the lines of the box in the legend.

`legend.tickcolor`
`character` | Color of the ticks of the box in the legend.

`legend.type`
`character` | Type of legend to display. One of:

- normal: Default legend displayed by **ggplot2**.
- colorbar: Redefined colorbar legend, using `guide_colorbar`.

`na.value`
`character` | Color value for NA.

`font.size`
`numeric` | Overall font size of the plot. All plot elements will have a size relationship with this font size.

`font.type`
`character` | Base font family for the plot. One of:

- mono: Mono spaced font.
- serif: Serif font family.
- sans: Default font family.

`axis.text.x.angle`
`numeric` | Degree to rotate the X labels. One of: 0, 45, 90.

flip	logical Whether to invert the axis of the displayed plot.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
verbose	logical Whether to show extra comments, warnings, etc.
return_object	logical Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
border.color	character Color for the border of the heatmap body.
flavor	character One of: Seurat, UCell. Compute the enrichment scores using AddModuleScore or AddModuleScore_UCell .
nbin	numeric Number of bins to use in AddModuleScore .
ctrl	numeric Number of genes in the control set to use in AddModuleScore .
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.

Value

A list containing different plots.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ActivityHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Genes have to be unique.
```

```

genes <- list("A" = rownames(sample)[1:5],
             "B" = rownames(sample)[6:10],
             "C" = rownames(sample)[11:15])

# Default parameters.
p <- SCpubr::do_ActivityHeatmap(sample = sample,
                               input_gene_list = genes,
                               nbin = 1,
                               ctrl = 5,
                               flavor = "Seurat",
                               subsample = NA,
                               verbose = FALSE)

p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}

```

do_AlluvialPlot	<i>Generate Alluvial plots.</i>
-----------------	---------------------------------

Description

This function is based on the **ggalluvial** package. It allows you to generate alluvial plots from a given Seurat object.

Usage

```

do_AlluvialPlot(
  sample,
  first_group,
  last_group,
  middle_groups = NULL,
  colors.use = NULL,
  colorblind = FALSE,
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  font.size = 14,
  font.type = "sans",
  xlab = NULL,
  ylab = "Number of cells",
  repel = FALSE,
  fill.by = last_group,
  use_labels = FALSE,
  stratum.color = "black",

```

```

stratum.fill = "white",
stratum.width = 1/3,
stratum.fill.conditional = FALSE,
use_geom_flow = FALSE,
alluvium.color = "white",
flow.color = "white",
flip = FALSE,
label.color = "black",
curve_type = "sigmoid",
use_viridis = FALSE,
viridis.palette = "G",
viridis.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
plot.grid = FALSE,
grid.color = "grey75",
grid.type = "dashed",
na.value = "white",
legend.position = "bottom",
legend.title = NULL,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
first_group	character Categorical metadata variable. First group of nodes of the alluvial plot.
last_group	character Categorical metadata variable. Last group of nodes of the alluvial plot.
middle_groups	character Categorical metadata variable. Vector of groups of nodes of the alluvial plot.
colors.use	character Named list of colors corresponding to the unique values in fill.by (which defaults to last_group).
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.

font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
xlab, ylab	character Titles for the X and Y axis.
repel	logical Whether to repel the text labels.
fill.by	character One of first_group, middle_groups (one of the values, if multiple mid_groups) or last_group. These values will be used to color the alluvium/flow.
use_labels	logical Whether to use labels instead of text for the stratum.
stratum.color, alluvium.color, flow.color	character Color for the border of the alluvium (and flow) and stratum.
stratum.fill	character Color to fill the stratum.
stratum.width	logical Width of the stratum.
stratum.fill.conditional	logical Whether to fill the stratum with the same colors as the alluvium/flow.
use_geom_flow	logical Whether to use geom_flow instead of geom_alluvium . Visual results might differ.
flip	logical Whether to invert the axis of the displayed plot.
label.color	character Color for the text labels.
curve_type	character Type of curve used in geom_alluvium . One of: • linear. • cubic. • quintic. • sine. • arctangent. • sigmoid. • xspline.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
plot.grid	logical Whether to plot grid lines.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
grid.type	character One of the possible linetype options:

- blank.
- solid.
- dashed.
- dotted.
- dotdash.
- longdash.
- twodash.

na.value **character** | Color value for NA.

legend.position **character** | Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

legend.title **character** | Title for the legend.

plot.title.face, plot.subtitle.face, plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
 character | Controls the style of the font for the corresponding theme element.
One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_AlluvialPlot", passive = TRUE)
message(value)
if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Compute basic sankey plot.
  p <- SCpubr::do_AlluvialPlot(sample = sample,
                              first_group = "orig.ident",
                              last_group = "seurat_clusters")

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
}
```

```
    message("Check out which ones are needed using `SCpubr::state_dependencies()`".)
  }
```

do_BarPlot

Create Bar Plots.

Description

Create Bar Plots.

Usage

```
do_BarPlot(
  sample,
  group.by,
  order = FALSE,
  add.n = FALSE,
  add.n.face = "bold",
  add.n.expand = c(0, 1.15),
  add.n.size = 4,
  order.by = NULL,
  split.by = NULL,
  facet.by = NULL,
  position = "stack",
  font.size = 14,
  font.type = "sans",
  legend.position = "bottom",
  legend.title = NULL,
  legend.ncol = NULL,
  legend.nrow = NULL,
  legend.byrow = FALSE,
  axis.text.x.angle = 45,
  xlab = NULL,
  ylab = NULL,
  colors.use = NULL,
  colorblind = FALSE,
  flip = FALSE,
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  plot.grid = FALSE,
  grid.color = "grey75",
  grid.type = "dashed",
  plot.title.face = "bold",
  plot.subtitle.face = "plain",
  plot.caption.face = "italic",
```

```

axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain",
strip.text.face = "bold",
return_data = FALSE
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
group.by	character Metadata column to compute the counts of. Has to be either a character or factor column.
order	logical Whether to order the results in descending order of counts.
add.n	logical Whether to add the total counts on top of each bar.
add.n.face	character Font face of the labels added by add.n.
add.n.expand	numeric Vector of two numerics representing the start and end of the scale. Minimum should be 0 and max should be above 1. This basically expands the Y axis so that the labels fit when flip = TRUE. • stack: Set the bars side by side, displaying the total number of counts. Uses position_stack. • fill: Set the bars on top of each other, displaying the proportion of counts from the total that each group represents. Uses position_fill.
add.n.size	numeric Size of the labels
order.by	character When split.by is used, value of group.by to reorder the columns based on its value.
split.by	character Metadata column to split the values of group.by by. If not used, defaults to the active ids.
facet.by	character Metadata column to gather the columns by. This is useful if you have other overarching metadata.
position	character Position function from ggplot2 . Either stack or fill.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure.

	• none: No legend is displayed.
legend.title	character Title for the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
xlab, ylab	character Titles for the X and Y axis.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
flip	logical Whether to invert the axis of the displayed plot.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
plot.grid	logical Whether to plot grid lines.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
grid.type	character One of the possible linetype options: • blank. • solid. • dashed. • dotted. • dotdash. • longdash. • twodash.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.
strip.text.face	character Controls the style of the font for the strip text. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.
return_data	logical Returns a data.frame with the count and proportions displayed in the plot.

Value

A ggplot2 object containing a Bar plot.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_BarPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic bar plot, horizontal.
  p1 <- SCpubr::do_BarPlot(sample = sample,
                           group.by = "seurat_clusters",
                           legend.position = "none",
                           plot.title = "Number of cells per cluster")

  # Split by a second variable.
  sample$modified_orig.ident <- sample(x = c("Sample_A", "Sample_B", "Sample_C"),
                                       size = ncol(sample),
                                       replace = TRUE,
                                       prob = c(0.2, 0.7, 0.1))

  p <- SCpubr::do_BarPlot(sample,
                          group.by = "seurat_clusters",
                          split.by = "modified_orig.ident",
                          plot.title = "Number of cells per cluster in each sample",
                          position = "stack")

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_BeeSwarmPlot

BeeSwarm plot.

Description

BeeSwarm plot.

Usage

```
do_BeeSwarmPlot(  
  sample,  
  feature_to_rank,  
  group.by = NULL,  
  assay = NULL,  
  reduction = NULL,  
  slot = NULL,  
  continuous_feature = FALSE,  
  order = FALSE,  
  colors.use = NULL,  
  colorblind = FALSE,  
  legend.title = NULL,  
  legend.type = "colorbar",  
  legend.position = "bottom",  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.length = 20,  
  legend.width = 1,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.ncol = NULL,  
  legend.icon.size = 4,  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  xlab = NULL,  
  ylab = NULL,  
  font.size = 14,  
  font.type = "sans",  
  remove_x_axis = FALSE,  
  remove_y_axis = FALSE,  
  flip = FALSE,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = 1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  verbose = TRUE,  
  raster = FALSE,  
  raster.dpi = 300,  
  plot_cell_borders = TRUE,  
  border.size = 1.5,  
  border.color = "black",  
  pt.size = 2,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  na.value = "grey75",
```

```

    number.breaks = 5,
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
feature_to_rank	character Feature for which the cells are going to be ranked. Ideal case is that this feature is stored as a metadata column.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
continuous_feature	logical Is the feature to rank and color for continuous? I.e: an enrichment score.
order	logical Whether to reorder the groups based on the median of the ranking.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
legend.title	character Title for the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure.

	• left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.ncol	numeric Number of columns in the legend.
legend.icon.size	numeric Size of the icons in legend.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
remove_x_axis, remove_y_axis	logical Remove X axis labels and ticks from the plot.
flip	logical Whether to invert the axis of the displayed plot.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
verbose	logical Whether to show extra comments, warnings, etc.
raster	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
raster.dpi	numeric Pixel resolution for rasterized plots. Defaults to 1024. Only activates on Seurat versions higher or equal than 4.1.0.


```

                                group.by = "seurat_clusters",
                                continuous_feature = TRUE)
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}

```

do_BoxPlot

*Generate Box Plots.***Description**

Generate Box Plots.

Usage

```

do_BoxPlot(
  sample,
  feature,
  group.by = NULL,
  split.by = NULL,
  assay = NULL,
  slot = "data",
  font.size = 14,
  font.type = "sans",
  axis.text.x.angle = 45,
  colors.use = NULL,
  colorblind = FALSE,
  na.value = "grey75",
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  xlab = NULL,
  ylab = NULL,
  legend.title = NULL,
  legend.title.position = "top",
  legend.position = "bottom",
  legend.ncol = NULL,
  legend.nrow = NULL,
  legend.byrow = FALSE,
  boxplot.line.color = "black",
  outlier.color = "black",
  outlier.alpha = 0.5,
  boxplot.linewidth = 0.5,
  boxplot.width = NULL,
  plot.grid = TRUE,

```

```

grid.color = "grey75",
grid.type = "dashed",
flip = FALSE,
order = FALSE,
use_silhouette = FALSE,
use_test = FALSE,
comparisons = NULL,
test = "wilcox.test",
map_signif_level = c(`***` = 0.001, `**` = 0.01, `*` = 0.05),
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
feature	character Feature to represent.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
na.value	character Color value for NA.

`plot.title`, `plot.subtitle`, `plot.caption`
 character | Title, subtitle or caption to use in the plot.

`xlab`, `ylab` character | Titles for the X and Y axis.

`legend.title` character | Title for the legend.

`legend.title.position`
 character | Position for the title of the legend. One of:

- top: Top of the legend.
- bottom: Bottom of the legend.
- left: Left of the legend.
- right: Right of the legend.

`legend.position`
 character | Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

`legend.ncol` numeric | Number of columns in the legend.

`legend.nrow` numeric | Number of rows in the legend.

`legend.byrow` logical | Whether the legend is filled by row or not.

`boxplot.line.color`
 character | Color of the borders of the boxplots if `use_silhouette` is FALSE.

`outlier.color` character | Color of the outlier dots.

`outlier.alpha` numeric | Alpha applied to the outliers.

`boxplot.linewidth`
 numeric | Width of the lines in the boxplots. Also controls the lines of the tests applied if `use_test` is set to true.

`boxplot.width` numeric | Width of the boxplots.

`plot.grid` logical | Whether to plot grid lines.

`grid.color` character | Color of the grid in the plot. In heatmaps, color of the border of the cells.

`grid.type` character | One of the possible linetype options:

- blank.
- solid.
- dashed.
- dotted.
- dotdash.
- longdash.
- twodash.

`flip` logical | Whether to invert the axis of the displayed plot.

order	logical Whether to order the boxplots by average values. Can not be used alongside split.by.
use_silhouette	logical Whether to color the borders of the boxplots instead of the inside area.
use_test	logical Whether to apply a statistical test to a given pair of elements. Can not be used alongside split.by.
comparisons	A list of length-2 vectors. The entries in the vector are either the names of 2 values on the x-axis or the 2 integers that correspond to the index of the columns of interest.
test	the name of the statistical test that is applied to the values of the 2 columns (e.g. t.test, wilcox.test etc.). If you implement a custom test make sure that it returns a list that has an entry called p.value.
map_signif_level	Boolean value, if the p-value are directly written as annotation or asterisks are used instead. Alternatively one can provide a named numeric vector to create custom mappings from p-values to annotation: For example: c("***"=0.001, "**"=0.01, "*"=0.05). Alternatively, one can provide a function that takes a numeric argument (the p-value) and returns a string.
plot.title.face, axis.title.face,	plot.subtitle.face, axis.text.face,
plot.caption.face, legend.title.face,	legend.text.face
	character Controls the style of the font for the corresponding theme element. One of:
	• plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_BoxPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic box plot.
  p <- SCpubr::do_BoxPlot(sample = sample,
                           feature = "nCount_RNA")
  p

  # Use silhouette style.
  p <- SCpubr::do_BoxPlot(sample = sample,
```

```

        feature = "nCount_RNA",
        use_silhouette = TRUE)

p

# Order by mean values.
p <- SCpubr::do_BoxPlot(sample = sample,
                        feature = "nCount_RNA",
                        order = TRUE)

p

# Apply second grouping.
sample$orig.ident <- ifelse(sample$seurat_clusters %in% c("0", "1", "2", "3"), "A", "B")
p <- SCpubr::do_BoxPlot(sample = sample,
                        feature = "nCount_RNA",
                        split.by = "orig.ident")

p

# Apply statistical tests.
p <- SCpubr::do_BoxPlot(sample = sample,
                        feature = "nCount_RNA",
                        group.by = "orig.ident",
                        use_test = TRUE,
                        comparisons = list(c("A", "B")))

p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}

```

do_CellularStatesPlot *Cellular States plot.*

Description

This plot aims to show the relationships between distinct enrichment scores. If 3 variables are provided, the relationship is between the Y axis and the dual X axis. If 4 variables are provided, each corner of the plot represents how enriched the cells are in that given list. How to interpret this? In a 3-variable plot, the Y axis just means one variable. The higher the cells are in the Y axis the more enriched they are in that given variable. The X axis is a dual parameter one. Cells falling into each extreme of the axis are highly enriched for either x1 or x2, while cells falling in between are not enriched for any of the two. In a 4-variable plot, each corner shows the enrichment for one of the 4 given features. Cells will tend to locate in either of the four corners, but there will be cases of cells locating mid-way between two given corners (enriched in both features) or in the middle of the plot (not enriched for any).

Usage

```
do_CellularStatesPlot(  
  sample,  
  input_gene_list,  
  x1,  
  y1,  
  x2 = NULL,  
  y2 = NULL,  
  group.by = NULL,  
  colors.use = NULL,  
  colorblind = FALSE,  
  legend.position = "bottom",  
  legend.icon.size = 4,  
  legend.ncol = NULL,  
  legend.nrow = NULL,  
  legend.byrow = FALSE,  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  font.size = 14,  
  font.type = "sans",  
  xlab = NULL,  
  ylab = NULL,  
  axis.ticks = TRUE,  
  axis.text = TRUE,  
  verbose = FALSE,  
  enforce_symmetry = FALSE,  
  plot_marginal_distributions = FALSE,  
  marginal.type = "density",  
  marginal.size = 5,  
  marginal.group = TRUE,  
  plot_cell_borders = TRUE,  
  plot_enrichment_scores = FALSE,  
  border.size = 2,  
  border.color = "black",  
  pt.size = 2,  
  raster = FALSE,  
  raster.dpi = 1024,  
  plot_features = FALSE,  
  features = NULL,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = 1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = -1,  
  nbin = 24,  
  ctrl = 100,  
  number.breaks = 5,
```

```

    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
input_gene_list	named_list Named list of lists of genes to be used as input.
x1	character A name of a list from input_gene_list. First feature in the X axis. Will go on the right side of the X axis if y2 is not provided and top-right quadrant if provided.
y1	character A name of a list from input_gene_list. First feature on the Y axis. Will become the Y axis if y2 is not provided and bottom-right quadrant if provided.
x2	character A name of a list from input_gene_list. Second feature on the X axis. Will go on the left side of the X axis if y2 is not provided and top-left quadrant if provided.
y2	character A name of a list from input_gene_list. Second feature on the Y axis. Will become the bottom-left quadrant if provided.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.icon.size	numeric Size of the icons in legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.

legend.byrow	logical Whether the legend is filled by row or not.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
xlab, ylab	character Titles for the X and Y axis.
axis.ticks	logical Whether to show axis ticks.
axis.text	logical Whether to show axis text.
verbose	logical Whether to show extra comments, warnings, etc.
enforce_symmetry	logical Whether to enforce the plot to follow a symmetry (3 variables, the X axis has 0 as center, 4 variables, all axis have the same range and the plot is squared).
plot_marginal_distributions	logical Whether to plot marginal distributions on the figure or not.
marginal.type	character One of: • density: Compute density plots on the margins. • histogram: Compute histograms on the margins. • boxplot: Compute boxplot on the margins. • violin: Compute violin plots on the margins. • densigram: Compute densigram plots on the margins.
marginal.size	numeric Size ratio between the main and marginal plots. A value of 5 means that the main plot is 5 times bigger than the marginal plots.
marginal.group	logical Whether to group the marginal distribution by group.by or current identities.
plot_cell_borders	logical Whether to plot border around cells.
plot_enrichment_scores	logical Whether to report enrichment scores for the input lists as plots.
border.size	numeric Width of the border of the cells.
border.color	character Color for the border of the heatmap body.
pt.size	numeric Size of the dots.
raster	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
raster.dpi	numeric Pixel resolution for rasterized plots. Defaults to 1024. Only activates on Seurat versions higher or equal than 4.1.0.
plot_features	logical Whether to also report any other feature onto the primary plot.

features [character](#) | Additional features to plot.
use_viridis [logical](#) | Whether to use viridis color scales.
viridis.palette [character](#) | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).
viridis.direction [numeric](#) | Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette [character](#) | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).
sequential.direction [numeric](#) | Direction of the sequential color scale. Either 1 or -1.
nbin [numeric](#) | Number of bins to use in [AddModuleScore](#).
ctrl [numeric](#) | Number of genes in the control set to use in [AddModuleScore](#).
number.breaks [numeric](#) | Controls the number of breaks in continuous color scales of ggplot2-based plots.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face [character](#) | Controls the style of the font for the corresponding theme element. One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Details

This plots are based on the following publications:

- Neftel, C. *et al.* An Integrative Model of Cellular States, Plasticity, and Genetics for Glioblastoma. Cell 178, 835-849.e21 (2019). doi:[10.1016/j.cell.2019.06.024](#)
- Tirosh, I., Venteicher, A., Hebert, C. *et al.* Single-cell RNA-seq supports a developmental hierarchy in human oligodendroglioma. Nature 539, 309–313 (2016). doi:[10.1038/nature20123](#)

Value

A ggplot2 object containing a butterfly plot.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_CellularStatesPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))
```

```

# Define some gene sets to query. It has to be a named list.
gene_set <- list("A" = rownames(sample)[1:10],
                 "B" = rownames(sample)[11:20],
                 "C" = rownames(sample)[21:30],
                 "D" = rownames(sample)[31:40])

# Using two variables: A scatter plot X vs Y.
p <- SCpubr::do_CellularStatesPlot(sample = sample,
                                   input_gene_list = gene_set,
                                   x1 = "A",
                                   y1 = "B",
                                   nbin = 1,
                                   ctrl = 10)

p

# Using three variables. Figure from: https://www.nature.com/articles/nature20123.
p <- SCpubr::do_CellularStatesPlot(sample = sample,
                                   input_gene_list = gene_set,
                                   x1 = "A",
                                   y1 = "B",
                                   x2 = "C",
                                   nbin = 1,
                                   ctrl = 10)

p

# Using four variables. Figure from: https://pubmed.ncbi.nlm.nih.gov/31327527/
p <- SCpubr::do_CellularStatesPlot(sample = sample,
                                   input_gene_list = gene_set,
                                   x1 = "A",
                                   y1 = "C",
                                   x2 = "B",
                                   y2 = "D",
                                   nbin = 1,
                                   ctrl = 10)

p
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_ChordDiagramPlot *Generate a Chord diagram.*

Description

Generate a Chord diagram.

Usage

```
do_ChordDiagramPlot(
  sample = NULL,
  from = NULL,
  to = NULL,
  colors.from = NULL,
  colors.to = NULL,
  colorblind = FALSE,
  big.gap = 10,
  small.gap = 1,
  link.border.color = NA,
  link.border.width = 1,
  highlight_group = NULL,
  alpha.highlight = 25,
  link.sort = NULL,
  link.decreasing = TRUE,
  z_index = FALSE,
  self.link = 1,
  symmetric = FALSE,
  directional = 1,
  direction.type = c("diffHeight", "arrows"),
  link.arr.type = "big.arrow",
  scale = FALSE,
  alignment = "default",
  annotationTrack = c("grid", "axis"),
  padding_labels = 4,
  font.size = 1
)
```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
from, to	character Categorical metadata variable to be used as origin and end points of the interactions.
colors.from, colors.to	named_vector Named vector of colors corresponding to the unique values of "from" and "to".
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
big.gap	numeric Space between the groups in "from" and "to".
small.gap	numeric Space within the groups.
link.border.color	character Color for the border of the links. NA = no color.
link.border.width	numeric Width of the border line of the links.

highlight_group	character A value from from that will be used to highlight only the links coming from it.
alpha.highlight	numeric A value between 00 (double digits) and 99 to depict the alpha of the highlighted links. No transparency needs "FF"
link.sort	pass to chordDiagramFromMatrix or chordDiagramFromDataFrame
link.decreasing	pass to chordDiagramFromMatrix or chordDiagramFromDataFrame
z_index	logical Whether to bring the bigger links to the top.
self.link	numeric Behavior of the links. One of: • 1: Prevents self linking. • 2: Allows self linking.
symmetric	pass to chordDiagramFromMatrix
directional	numeric Set the direction of the links. One of: • 0: Non-directional data. • 1: Links go from "from" to "to". • -1: Links go from "to" to "from". • 2: Links go in both directions.
direction.type	character How to display the directions. One of: • diffHeight: Sets a line at the origin of the group showing to how many groups and in which proportion this group is linked to. • arrows: Sets the connection as arrows. • both: Sets up both behaviors. Use as: <code>c("diffHeight", "arrows")</code>.
link.arr.type	character Sets the appearance of the arrows. One of: • triangle: Arrow with a triangle tip at the end displayed on top of the link. • big.arrow: The link itself ends in a triangle shape.
scale	logical Whether to put all nodes the same width.
alignment	character How to align the diagram. One of: • default: Allows circlize to set up the plot as it sees fit. • horizontal: Sets the break between "from" and "to" groups on the horizontal axis. • vertical: Sets the break between "from" and "to" groups on the vertical axis.
annotationTrack	pass to chordDiagramFromMatrix or chordDiagramFromDataFrame
padding_labels	numeric Number of extra padding (white spaces) of the labels so that they do not overlap with the scales.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.

Value

A circlize plot.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ChordDiagramPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic chord diagram.
  sample$assignment <- ifelse(sample$seurat_clusters %in% c("0", "4", "7"), "A", "B")
  sample$assignment[sample$seurat_clusters %in% c("1", "2")] <- "C"
  sample$assignment[sample$seurat_clusters %in% c("10", "5")] <- "D"
  sample$assignment[sample$seurat_clusters %in% c("8", "9")] <- "E"

  p <- SCpubr::do_ChordDiagramPlot(sample = sample,
                                   from = "seurat_clusters",
                                   to = "assignment")

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_CNVHeatmap

Display CNV scores from inferCNV as Feature Plots.

Description

Display CNV scores from inferCNV as Feature Plots.

Usage

```
do_CNVHeatmap(
  sample,
  infercnv_object,
  chromosome_locations,
  group.by = NULL,
  using_metacells = FALSE,
  metacell_mapping = NULL,
```

```

include_chr_arms = FALSE,
values.show = FALSE,
values.threshold = NULL,
values.size = 3,
values.round = 1,
legend.type = "colorbar",
legend.position = "bottom",
legend.length = 20,
legend.width = 1,
legend.framewidth = 0.5,
legend.tickwidth = 0.5,
legend.framecolor = "grey50",
legend.tickcolor = "white",
font.size = 14,
pt.size = 1,
font.type = "sans",
axis.text.x.angle = 45,
enforce_symmetry = TRUE,
legend.title = NULL,
na.value = "grey75",
viridis.palette = "G",
viridis.direction = 1,
verbose = FALSE,
min.cutoff = NA,
max.cutoff = NA,
number.breaks = 5,
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = -1,
use_viridis = TRUE,
return_object = FALSE,
grid.color = "white",
border.color = "black",
flip = FALSE,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample [Seurat](#) | A Seurat object, generated by [CreateSeuratObject](#).
infercnv_object [infercnv](#) | Output inferCNV object run on the same Seurat object.

chromosome_locations **tibble** | Tibble containing the chromosome regions to use. Can be obtained using `utils::data("human_chr_locations", package = "SCpubr")`.

group.by **character** | Metadata variable to group the output by. Has to be a character of factor column.

using_metacells **logical** | Whether inferCNV was run using metacells or not.

metacell_mapping **named_vector** | Vector or cell - metacell mapping.

include_chr_arms **logical** | Whether the output heatmap should also include chromosome arms or just whole chromosomes.

values.show **logical** | Whether to add values as text in the heatmap.

values.threshold **numeric** | Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.

values.size **numeric** | Size of the text labels.

values.round **numeric** | Decimal to which round the values to.

legend.type **character** | Type of legend to display. One of:

- normal: Default legend displayed by **ggplot2**.
- colorbar: Redefined colorbar legend, using **guide_colorbar**.

legend.position **character** | Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

legend.length, legend.width **numeric** | Length and width of the legend. Will adjust automatically depending on legend side.

legend.framewidth, legend.tickwidth **numeric** | Width of the lines of the box in the legend.

legend.framecolor **character** | Color of the lines of the box in the legend.

legend.tickcolor **character** | Color of the ticks of the box in the legend.

font.size **numeric** | Overall font size of the plot. All plot elements will have a size relationship with this font size.

pt.size **numeric** | Size of the dots.

font.type **character** | Base font family for the plot. One of:

- mono: Mono spaced font.
- serif: Serif font family.

- sans: Default font family.

axis.text.x.angle [numeric](#) | Degree to rotate the X labels. One of: 0, 45, 90.

enforce_symmetry [logical](#) | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

legend.title [character](#) | Title for the legend.

na.value [character](#) | Color value for NA.

viridis.palette [character](#) | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).

viridis.direction [numeric](#) | Either 1 or -1. Controls how the gradient of viridis scale is formed.

verbose [logical](#) | Whether to show extra comments, warnings, etc.

min.cutoff, max.cutoff [numeric](#) | Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.

number.breaks [numeric](#) | Controls the number of breaks in continuous color scales of ggplot2-based plots.

diverging.palette [character](#) | Type of symmetrical color palette to use. Out of the diverging palettes defined in [brewer.pal](#).

diverging.direction [numeric](#) | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

sequential.palette [character](#) | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

sequential.direction [numeric](#) | Direction of the sequential color scale. Either 1 or -1.

use_viridis [logical](#) | Whether to use viridis color scales.

return_object [logical](#) | Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.

grid.color [character](#) | Color of the grid in the plot. In heatmaps, color of the border of the cells.

border.color [character](#) | Color for the border of the heatmap body.

flip [logical](#) | Whether to invert the axis of the displayed plot.

plot.title.face, plot.subtitle.face, plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
 [character](#) | Controls the style of the font for the corresponding theme element.
One of:

- plain: For normal text.

- *italic*: For text in italic.
- **bold**: For text in bold.
- ***bold.italic***: For text both in italic and bold.

Value

A list containing Feature Plots for different chromosome regions and corresponding dot plots by groups..

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_CNVHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # This function expects that you have run inferCNV on your
  # own and you have access to the output object.

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds",
                                package = "SCpubr"))

  # Define your inferCNV object.
  infercnv_object <- readRDS(system.file("extdata/infercnv_object_example.rds",
                                          package = "SCpubr"))

  # Get human chromosome locations.
  chromosome_locations = SCpubr::human_chr_locations

  # Compute for a all chromosomes.
  p <- SCpubr::do_CNVHeatmap(sample = sample,
                             infercnv_object = infercnv_object,
                             using_metacells = FALSE,
                             chromosome_locations = chromosome_locations)

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_ColorBlindCheck

Generate colorblind variations of a given color palette.

Description

This function generate colorblind variations of a provided color palette in order to check if it is colorblind friendly. Variations are generated using colorspace package.

Usage

```
do_ColorBlindCheck(
  colors.use,
  flip = FALSE,
  font.size = 14,
  font.type = "sans",
  plot.title.face = "bold",
  plot.subtitle.face = "plain",
  plot.caption.face = "italic",
  axis.title.face = "bold",
  axis.text.face = "plain",
  legend.text.face = "plain",
  legend.title.face = "bold",
  grid.color = "white",
  border.color = "black",
  axis.text.x.angle = 45
)
```

Arguments

colors.use	character One color upon which generate the color scale. Can be a name or a HEX code.
flip	logical Whether to invert the axis of the displayed plot.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
border.color	character Color for the border of the heatmap body.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.

Value

A character vector with the desired color scale.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ColorBlindCheck", passive = TRUE)

if (isTRUE(value)){
  # Generate a color wheel based on a single value.
  colors <- c("red", "green", "blue")
  p <- SCpubr::do_ColorBlindCheck(colors.use = colors)

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}
```

do_ColorPalette	<i>Generate color scales based on a value.</i>
-----------------	--

Description

This function is an adaptation of colortools package. As the package was removed from CRAN on 23-06-2022, this utility function came to existence in order to cover the gap. It is, on its basis, an adaptation of the package into a single function. Original code, developed by Gaston Sanchez, can be found in: <https://github.com/gastonstat/colortools>

Usage

```
do_ColorPalette(
  colors.use,
  n = 12,
  opposite = FALSE,
  adjacent = FALSE,
  triadic = FALSE,
  split_complementary = FALSE,
  tetradic = FALSE,
  square = FALSE,
  complete_output = FALSE,
  plot = FALSE,
  font.size = 14,
  font.type = "sans"
)
```

Arguments

colors.use	character One color upon which generate the color scale. Can be a name or a HEX code.
n	numeric Number of colors to include in the color wheel. Use it when all other options are FALSE, otherwise, it becomes 12.

opposite	logical Return the opposing color to the one provided.
adjacent	logical Return the adjacent colors to the one provided.
triadic	logical Return the triadic combination of colors to the one provided.
split_complementary	logical Return the split complementary combination of colors to the one provided.
tetradic	logical Return the tetradic combination of colors to the one provided.
square	logical Return the square combination of colors to the one provided.
complete_output	logical Runs all the previous options and returns all the outputs as a list that contains all color vectors, all plots and a combined plot with everything.
plot	logical Whether to also return a plot displaying the values instead of a vector with the color.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.

Value

A character vector with the desired color scale.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ColorPalette", passive = TRUE)

if (isTRUE(value)){
  # Generate a color wheel based on a single value.
  colors <- SCpubr::do_ColorPalette(colors.use = "steelblue")
  p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                              plot = TRUE)

  # Generate a pair of opposite colors based on a given one.
  colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                    opposite = TRUE)
  p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                              opposite = TRUE,
                              plot = TRUE)

  # Generate a trio of adjacent colors based on a given one.
  colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                    adjacent = TRUE)
  p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                              adjacent = TRUE,
                              plot = TRUE)
```

```

# Generate a trio of triadic colors based on a given one.
colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                triadic = TRUE)
p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                             triadic = TRUE,
                             plot = TRUE)

# Generate a trio of split complementary colors based on a given one.
colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                split_complementary = TRUE)
p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                             split_complementary = TRUE,
                             plot = TRUE)

# Generate a group of tetradic colors based on a given one.
colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                tetradic = TRUE)
p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                             tetradic = TRUE,
                             plot = TRUE)

# Generate a group of square colors based on a given one.
colors <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                                square = TRUE)
p <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                             square = TRUE,
                             plot = TRUE)

# Retrieve the output of all options.
out <- SCpubr::do_ColorPalette(colors.use = "steelblue",
                              complete_output = TRUE)

## Retrieve the colors.
colors <- out$colors
## Retrieve the plots.
plots <- out$plots
## Retrieve a combined plot with all the options.
p <- out$combined_plot

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_CorrelationHeatmap *Create correlation matrix heatmaps.*

Description

Create correlation matrix heatmaps.

Usage

```
do_CorrelationHeatmap(  
  sample = NULL,  
  input_gene_list = NULL,  
  cluster = TRUE,  
  remove.diagonal = TRUE,  
  mode = "hvg",  
  values.show = FALSE,  
  values.threshold = NULL,  
  values.size = 3,  
  values.round = 1,  
  assay = NULL,  
  group.by = NULL,  
  legend.title = "Pearson coef.",  
  enforce_symmetry = ifelse(mode == "hvg", TRUE, FALSE),  
  font.size = 14,  
  font.type = "sans",  
  na.value = "grey75",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  legend.position = "bottom",  
  min.cutoff = NA,  
  max.cutoff = NA,  
  number.breaks = 5,  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  diverging.palette = "RdBu",  
  diverging.direction = -1,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  axis.text.x.angle = 45,  
  grid.color = "white",  
  border.color = "black",  
  plot.title.face = "bold",  
  plot.subtitle.face = "plain",  
  plot.caption.face = "italic",  
  axis.title.face = "bold",  
  axis.text.face = "plain",  
  legend.title.face = "bold",
```

```
    legend.text.face = "plain"
  )
```

Arguments

`sample` [Seurat](#) | A Seurat object, generated by [CreateSeuratObject](#).

`input_gene_list` [named_list](#) | Named list of lists of genes to be used as input.

`cluster` [logical](#) | Whether to cluster the elements in the heatmap or not.

`remove.diagonal` [logical](#) | Whether to convert diagonal to NA. Normally this value would be 1, heavily shifting the color scale.

`mode` [character](#) | Different types of correlation matrices can be computed. Right now, the only possible value is "hvg", standing for Highly Variable Genes. The sample is subset for the HVG and the data is re-scaled. Scale data is used for the correlation.

`values.show` [logical](#) | Whether to add values as text in the heatmap.

`values.threshold` [numeric](#) | Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.

`values.size` [numeric](#) | Size of the text labels.

`values.round` [numeric](#) | Decimal to which round the values to.

`assay` [character](#) | Assay to use. Defaults to the current assay.

`group.by` [character](#) | Metadata variable to group the output by. Has to be a character of factor column.

`legend.title` [character](#) | Title for the legend.

`enforce_symmetry` [logical](#) | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

`font.size` [numeric](#) | Overall font size of the plot. All plot elements will have a size relationship with this font size.

`font.type` [character](#) | Base font family for the plot. One of:

- `mono`: Mono spaced font.
- `serif`: Serif font family.
- `sans`: Default font family.

`na.value` [character](#) | Color value for NA.

`legend.length, legend.width` [numeric](#) | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framewidth, legend.tickwidth` [numeric](#) | Width of the lines of the box in the legend.

`legend.framecolor` [character](#) | Color of the lines of the box in the legend.

legend.tickcolor	character Color of the ticks of the box in the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
diverging.palette	character Type of symmetrical color palette to use. Out of the diverging palettes defined in brewer.pal .
diverging.direction	numeric Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
border.color	character Color for the border of the heatmap body.

```
plot.title.face,      plot.subtitle.face,      plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
```

character | Controls the style of the font for the corresponding theme element.

One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_CorrelationHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Default values.
  p <- SCpubr::do_CorrelationHeatmap(sample = sample)
  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`".)
}
```

do_DimPlot

Wrapper for [DimPlot](#).

Description

Wrapper for [DimPlot](#).

Usage

```
do_DimPlot(
  sample,
  reduction = NULL,
  group.by = NULL,
```

```
split.by = NULL,
split.by.combined = TRUE,
colors.use = NULL,
colorblind = FALSE,
shuffle = TRUE,
order = NULL,
raster = FALSE,
pt.size = 1,
label = FALSE,
label.color = "black",
label.fill = "white",
label.size = 4,
label.box = TRUE,
repel = FALSE,
cells.highlight = NULL,
idents.highlight = NULL,
idents.keep = NULL,
sizes.highlight = 1,
ncol = NULL,
plot.title = NULL,
plot.subtitle = NULL,
plot.caption = NULL,
legend.title = NULL,
legend.position = "bottom",
legend.title.position = "top",
legend.ncol = NULL,
legend.nrow = NULL,
legend.icon.size = 4,
legend.byrow = FALSE,
legend.dot.border = TRUE,
raster.dpi = 2048,
dims = c(1, 2),
font.size = 14,
font.type = "sans",
na.value = "grey75",
plot_cell_borders = TRUE,
border.size = 2,
border.color = "black",
border.density = 1,
plot_marginal_distributions = FALSE,
marginal.type = "density",
marginal.size = 5,
marginal.group = TRUE,
plot.axes = FALSE,
plot_density_contour = FALSE,
contour.position = "bottom",
contour.color = "grey90",
contour.lineend = "butt",
```

```

    contour.linejoin = "round",
    contour_expand_axes = 0.25,
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
split.by.combined	logical Adds a combined view of the all the values before splitting them by <code>split.by</code> . Think of this as a regular DimPlot added in front. This is set to TRUE if <code>split.by</code> is used in combination with <code>group.by</code> .
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of <code>group.by</code> . If <code>group.by</code> is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when <code>colors.use</code> is not used. Allows for a maximum of 85 different classes within a categorical variable.
shuffle	logical Whether to shuffle the cells or not, so that they are not plotted cluster-wise. Recommended.
order	character Vector of identities to be plotted. Either one with all identities or just some, which will be plotted last.
raster	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
pt.size	numeric Size of the dots.
label	logical Whether to plot the cluster labels in the UMAP. The cluster labels will have the same color as the cluster colors.
label.color	character Color of the labels in the plot.
label.fill	character Color to fill the labels. Has to be a single color, that will be used for all labels. If NULL, the colors of the clusters will be used instead.

<code>label.size</code>	numeric Size of the labels in the plot.
<code>label.box</code>	logical Whether to plot the plot labels as geom_text (FALSE) or geom_label (TRUE).
<code>repel</code>	logical Whether to repel the text labels.
<code>cells.highlight, idents.highlight</code>	character Vector of cells/identities to focus into. The identities have to much those in <code>Seurat::Idents(sample)</code> The rest of the cells will be grayed out. Both parameters can be used at the same time.
<code>idents.keep</code>	character Vector of identities to keep. This will effectively set the rest of the cells that do not match the identities provided to NA, therefore coloring them according to <code>na.value</code> parameter.
<code>sizes.highlight</code>	numeric Point size of highlighted cells using <code>cells.highlight</code> parameter.
<code>ncol</code>	numeric Number of columns used in the arrangement of the output plot using "split.by" parameter.
<code>plot.title, plot.subtitle, plot.caption</code>	character Title, subtitle or caption to use in the plot.
<code>legend.title</code>	character Title for the legend.
<code>legend.position</code>	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
<code>legend.title.position</code>	character Position for the title of the legend. One of: • top: Top of the legend. • bottom: Bottom of the legend. • left: Left of the legend. • right: Right of the legend.
<code>legend.ncol</code>	numeric Number of columns in the legend.
<code>legend.nrow</code>	numeric Number of rows in the legend.
<code>legend.icon.size</code>	numeric Size of the icons in legend.
<code>legend.byrow</code>	logical Whether the legend is filled by row or not.
<code>legend.dot.border</code>	logical Adds a black border around the dots in the legend.
<code>raster.dpi</code>	numeric Pixel resolution for rasterized plots. Defaults to 1024. Only activates on Seurat versions higher or equal than 4.1.0.
<code>dims</code>	numeric Vector of 2 numerics indicating the dimensions to plot out of the selected reduction. Defaults to <code>c(1, 2)</code> if not specified.

font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
na.value	character Color value for NA.
plot_cell_borders	logical Whether to plot border around cells.
border.size	numeric Width of the border of the cells.
border.color	character Color for the border of the heatmap body.
border.density	numeric Controls the number of cells used when plot_cell_borders = TRUE. Value between 0 and 1. It computes a 2D kernel density and based on this cells that have a density below the specified quantile will be used to generate the cluster contour. The lower this number, the less cells will be selected, thus reducing the overall size of the plot but also potentially preventing all the contours to be properly drawn.
plot_marginal_distributions	logical Whether to plot marginal distributions on the figure or not.
marginal.type	character One of: • density: Compute density plots on the margins. • histogram: Compute histograms on the margins. • boxplot: Compute boxplot on the margins. • violin: Compute violin plots on the margins. • densigram: Compute densigram plots on the margins.
marginal.size	numeric Size ratio between the main and marginal plots. A value of 5 means that the main plot is 5 times bigger than the marginal plots.
marginal.group	logical Whether to group the marginal distribution by group.by or current identities.
plot.axes	logical Whether to plot axes or not.
plot_density_contour	logical Whether to plot density contours in the UMAP.
contour.position	character Whether to plot density contours on top or at the bottom of the visualization layers, thus overlapping the clusters/cells or not.
contour.color	character Color of the density lines.
contour.lineend	character Line end style (round, butt, square).
contour.linejoin	character Line join style (round, mitre, bevel).
contour_expand_axes	numeric To make the contours fit the plot, the limits of the X and Y axis are expanding a given percentage from the min and max values for each axis. This controls such percentage.

```
plot.title.face,      plot.subtitle.face,      plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
```

character | Controls the style of the font for the corresponding theme element.
One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object containing a DimPlot.

Examples

```
# Check Suggests.
value <- SCpubr::check_suggests(function_name = "do_DimPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic DimPlot.
  p <- SCpubr::do_DimPlot(sample = sample)

  # Restrict the amount of identities displayed.
  p <- SCpubr::do_DimPlot(sample = sample,
    idents.keep = c("1", "3", "5"))

  # Group by another variable rather than `Seurat::Idents(sample)`
  p <- SCpubr::do_DimPlot(sample = sample,
    group.by = "seurat_clusters")

  # Split the output in as many plots as unique identities.
  p <- SCpubr::do_DimPlot(sample = sample,
    split.by = "seurat_clusters")

  # Highlight given identities
  p <- SCpubr::do_DimPlot(sample,
    idents.highlight = c("1", "3"))
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_DotPlot*This function is a wrapper for [DotPlot](#). It provides most of its functionalities while adding extra. You can*

Description

This function is a wrapper for [DotPlot](#). It provides most of its functionalities while adding extra. You can

Usage

```
do_DotPlot(  
  sample,  
  features,  
  assay = NULL,  
  slot = "data",  
  group.by = NULL,  
  split.by = NULL,  
  zscore.data = FALSE,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  dot.min = 5,  
  enforce_symmetry = ifelse(base::isTRUE(zscore.data), TRUE, FALSE),  
  legend.title = NULL,  
  legend.type = "colorbar",  
  legend.position = "bottom",  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.length = 20,  
  legend.width = 1,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.ncol = NULL,  
  legend.nrow = NULL,  
  legend.byrow = FALSE,  
  dot.scale = 8,  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  xlab = NULL,  
  ylab = NULL,  
  font.size = 14,  
  font.type = "sans",  
  cluster = FALSE,  
  flip = FALSE,  
  axis.text.x.angle = 45,  
  use_viridis = FALSE,
```

```

viridis.palette = "G",
viridis.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
diverging.palette = "RdBu",
diverging.direction = -1,
na.value = "grey75",
plot.grid = TRUE,
grid.color = "grey75",
grid.type = "dashed",
number.breaks = 5,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
zscore.data	logical Whether to compute Z-scores instead of showing average expression values. This allows to see, for each gene, which group has the highest average expression, but prevents you from comparing values across genes. Can not be used with slot = "scale.data" or with split.by.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
dot.min	numeric Ranges from 0 to 100. Filter out dots whose Percent Expressed falls below this threshold.
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
legend.title	character Title for the legend.

legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
dot.scale	numeric Scale the size of the dots.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
cluster	logical Whether to cluster the identities based on the expression of the features.
flip	logical Whether to invert the axis of the displayed plot.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.

`sequential.palette` **character** | Type of sequential color palette to use. Out of the sequential palettes defined in `brewer.pal`.

`sequential.direction` **numeric** | Direction of the sequential color scale. Either 1 or -1.

`diverging.palette` **character** | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.

`diverging.direction` **numeric** | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`na.value` **character** | Color value for NA.

`plot.grid` **logical** | Whether to plot grid lines.

`grid.color` **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.

`grid.type` **character** | One of the possible linetype options:

- blank.
- solid.
- dashed.
- dotted.
- dotdash.
- longdash.
- twodash.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.

`plot.title.face`, `plot.subtitle.face`, `plot.caption.face`,
`axis.title.face`, `axis.text.face`, `legend.title.face`, `legend.text.face` **character** | Controls the style of the font for the corresponding theme element. One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object containing a Dot Plot.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_DotPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/
```

```

# Define your Seurat object.
# sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

# Basic Dot plot.
# genes <- rownames(sample)[1:14]
# p <- SCpubr::do_DotPlot(sample = sample,
#                           features = genes)

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`".)
}

```

do_EnrichmentHeatmap *Create enrichment scores heatmaps.*

Description

This function computes the enrichment scores for the cells using [AddModuleScore](#) and then aggregates the scores by the metadata variables provided by the user and displays it as a heatmap, computed by [Heatmap](#).

Usage

```

do_EnrichmentHeatmap(
  sample,
  input_gene_list,
  features.order = NULL,
  groups.order = NULL,
  cluster = TRUE,
  scale_scores = FALSE,
  assay = NULL,
  slot = NULL,
  reduction = NULL,
  group.by = NULL,
  values.show = FALSE,
  values.threshold = NULL,
  values.size = 3,
  values.round = 1,
  verbose = FALSE,
  na.value = "grey75",
  legend.position = "bottom",
  use_viridis = FALSE,
  viridis.palette = "G",
  viridis.direction = 1,
  legend.framewidth = 0.5,

```

```

legend.tickwidth = 0.5,
legend.length = 20,
legend.width = 1,
legend.framecolor = "grey50",
legend.tickcolor = "white",
legend.type = "colorbar",
font.size = 14,
font.type = "sans",
axis.text.x.angle = 45,
enforce_symmetry = FALSE,
nbin = 24,
ctrl = 100,
flavor = "Seurat",
legend.title = NULL,
ncores = 1,
storeRanks = TRUE,
min.cutoff = NA,
max.cutoff = NA,
pt.size = 1,
plot_cell_borders = TRUE,
border.size = 2,
return_object = FALSE,
number.breaks = 5,
sequential.palette = "YlGnBu",
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.direction = 1,
flip = FALSE,
grid.color = "white",
border.color = "black",
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample [Seurat](#) | A Seurat object, generated by [CreateSeuratObject](#).

input_gene_list [named_list](#) | Named list of lists of genes to be used as input.

features.order [character](#) | Should the gene sets be ordered in a specific way? Provide it as a vector of characters with the same names as the names of the gene sets.

groups.order [named_list](#) | Should the groups in the heatmaps be ordered in a specific way? Provide it as a named list (as many lists as values in group.by) with the order

	for each of the elements in the groups.
cluster	logical Whether to perform clustering of rows and columns.
scale_scores	logical Whether to transform the scores to a range of 0-1 for plotting.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
values.show	logical Whether to add values as text in the heatmap.
values.threshold	numeric Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.
values.size	numeric Size of the text labels.
values.round	numeric Decimal to which round the values to.
verbose	logical Whether to show extra comments, warnings, etc.
na.value	character Color value for NA.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.type	character Type of legend to display. One of:

	• normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
enforce_symmetry	logical Whether the geysers and feature plot has a symmetrical color scale.
nbin	numeric Number of bins to use in AddModuleScore .
ctrl	numeric Number of genes in the control set to use in AddModuleScore .
flavor	character One of: Seurat, UCell. Compute the enrichment scores using AddModuleScore or AddModuleScore_UCell .
legend.title	character Title for the legend.
ncores	numeric Number of cores used to run UCell scoring.
storeRanks	logical Whether to store the ranks for faster UCell scoring computations. Might require large amounts of RAM.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
pt.size	numeric Size of the dots.
plot_cell_borders	logical Whether to plot border around cells.
border.size	numeric Width of the border of the cells.
return_object	logical Return the Seurat object with the enrichment scores stored.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
diverging.palette	character Type of symmetrical color palette to use. Out of the diverging palettes defined in brewer.pal .
diverging.direction	numeric Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.

`flip` **logical** | Whether to invert the axis of the displayed plot.
`grid.color` **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.
`border.color` **character** | Color for the border of the heatmap body.
`plot.title.face,` `plot.subtitle.face,` `plot.caption.face,`
`axis.title.face,` `axis.text.face,` `legend.title.face,` `legend.text.face`
character | Controls the style of the font for the corresponding theme element.
 One of:

- `plain`: For normal text.
- `italic`: For text in italic.
- `bold`: For text in bold.
- `bold.italic`: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_EnrichmentHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Genes have to be unique.
  genes <- list("A" = rownames(sample)[1:5],
               "B" = rownames(sample)[6:10],
               "C" = rownames(sample)[11:15])

  # Default parameters.
  p <- SCpubr::do_EnrichmentHeatmap(sample = sample,
                                    input_gene_list = genes,
                                    nbin = 1,
                                    ctrl = 10)

  p
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_ExpressionHeatmap *Create heatmaps of averaged expression by groups.*

Description

This function generates a heatmap with averaged expression values by the unique groups of the metadata variables provided by the user.

Usage

```
do_ExpressionHeatmap(  
  sample,  
  features,  
  group.by = NULL,  
  assay = NULL,  
  cluster = TRUE,  
  features.order = NULL,  
  groups.order = NULL,  
  slot = "data",  
  values.show = FALSE,  
  values.threshold = NULL,  
  values.size = 3,  
  values.round = 1,  
  legend.title = "Avg. Expression",  
  na.value = "grey75",  
  legend.position = "bottom",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  font.size = 14,  
  font.type = "sans",  
  axis.text.x.angle = 45,  
  enforce_symmetry = FALSE,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  diverging.palette = "RdBu",  
  diverging.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  number.breaks = 5,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,
```

```

    flip = FALSE,
    grid.color = "white",
    border.color = "black",
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
cluster	logical Whether to perform clustering of rows and columns.
features.order	character Should the gene sets be ordered in a specific way? Provide it as a vector of characters with the same names as the names of the gene sets.
groups.order	named_list Should the groups in the heatmaps be ordered in a specific way? Provide it as a named list (as many lists as values in group.by) with the order for each of the elements in the groups.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
values.show	logical Whether to add values as text in the heatmap.
values.threshold	numeric Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.
values.size	numeric Size of the text labels.
values.round	numeric Decimal to which round the values to.
legend.title	character Title for the legend.
na.value	character Color value for NA.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.

legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
diverging.palette	character Type of symmetrical color palette to use. Out of the diverging palettes defined in brewer.pal .
diverging.direction	numeric Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
flip	logical Whether to invert the axis of the displayed plot.

grid.color **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.

border.color **character** | Color for the border of the heatmap body.

plot.title.face, plot.subtitle.face, plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
 character | Controls the style of the font for the corresponding theme element.
One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ExpressionHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Define list of genes.
  genes <- rownames(sample)[1:10]

  # Default parameters.
  p <- SCpubr::do_ExpressionHeatmap(sample = sample,
                                     features = genes,
                                     viridis.direction = -1)

  p
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_FeaturePlot

Wrapper for [FeaturePlot](#).

Description

Wrapper for [FeaturePlot](#).

Usage

```
do_FeaturePlot(  
  sample,  
  features,  
  assay = NULL,  
  reduction = NULL,  
  slot = NULL,  
  order = FALSE,  
  group.by = NULL,  
  group.by.colors.use = NULL,  
  colorblind = FALSE,  
  group.by.legend = NULL,  
  group.by.show.dots = TRUE,  
  group.by.dot.size = 8,  
  group.by.cell_borders = FALSE,  
  group.by.cell_borders.alpha = 0.1,  
  split.by = NULL,  
  idents.keep = NULL,  
  cells.highlight = NULL,  
  idents.highlight = NULL,  
  dims = c(1, 2),  
  enforce_symmetry = FALSE,  
  symmetry.type = "absolute",  
  symmetry.center = NA,  
  pt.size = 1,  
  font.size = 14,  
  font.type = "sans",  
  legend.title = NULL,  
  legend.type = "colorbar",  
  legend.position = "bottom",  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.length = 20,  
  legend.width = 1,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.ncol = NULL,  
  legend.nrow = NULL,  
  legend.byrow = FALSE,  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  individual.titles = NULL,  
  individual.subtitles = NULL,  
  individual.captions = NULL,  
  ncol = NULL,  
  use_viridis = FALSE,  
  viridis.palette = "G",
```

```

viridis.direction = 1,
raster = FALSE,
raster.dpi = 1024,
plot_cell_borders = TRUE,
border.size = 2,
border.color = "black",
border.density = 1,
na.value = "grey75",
verbose = TRUE,
plot.axes = FALSE,
min.cutoff = rep(NA, length(features)),
max.cutoff = rep(NA, length(features)),
scale.limits = NULL,
plot_density_contour = FALSE,
contour.position = "bottom",
contour.color = "grey90",
contour.lineend = "butt",
contour.linejoin = "round",
contour_expand_axes = 0.25,
label = FALSE,
label.color = "black",
label.size = 4,
number.breaks = 5,
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".

order	logical Whether to order the cells based on expression.
group.by	character Metadata variable based on which cells are grouped. This will effectively introduce a big dot in the center of each cluster, colored using a categorical color scale or with the values provided by the user in <code>group.by.colors.use</code> . It will also displays a legend.
group.by.colors.use	character Colors to use for the group dots.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when <code>colors.use</code> is not used. Allows for a maximum of 85 different classes within a categorical variable.
group.by.legend	character Title for the legend when <code>group.by</code> is used. Use NA to disable it and NULL to use the default column title provided in <code>group.by</code> .
group.by.show.dots	logical Controls whether to place in the middle of the groups.
group.by.dot.size	numeric Size of the dots placed in the middle of the groups.
group.by.cell_borders	logical Plots another border around the cells displaying the same color code of the dots displayed with <code>group.by</code> . Legend is shown always with <code>alpha = 1</code> regardless of the alpha settings.
group.by.cell_borders.alpha	numeric Controls the transparency of the new borders drawn by <code>group.by.cell_borders</code> .
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
idents.keep	character Vector of identities to plot. The gradient scale will also be subset to only the values of such identities.
cells.highlight, idents.highlight	character Vector of cells/identities to focus into. The identities have to much those in <code>Seurat::Idents(sample)</code> . The rest of the cells will be grayed out. Both parameters can be used at the same time.
dims	numeric Vector of 2 numerics indicating the dimensions to plot out of the selected reduction. Defaults to <code>c(1, 2)</code> if not specified.
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
symmetry.type	character Type of symmetry to be enforced. One of: • absolute: The highest absolute value will be taken into a account to generate the color scale. Works after <code>min.cutoff</code> and <code>max.cutoff</code>. • centered: Centers the scale around the provided value in <code>symmetry.center</code>. Works after <code>min.cutoff</code> and <code>max.cutoff</code>.
symmetry.center	numeric Value upon which the scale will be centered.
pt.size	numeric Size of the dots.

font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
legend.title	character Title for the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
individual.titles, individual.subtitles, individual.captions	character Titles or subtitles. for each feature if needed. Either NULL or a vector of equal length of features.
ncol	numeric Number of columns used in the arrangement of the output plot using "split.by" parameter.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.

<code>raster</code>	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
<code>raster.dpi</code>	numeric Pixel resolution for rasterized plots. Defaults to 1024. Only activates on Seurat versions higher or equal than 4.1.0.
<code>plot_cell_borders</code>	logical Whether to plot border around cells.
<code>border.size</code>	numeric Width of the border of the cells.
<code>border.color</code>	character Color for the border of the heatmap body.
<code>border.density</code>	numeric Controls the number of cells used when <code>plot_cell_borders = TRUE</code> . Value between 0 and 1. It computes a 2D kernel density and based on this cells that have a density below the specified quantile will be used to generate the cluster contour. The lower this number, the less cells will be selected, thus reducing the overall size of the plot but also potentially preventing all the contours to be properly drawn.
<code>na.value</code>	character Color value for NA.
<code>verbose</code>	logical Whether to show extra comments, warnings, etc.
<code>plot.axes</code>	logical Whether to plot axes or not.
<code>min.cutoff, max.cutoff</code>	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than <code>min.cutoff</code> will turn into <code>min.cutoff</code> and any cell with a value higher than <code>max.cutoff</code> will turn into <code>max.cutoff</code> . In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
<code>scale.limits</code>	numeric Vector of two values (i.e: <code>c(0, 1)</code>) to limit the scales. Particularly useful to extend the color scale beyond the values in the dataset, contrary to <code>min.cutoff</code> and <code>max.cutoff</code> .
<code>plot_density_contour</code>	logical Whether to plot density contours in the UMAP.
<code>contour.position</code>	character Whether to plot density contours on top or at the bottom of the visualization layers, thus overlapping the clusters/cells or not.
<code>contour.color</code>	character Color of the density lines.
<code>contour.lineend</code>	character Line end style (round, butt, square).
<code>contour.linejoin</code>	character Line join style (round, mitre, bevel).
<code>contour_expand_axes</code>	numeric To make the contours fit the plot, the limits of the X and Y axis are expanding a given percentage from the min and max values for each axis. This controls such percentage.
<code>label</code>	logical Whether to plot the cluster labels in the UMAP. The cluster labels will have the same color as the cluster colors.
<code>label.color</code>	character Color of the labels in the plot.
<code>label.size</code>	numeric Size of the labels in the plot.

number.breaks **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.

diverging.palette **character** | Type of symmetrical color palette to use. Out of the diverging palettes defined in [brewer.pal](#).

diverging.direction **numeric** | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

sequential.palette **character** | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

sequential.direction **numeric** | Direction of the sequential color scale. Either 1 or -1.

plot.title.face, plot.subtitle.face, plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
character | Controls the style of the font for the corresponding theme element. One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object containing a Feature Plot.

Examples

```
# Check Suggests.
value <- SCpubr::check_suggests(function_name = "do_FeaturePlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Regular FeaturePlot.
  p <- SCpubr::do_FeaturePlot(sample = sample,
                              features = "nCount_RNA")

  # FeaturePlot with a subset of identities
  # (in Seurat::Idents(sample)) maintaining the original UMAP shape.
  idents.use <- levels(sample)[!(levels(sample) %in% c("2", "5", "8"))]
  p <- SCpubr::do_FeaturePlot(sample = sample,
                              idents.highlight = idents.use,
                              features = c("EPC1"))

  # Splitting the FeaturePlot by a variable and
```

```

# maintaining the color scale and the UMAP shape.
p <- SCpubr::do_FeaturePlot(sample = sample,
                           features = "EPC1",
                           split.by = "seurat_clusters")

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

`do_GroupwiseDEHeatmap` *Compute a dotplot with the results of a group-wise DE analysis.*

Description

Compute a dotplot with the results of a group-wise DE analysis.

Usage

```

do_GroupwiseDEHeatmap(
  sample,
  de_genes,
  group.by = NULL,
  assay = NULL,
  slot = "data",
  number.breaks = 5,
  dot.scale = 8,
  top_genes = 5,
  p.cutoff = 0.05,
  flip = FALSE,
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  xlab = NULL,
  ylab = NULL,
  use_viridis = FALSE,
  colors.use = NULL,
  colorblind = FALSE,
  viridis.direction = -1,
  viridis.palette = "G",
  sequential.direction = 1,
  sequential.palette = "YlGnBu",
  diverging.palette = "RdBu",
  diverging.direction = -1,
  legend.position = "bottom",
  legend.title = NULL,
  legend.width = 1,

```

```

    legend.length = 7.5,
    legend.framewidth = 0.5,
    legend.tickwidth = 0.5,
    legend.framecolor = "grey50",
    legend.tickcolor = "white",
    legend.ncol = NULL,
    legend.nrow = NULL,
    legend.byrow = FALSE,
    legend.type = "colorbar",
    font.size = 14,
    font.type = "sans",
    axis.text.x.angle = 45,
    min.cutoff = NA,
    max.cutoff = NA,
    enforce_symmetry = FALSE,
    na.value = "grey75",
    border.color = "black",
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
de_genes	tibble DE genes matrix resulting of running <code>Seurat::FindAllMarkers()</code> .
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
dot.scale	numeric Scale the size of the dots.
top_genes	numeric Top N differentially expressed (DE) genes by group to retrieve.
p.cutoff	numeric Cutoff to use for adjusted p.value to filter significant genes.
flip	logical Whether to invert the axis of the displayed plot.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
use_viridis	logical Whether to use viridis color scales.

<code>colors.use</code>	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of <code>group.by</code> . If <code>group.by</code> is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
<code>colorblind</code>	logical Whether to use colorblind-friendly colors for categorical variables. In place when <code>colors.use</code> is not used. Allows for a maximum of 85 different classes within a categorical variable.
<code>viridis.direction</code>	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
<code>viridis.palette</code>	character A capital letter from A to H or the scale name as in scale_fill_viridis .
<code>sequential.direction</code>	numeric Direction of the sequential color scale. Either 1 or -1.
<code>sequential.palette</code>	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
<code>diverging.palette</code>	character Type of symmetrical color palette to use. Out of the diverging palettes defined in brewer.pal .
<code>diverging.direction</code>	numeric Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.
<code>legend.position</code>	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
<code>legend.title</code>	character Title for the legend.
<code>legend.length, legend.width</code>	numeric Length and width of the legend. Will adjust automatically depending on legend side.
<code>legend.framewidth, legend.tickwidth</code>	numeric Width of the lines of the box in the legend.
<code>legend.framecolor</code>	character Color of the lines of the box in the legend.
<code>legend.tickcolor</code>	character Color of the ticks of the box in the legend.
<code>legend.ncol</code>	numeric Number of columns in the legend.
<code>legend.nrow</code>	numeric Number of rows in the legend.
<code>legend.byrow</code>	logical Whether the legend is filled by row or not.
<code>legend.type</code>	character Type of legend to display. One of:

	• normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
na.value	character Color value for NA.
border.color	character Color for the border of the heatmap body.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.

Value

A dotplot composed of 3 main panels: $-\log_{10}(\text{adjusted p-value})$, $\log_2(\text{FC})$ and mean expression by cluster.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_GroupwiseDEHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Compute DE genes and transform to a tibble.
```

```

de_genes <- readRDS(system.file("extdata/de_genes_example.rds", package = "SCpubr"))

# Default output.
p <- SCpubr::do_GroupwiseDEHeatmap(sample = sample,
                                   de_genes = de_genes)

p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}

```

do_LigandReceptorPlot *Visualize Ligand-Receptor analysis output.*

Description

This function takes the output of liana and generates a dot-plot visualization according to the user's specifications.

Usage

```

do_LigandReceptorPlot(
  liana_output,
  split.by = NULL,
  keep_source = NULL,
  keep_target = NULL,
  top_interactions = 25,
  top_interactions_by_group = FALSE,
  dot_border = TRUE,
  magnitude = "sca.LRscore",
  specificity = "aggregate_rank",
  sort.by = "E",
  sorting.type.specificity = "descending",
  sorting.type.magnitude = "descending",
  border.color = "black",
  axis.text.x.angle = 45,
  legend.position = "bottom",
  legend.type = "colorbar",
  legend.length = 20,
  legend.width = 1,
  legend.framecolor = "grey50",
  legend.tickcolor = "white",
  legend.framewidth = 0.5,
  legend.tickwidth = 0.5,
  use_viridis = FALSE,

```

```

viridis.palette = "G",
viridis.direction = 1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
font.size = 14,
dot.size = 1,
font.type = "sans",
plot.grid = TRUE,
grid.color = "grey90",
grid.type = "dotted",
compute_ChordDiagrams = FALSE,
sort_interactions_alphabetically = FALSE,
number.breaks = 5,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain",
return_interactions = FALSE,
invert_specificity = TRUE,
invert_magnitude = FALSE,
verbose = TRUE
)

```

Arguments

liana_output [tibble](#) | Object resulting from running `liana::liana_wrap` and `liana::liana_aggregate`.

split.by [character](#) | Whether to further facet the plot on the y axis by common ligand.complex or receptor.complex. Values to provide: `NULL`, `ligand.complex`, `receptor.complex`.

keep_source, keep_target [character](#) | Identities to keep for the source/target of the interactions. `NULL` otherwise.

top_interactions [numeric](#) | Number of unique interactions to retrieve ordered by magnitude and specificity. It does not necessarily mean that the output will contain as many, but rather an approximate value.

top_interactions_by_group [logical](#) | Enforce the value on `top_interactions` to be applied to each group in source column.

dot_border [logical](#) | Whether to draw a black border in the dots.

specificity, magnitude [character](#) | Which columns to use for specificity and magnitude.

sort.by [character](#) | How to arrange the top interactions. Interactions are sorted and then the top N are retrieved and displayed. This takes place after subsetting for `keep_source` and `keep_target` One of:

- A: Sorts by specificity.
- B: Sorts by magnitude.
- C: Sorts by specificity, then magnitude (gives extra weight to specificity).
- D: Sorts by magnitude, then specificity (gives extra weight to magnitude). Might lead to the display of non-significant results.
- E: Sorts by specificity and magnitude equally.

`sorting.type` `specificity`, `sorting.type` `magnitude`
[character](#) | Whether the sorting of e magnitude or specificity columns is done in ascending or descending order. This synergises with the value of e `invert_specificity` and e `invert_magnitude` parameters.

`border.color` [character](#) | Color for the border of the heatmap body.

`axis.text.x.angle`
[numeric](#) | Degree to rotate the X labels. One of: 0, 45, 90.

`legend.position`
[character](#) | Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

`legend.type` [character](#) | Type of legend to display. One of:

- normal: Default legend displayed by **ggplot2**.
- colorbar: Redefined colorbar legend, using [guide_colorbar](#).

`legend.length`, `legend.width`
[numeric](#) | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framecolor`
[character](#) | Color of the lines of the box in the legend.

`legend.tickcolor`
[character](#) | Color of the ticks of the box in the legend.

`legend.framewidth`, `legend.tickwidth`
[numeric](#) | Width of the lines of the box in the legend.

`use_viridis` [logical](#) | Whether to use viridis color scales.

`viridis.palette`
[character](#) | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).

`viridis.direction`
[numeric](#) | Either 1 or -1. Controls how the gradient of viridis scale is formed.

`sequential.palette`
[character](#) | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

`sequential.direction`
[numeric](#) | Direction of the sequential color scale. Either 1 or -1.

`font.size` [numeric](#) | Overall font size of the plot. All plot elements will have a size relationship with this font size.

<code>dot.size</code>	numeric Size aesthetic for the dots.
<code>font.type</code>	character Base font family for the plot. One of: • <code>mono</code>: Mono spaced font. • <code>serif</code>: Serif font family. • <code>sans</code>: Default font family.
<code>plot.grid</code>	logical Whether to plot grid lines.
<code>grid.color</code>	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
<code>grid.type</code>	character One of the possible linetype options: • <code>blank</code>. • <code>solid</code>. • <code>dashed</code>. • <code>dotted</code>. • <code>dotdash</code>. • <code>longdash</code>. • <code>twodash</code>.
<code>compute_ChordDiagrams</code>	logical Whether to also compute Chord Diagrams for both the number of interactions between source and target but also between <code>ligand.complex</code> and <code>receptor.complex</code> .
<code>sort_interactions_alphabetically</code>	logical Sort the interactions to be plotted alphabetically (TRUE) or keep them in their original order in the matrix (FALSE).
<code>number.breaks</code>	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
<code>plot.title.face</code> , <code>plot.subtitle.face</code> , <code>plot.caption.face</code> , <code>axis.title.face</code> , <code>axis.text.face</code> , <code>legend.title.face</code> , <code>legend.text.face</code>	character Controls the style of the font for the corresponding theme element. One of: • <code>plain</code>: For normal text. • <code>italic</code>: For text in italic. • <code>bold</code>: For text in bold. • <code>bold.italic</code>: For text both in italic and bold.
<code>return_interactions</code>	logical Whether to return the data.frames with the interactions so that they can be plotted as chord plots using other package functions.
<code>invert_specificity</code> , <code>invert_magnitude</code>	logical Whether to $-\log_{10}$ transform specificity and magnitude columns.
<code>verbose</code>	logical Whether to show extra comments, warnings, etc.

Value

A ggplot2 plot with the results of the Ligand-Receptor analysis.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_LigandReceptorPlot", passive = TRUE)

if (isTRUE(value)){
  liana_output <- readRDS(system.file("extdata/liana_output_example.rds", package = "SCpubr"))
  # Ligand Receptor analysis plot.
  p <- SCpubr::do_LigandReceptorPlot(liana_output = liana_output)
  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_LoadingsHeatmap	<i>Compute a heatmap summary of the top and bottom genes in the PCA loadings for the desired PCs in a Seurat object.</i>
--------------------	--

Description

Compute a heatmap summary of the top and bottom genes in the PCA loadings for the desired PCs in a Seurat object.

Usage

```
do_LoadingsHeatmap(
  sample,
  group.by = NULL,
  subsample = NA,
  dims = 1:10,
  top_loadings = 5,
  assay = NULL,
  slot = "data",
  grid.color = "white",
  border.color = "black",
  number.breaks = 5,
  na.value = "grey75",
  legend.position = "bottom",
  legend.title = "Expression",
  legend.type = "colorbar",
  legend.framewidth = 0.5,
  legend.tickwidth = 0.5,
  legend.length = 20,
  legend.width = 1,
  legend.framecolor = "grey50",
```

```

    legend.tickcolor = "white",
    font.size = 14,
    font.type = "sans",
    axis.text.x.angle = 45,
    use_viridis = FALSE,
    sequential.direction = 1,
    sequential.palette = "YlGnBu",
    viridis.palette = "G",
    viridis.direction = -1,
    diverging.palette = "RdBu",
    diverging.direction = -1,
    min.cutoff.loadings = NA,
    max.cutoff.loadings = NA,
    min.cutoff.expression = NA,
    max.cutoff.expression = NA,
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
subsample	numeric Number of cells to subsample the Seurat object to increase computational speed. Use NA to include the Seurat object as is.
dims	numeric PCs to include in the analysis.
top_loadings	numeric Number of top and bottom scored genes in the PCA Loadings for each PC.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
border.color	character Color for the border of the heatmap body.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
na.value	character Color value for NA.
legend.position	character Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

legend.title [character](#) | Title for the legend.

legend.type [character](#) | Type of legend to display. One of:

- normal: Default legend displayed by **ggplot2**.
- colorbar: Redefined colorbar legend, using [guide_colorbar](#).

legend.framewidth, legend.tickwidth
 [numeric](#) | Width of the lines of the box in the legend.

legend.length, legend.width
 [numeric](#) | Length and width of the legend. Will adjust automatically depending on legend side.

legend.framecolor
 [character](#) | Color of the lines of the box in the legend.

legend.tickcolor
 [character](#) | Color of the ticks of the box in the legend.

font.size [numeric](#) | Overall font size of the plot. All plot elements will have a size relationship with this font size.

font.type [character](#) | Base font family for the plot. One of:

- mono: Mono spaced font.
- serif: Serif font family.
- sans: Default font family.

axis.text.x.angle
 [numeric](#) | Degree to rotate the X labels. One of: 0, 45, 90.

use_viridis [logical](#) | Whether to use viridis color scales.

sequential.direction
 [numeric](#) | Direction of the sequential color scale. Either 1 or -1.

sequential.palette
 [character](#) | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

viridis.palette
 [character](#) | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).

viridis.direction
 [numeric](#) | Either 1 or -1. Controls how the gradient of viridis scale is formed.

diverging.palette
 [character](#) | Type of symmetrical color palette to use. Out of the diverging palettes defined in [brewer.pal](#).

diverging.direction
 [numeric](#) | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

```

min.cutoff.loadings, max.cutoff.loadings
    numeric | Cutoff to subset the scale of the Loading score heatmap. NA will use
    quantiles 0.05 and 0.95.
min.cutoff.expression, max.cutoff.expression
    numeric | Cutoff to subset the scale of the expression heatmap. NA will use 0
    (no quantile) and quantile 0.95.
plot.title.face,      plot.subtitle.face,      plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
    character | Controls the style of the font for the corresponding theme element.
    One of:
    • plain: For normal text.
    • italic: For text in italic.
    • bold: For text in bold.
    • bold.italic: For text both in italic and bold.

```

Value

A ggplot2 object.

Examples

```

# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_LoadingsHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  p <- SCpubr::do_LoadingsHeatmap(sample = sample,
                                  dims = 1:2)

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_MetadataHeatmap	<i>Compute a heatmap of categorical variables.</i>
--------------------	--

Description

The main use of this function is to generate a metadata heatmap of your categorical data, normally targeted to the different patient samples one has in the Seurat object. It requires that the metadata columns chosen have one and only one possible value for each of the values in group.by.

Usage

```
do_MetadataHeatmap(
  sample = NULL,
  group.by = NULL,
  metadata = NULL,
  from_df = FALSE,
  df = NULL,
  colors.use = NULL,
  colorblind = FALSE,
  cluster = FALSE,
  flip = TRUE,
  heatmap.gap = 1,
  axis.text.x.angle = 45,
  legend.position = "bottom",
  font.size = 14,
  legend.font.size = NULL,
  legend.symbol.size = NULL,
  legend.ncol = NULL,
  legend.nrow = NULL,
  legend.byrow = FALSE,
  na.value = "grey75",
  font.type = "sans",
  grid.color = "white",
  border.color = "black",
  plot.title.face = "bold",
  plot.subtitle.face = "plain",
  plot.caption.face = "italic",
  axis.title.face = "bold",
  axis.text.face = "plain",
  legend.title.face = "bold",
  legend.text.face = "plain",
  xlab = "",
  ylab = ""
)
```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
group.by	character Metadata column to use as basis for the plot.
metadata	character Metadata columns that will be used to plot the heatmap on the basis of the variable provided to group.by.
from_df	logical Whether to provide a data frame with the metadata instead.
df	data.frame Data frame containing the metadata to plot. Rows contain the unique values common to all columns (metadata variables). The columns must be named.
colors.use	named_list A named list of named vectors. The names of the list correspond to the names of the values provided to metadata and the names of the items

in the named vectors correspond to the unique values of that specific metadata variable. The values are the desired colors in HEX code for the values to plot. The used are pre-defined by the package but, in order to get the most out of the plot, please provide your custom set of colors for each metadata column!

colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when <code>colors.use</code> is not used. Allows for a maximum of 85 different classes within a categorical variable.
cluster	logical Whether to perform clustering of rows and columns.
flip	logical Whether to invert the axis of the displayed plot.
heatmap.gap	numeric Size of the gap between heatmaps in mm.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
legend.font.size	numeric Size of the font size of the legend. NULL uses default theme font size for legend according to the <code>font.size</code> parameter.
legend.symbol.size	numeric Size of symbols in the legend in mm. NULL uses the default size.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
na.value	character Color value for NA.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
border.color	character Color for the border of the heatmap body.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text.

- *italic*: For text in italic.
- **bold**: For text in bold.
- ***bold.italic***: For text both in italic and bold.

xlab, ylab **character** | Titles for the X and Y axis.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_MetadataHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Can also use a Seurat object.
  df <- data.frame(row.names = letters[1:5],
    "A" = as.character(seq(1, 5)),
    "B" = rev(as.character(seq(1, 5))))

  p <- SCpubr::do_MetadataHeatmap(from_df = TRUE,
    df = df)

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_NebulosaPlot

Wrapper for Nebulosa::plot_density in Seurat.

Description

Wrapper for Nebulosa::plot_density in Seurat.

Usage

```
do_NebulosaPlot(
  sample,
  features,
  slot = NULL,
  dims = c(1, 2),
  pt.size = 1,
```

```

    reduction = NULL,
    combine = TRUE,
    method = c("ks", "wkde"),
    joint = FALSE,
    return_only_joint = FALSE,
    plot.title = NULL,
    plot.subtitle = NULL,
    plot.caption = NULL,
    legend.type = "colorbar",
    legend.framewidth = 0.5,
    legend.tickwidth = 0.5,
    legend.length = 20,
    legend.width = 1,
    legend.framecolor = "grey50",
    legend.tickcolor = "white",
    font.size = 14,
    font.type = "sans",
    legend.position = "bottom",
    plot_cell_borders = TRUE,
    border.size = 2,
    border.color = "black",
    viridis.palette = "G",
    viridis.direction = 1,
    verbose = TRUE,
    na.value = "grey75",
    plot.axes = FALSE,
    number.breaks = 5,
    use_viridis = FALSE,
    sequential.palette = "YlGnBu",
    sequential.direction = 1,
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
dims	numeric Vector of 2 numerics indicating the dimensions to plot out of the selected reduction. Defaults to c(1, 2) if not specified.
pt.size	numeric Size of the dots.

reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
combine	logical Whether to create a single plot out of multiple features.
method	Kernel density estimation method: • ks: Computes density using the kde function from the ks package. • wkde: Computes density using a modified version of the kde2d function from the MASS package to allow weights. Bandwidth selection from the ks package is used instead.
joint	logical Whether to plot different features as joint density.
return_only_joint	logical Whether to only return the joint density panel.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
plot_cell_borders	logical Whether to plot border around cells.

`border.size` **numeric** | Width of the border of the cells.
`border.color` **character** | Color for the border of the heatmap body.
`viridis.palette` **character** | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).
`viridis.direction` **numeric** | Either 1 or -1. Controls how the gradient of viridis scale is formed.
`verbose` **logical** | Whether to show extra comments, warnings, etc.
`na.value` **character** | Color value for NA.
`plot.axes` **logical** | Whether to plot axes or not.
`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.
`use_viridis` **logical** | Whether to use viridis color scales.
`sequential.palette` **character** | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).
`sequential.direction` **numeric** | Direction of the sequential color scale. Either 1 or -1.
`plot.title.face,` `plot.subtitle.face,` `plot.caption.face,`
`axis.title.face,` `axis.text.face,` `legend.title.face,` `legend.text.face`
 character | Controls the style of the font for the corresponding theme element.
 One of:
 • `plain`: For normal text.
 • `italic`: For text in italic.
 • `bold`: For text in bold.
 • `bold.italic`: For text both in italic and bold.

Value

A ggplot2 object containing a Nebulosa plot.

Examples

```

# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_NebulosaPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic Nebulosa plot.
  p <- SCpubr::do_NebulosaPlot(sample = sample,
                                features = "EPC1")

  # Compute joint density.

```

```

p <- SCpubr::do_NebulosaPlot(sample = sample,
                             features = c("EPC1", "TOX2"),
                             joint = TRUE)

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_PackageReport	<i>Generate a status report of SCpubr and its dependencies.</i>
------------------	---

Description

This function generates a summary report of the installation status of SCpubr, which packages are still missing and which functions can or can not currently be used.

Usage

```
do_PackageReport(startup = FALSE, extended = FALSE)
```

Arguments

startup	logical Whether the message should be displayed at startup, therefore, also containing welcoming messages and tips. If FALSE, only the report itself will be printed.
extended	logical Whether the message should also include installed packages, current and available version, and which SCpubr functions can be used with the currently installed packages.

Value

None

Examples

```

# Print a package report.
SCpubr::do_PackageReport(startup = FALSE, extended = FALSE)

```

`do_PathwayActivityHeatmap`*Plot Pathway Activities from decoupleR using Progeny prior knowledge.*

Description

Plot Pathway Activities from decoupleR using Progeny prior knowledge.

Usage

```
do_PathwayActivityHeatmap(  
  sample,  
  activities,  
  group.by = NULL,  
  split.by = NULL,  
  slot = "scale.data",  
  statistic = "norm_wmean",  
  pt.size = 1,  
  border.size = 2,  
  values.show = FALSE,  
  values.threshold = NULL,  
  values.size = 3,  
  values.round = 1,  
  na.value = "grey75",  
  legend.position = "bottom",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  font.size = 14,  
  font.type = "sans",  
  axis.text.x.angle = 45,  
  enforce_symmetry = TRUE,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  number.breaks = 5,  
  diverging.palette = "RdBu",  
  diverging.direction = -1,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,
```

```

flip = FALSE,
return_object = FALSE,
grid.color = "white",
border.color = "black",
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
activities	tibble Result of running decoupleR method with progeny regulon prior knowledge.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
statistic	character DecoupleR statistic to use. One of: • wmean: For weighted mean. • norm_wmean: For normalized weighted mean. • corr_wmean: For corrected weighted mean.
pt.size	numeric Size of the dots.
border.size	numeric Width of the border of the cells.
values.show	logical Whether to add values as text in the heatmap.
values.threshold	numeric Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.
values.size	numeric Size of the text labels.
values.round	numeric Decimal to which round the values to.
na.value	character Color value for NA.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.

`legend.length, legend.width`
 numeric | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framewidth, legend.tickwidth`
 numeric | Width of the lines of the box in the legend.

`legend.framecolor`
 character | Color of the lines of the box in the legend.

`legend.tickcolor`
 character | Color of the ticks of the box in the legend.

`legend.type` **character** | Type of legend to display. One of:

- `normal`: Default legend displayed by **ggplot2**.
- `colorbar`: Redefined colorbar legend, using `guide_colorbar`.

`font.size` **numeric** | Overall font size of the plot. All plot elements will have a size relationship with this font size.

`font.type` **character** | Base font family for the plot. One of:

- `mono`: Mono spaced font.
- `serif`: Serif font family.
- `sans`: Default font family.

`axis.text.x.angle`
 numeric | Degree to rotate the X labels. One of: 0, 45, 90.

`enforce_symmetry`
 logical | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

`min.cutoff, max.cutoff`
 numeric | Set the min/max ends of the color scale. Any cell/group with a value lower than `min.cutoff` will turn into `min.cutoff` and any cell with a value higher than `max.cutoff` will turn into `max.cutoff`. In `FeaturePlots`, provide as many values as features. Use NAs to skip a feature.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of `ggplot2`-based plots.

`diverging.palette`
 character | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.

`diverging.direction`
 numeric | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`use_viridis` **logical** | Whether to use `viridis` color scales.

`viridis.palette`
 character | A capital letter from A to H or the scale name as in `scale_fill_viridis`.

`viridis.direction`
 numeric | Either 1 or -1. Controls how the gradient of `viridis` scale is formed.

`sequential.palette`
 character | Type of sequential color palette to use. Out of the sequential palettes defined in `brewer.pal`.

sequential.direction **numeric** | Direction of the sequential color scale. Either 1 or -1.

flip **logical** | Whether to invert the axis of the displayed plot.

return_object **logical** | Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.

grid.color **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.

border.color **character** | Color for the border of the heatmap body.

plot.title.face, plot.subtitle.face, plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
 character | Controls the style of the font for the corresponding theme element. One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_PathwayActivityHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds",
                                package = "SCpubr"))

  # Define your activities object.
  progeny_activities <- readRDS(system.file("extdata/progeny_activities_example.rds",
                                            package = "SCpubr"))

  # General heatmap.
  out <- SCpubr::do_PathwayActivityHeatmap(sample = sample,
                                            activities = progeny_activities)

  p <- out$heatmaps$saverage_scores
  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}
```

`do_RankedEnrichmentHeatmap`

Compute a heatmap of enrichment of gene sets on the context of a dimensional reduction component.

Description

Compute a heatmap of enrichment of gene sets on the context of a dimensional reduction component.

Usage

```
do_RankedEnrichmentHeatmap(  
  sample,  
  input_gene_list,  
  assay = NULL,  
  slot = NULL,  
  scale.enrichment = TRUE,  
  dims = 1:2,  
  subsample = 2500,  
  reduction = NULL,  
  group.by = NULL,  
  colors.use = NULL,  
  colorblind = FALSE,  
  raster = FALSE,  
  interpolate = FALSE,  
  nbin = 24,  
  ctrl = 100,  
  flavor = "Seurat",  
  main.heatmap.size = 0.95,  
  enforce_symmetry = ifelse(isTRUE(scale.enrichment), TRUE, FALSE),  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  font.size = 14,  
  font.type = "sans",  
  na.value = "grey75",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  legend.position = "bottom",
```

```

legend.nrow = NULL,
legend.ncol = NULL,
legend.byrow = FALSE,
number.breaks = 5,
diverging.palette = "RdBu",
diverging.direction = -1,
axis.text.x.angle = 45,
border.color = "black",
return_object = FALSE,
verbose = FALSE,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
input_gene_list	named_list Named list of lists of genes to be used as input.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
scale.enrichment	logical Should the enrichment scores be scaled (z-scored) for better comparison in between gene sets? Setting this to TRUE should make intra- gene set comparisons easier at the cost of not being able to compare inter- gene sets in absolute values.
dims	numeric Vector of 2 numerics indicating the dimensions to plot out of the selected reduction. Defaults to c(1, 2) if not specified.
subsample	numeric Number of cells to subset for the analysis. NA will use all. Cells are selected at random.
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
colors.use	list A named list of named vectors. The names of the list correspond to the names of the values provided to metadata and the names of the items in the named vectors correspond to the unique values of that specific metadata variable. The values are the desired colors in HEX code for the values to plot. The used

	are pre-defined by the package but, in order to get the most out of the plot, please provide your custom set of colors for each metadata column!
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when <code>colors.use</code> is not used. Allows for a maximum of 85 different classes within a categorical variable.
raster	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
interpolate	logical Smoothes the output heatmap, saving space on disk when saving the image. However, the image is not as crisp.
nbin	numeric Number of bins to use in AddModuleScore .
ctrl	numeric Number of genes in the control set to use in AddModuleScore .
flavor	character One of: Seurat, UCell. Compute the enrichment scores using AddModuleScore or AddModuleScore_UCell .
main.heatmap.size	numeric A number from 0 to 1 corresponding to how big the main heatmap plot should be with regards to the rest (corresponds to the proportion in size).
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
na.value	character Color value for NA.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.framecolor	character Color of the lines of the box in the legend.

`legend.tickcolor` **character** | Color of the ticks of the box in the legend.

`legend.type` **character** | Type of legend to display. One of:

- `normal`: Default legend displayed by **ggplot2**.
- `colorbar`: Redefined colorbar legend, using `guide_colorbar`.

`legend.position` **character** | Position of the legend in the plot. One of:

- `top`: Top of the figure.
- `bottom`: Bottom of the figure.
- `left`: Left of the figure.
- `right`: Right of the figure.
- `none`: No legend is displayed.

`legend.nrow` **numeric** | Number of rows in the legend.

`legend.ncol` **numeric** | Number of columns in the legend.

`legend.byrow` **logical** | Whether the legend is filled by row or not.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.

`diverging.palette` **character** | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.

`diverging.direction` **numeric** | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`axis.text.x.angle` **numeric** | Degree to rotate the X labels. One of: 0, 45, 90.

`border.color` **character** | Color for the border of the heatmap body.

`return_object` **logical** | Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.

`verbose` **logical** | Whether to show extra comments, warnings, etc.

`plot.title.face`, `plot.subtitle.face`, `plot.caption.face`,
`axis.title.face`, `axis.text.face`, `legend.title.face`, `legend.text.face` **character** | Controls the style of the font for the corresponding theme element. One of:

- `plain`: For normal text.
- `italic`: For text in italic.
- `bold`: For text in bold.
- `bold.italic`: For text both in italic and bold.

Value

A list of ggplot2 objects, one per dimensional reduction component, and a Seurat object if desired.

Examples

```

# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_RankedEnrichmentHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Genes have to be unique.
  genes <- list("A" = rownames(sample)[1:5],
               "B" = rownames(sample)[6:10],
               "C" = rownames(sample)[11:15])

  # This will query, for the provided components, the enrichment of the gene
  # sets for all cells and plot them in the context of the cells reordered by
  # the position alongside each dimensional reduction component.
  p <- SCpubr::do_RankedEnrichmentHeatmap(sample = sample,
                                           input_gene_list = genes,
                                           nbin = 1,
                                           ctrl = 5,
                                           flavor = "Seurat",
                                           subsample = NA,
                                           dims = 1:2,
                                           verbose = FALSE)

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_RankedExpressionHeatmap

Compute a heatmap of expression of genes on the context of a dimensional reduction component.

Description

Compute a heatmap of expression of genes on the context of a dimensional reduction component.

Usage

```
do_RankedExpressionHeatmap(
  sample,
```

```
features,
assay = NULL,
slot = NULL,
dims = 1:2,
subsample = 2500,
reduction = NULL,
group.by = NULL,
colors.use = NULL,
colorblind = FALSE,
raster = FALSE,
interpolate = FALSE,
nbin = 24,
ctrl = 100,
main.heatmap.size = 0.95,
enforce_symmetry = TRUE,
use_viridis = FALSE,
viridis.palette = "G",
viridis.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
font.size = 14,
font.type = "sans",
na.value = "grey75",
legend.width = 1,
legend.length = 20,
legend.framewidth = 0.5,
legend.tickwidth = 0.5,
legend.framecolor = "grey50",
legend.tickcolor = "white",
legend.type = "colorbar",
legend.position = "bottom",
legend.nrow = NULL,
legend.ncol = NULL,
legend.byrow = FALSE,
number.breaks = 5,
diverging.palette = "RdBu",
diverging.direction = -1,
axis.text.x.angle = 45,
border.color = "black",
return_object = FALSE,
verbose = FALSE,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
```

)

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
dims	numeric Vector of 2 numerics indicating the dimensions to plot out of the selected reduction. Defaults to c(1, 2) if not specified.
subsample	numeric Number of cells to subset for the analysis. NA will use all. Cells are selected at random.
reduction	character Reduction to use. Can be the canonical ones such as "umap", "pca", or any custom ones, such as "diffusion". If you are unsure about which reductions you have, use <code>Seurat::Reductions(sample)</code> . Defaults to "umap" if present or to the last computed reduction if the argument is not provided.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
colors.use	list A named list of named vectors. The names of the list correspond to the names of the values provided to metadata and the names of the items in the named vectors correspond to the unique values of that specific metadata variable. The values are the desired colors in HEX code for the values to plot. The used are pre-defined by the package but, in order to get the most out of the plot, please provide your custom set of colors for each metadata column!
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
raster	logical Whether to raster the resulting plot. This is recommendable if plotting a lot of cells.
interpolate	logical Smoothes the output heatmap, saving space on disk when saving the image. However, the image is not as crisp.
nbin	numeric Number of bins to use in AddModuleScore .
ctrl	numeric Number of genes in the control set to use in AddModuleScore .
main.heatmap.size	numeric A number from 0 to 1 corresponding to how big the main heatmap plot should be with regards to the rest (corresponds to the proportion in size).
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .

`viridis.direction` **numeric** | Either 1 or -1. Controls how the gradient of viridis scale is formed.

`sequential.palette` **character** | Type of sequential color palette to use. Out of the sequential palettes defined in `brewer.pal`.

`sequential.direction` **numeric** | Direction of the sequential color scale. Either 1 or -1.

`font.size` **numeric** | Overall font size of the plot. All plot elements will have a size relationship with this font size.

`font.type` **character** | Base font family for the plot. One of:

- `mono`: Mono spaced font.
- `serif`: Serif font family.
- `sans`: Default font family.

`na.value` **character** | Color value for NA.

`legend.length, legend.width` **numeric** | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framewidth, legend.tickwidth` **numeric** | Width of the lines of the box in the legend.

`legend.framecolor` **character** | Color of the lines of the box in the legend.

`legend.tickcolor` **character** | Color of the ticks of the box in the legend.

`legend.type` **character** | Type of legend to display. One of:

- `normal`: Default legend displayed by **ggplot2**.
- `colorbar`: Redefined colorbar legend, using `guide_colorbar`.

`legend.position` **character** | Position of the legend in the plot. One of:

- `top`: Top of the figure.
- `bottom`: Bottom of the figure.
- `left`: Left of the figure.
- `right`: Right of the figure.
- `none`: No legend is displayed.

`legend.nrow` **numeric** | Number of rows in the legend.

`legend.ncol` **numeric** | Number of columns in the legend.

`legend.byrow` **logical** | Whether the legend is filled by row or not.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of **ggplot2**-based plots.

`diverging.palette` **character** | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.


```

p
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}

```

do_RidgePlot

Create ridge plots.

Description

This function computes ridge plots based on the **ggridge** package.

Usage

```

do_RidgePlot(
  sample,
  feature,
  group.by = NULL,
  split.by = NULL,
  assay = "SCT",
  slot = "data",
  continuous_scale = FALSE,
  legend.title = NULL,
  legend.ncol = NULL,
  legend.nrow = NULL,
  legend.byrow = FALSE,
  legend.position = "bottom",
  legend.width = 1,
  legend.length = 20,
  legend.framewidth = 0.5,
  legend.tickwidth = 0.5,
  legend.framecolor = "grey50",
  legend.tickcolor = "white",
  legend.type = "colorbar",
  colors.use = NULL,
  colorblind = FALSE,
  font.size = 14,
  font.type = "sans",
  axis.text.x.angle = 45,
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  xlab = NULL,
  ylab = NULL,

```

```

    use_viridis = FALSE,
    viridis.palette = "G",
    viridis.direction = 1,
    sequential.palette = "YlGnBu",
    sequential.direction = 1,
    plot.grid = TRUE,
    grid.color = "grey75",
    grid.type = "dashed",
    flip = FALSE,
    number.breaks = 5,
    plot.title.face = "bold",
    plot.subtitle.face = "plain",
    plot.caption.face = "italic",
    axis.title.face = "bold",
    axis.text.face = "plain",
    legend.title.face = "bold",
    legend.text.face = "plain"
  )

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
feature	character Feature to represent.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
continuous_scale	logical Whether to color the ridges depending on a categorical or continuous scale.
legend.title	character Title for the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.

legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
colors.use	character Named vector of colors to use. Has to match the unique values of group.by or color.by (if used) when scale_type is set to categorical.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
plot.grid	logical Whether to plot grid lines.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
grid.type	character One of the possible linetype options:

- blank.
- solid.
- dashed.
- dotted.
- dotdash.
- longdash.
- twodash.

`flip` **logical** | Whether to invert the axis of the displayed plot.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.

`plot.title.face`, `plot.subtitle.face`, `plot.caption.face`,
`axis.title.face`, `axis.text.face`, `legend.title.face`, `legend.text.face`
character | Controls the style of the font for the corresponding theme element.
 One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_RidgePlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Compute the most basic ridge plot.
  p <- SCpubr::do_RidgePlot(sample = sample,
                             feature = "nFeature_RNA")

  p

  # Use continuous color scale.
  p <- SCpubr::do_RidgePlot(sample = sample,
                             feature = "nFeature_RNA",
                             continuous_scale = TRUE,
                             viridis.direction = 1)

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
}
```

```
    message("Check out which ones are needed using `SCpubr::state_dependencies()`".)
  }
```

do_SCEenrichmentHeatmap

Perform a single-cell-based heatmap showing the enrichment in a list of gene sets.

Description

This function is heavily inspired by [DoHeatmap](#).

Usage

```
do_SCEenrichmentHeatmap(
  sample,
  input_gene_list,
  assay = NULL,
  slot = NULL,
  group.by = NULL,
  features.order = NULL,
  metadata = NULL,
  metadata.colors = NULL,
  colorblind = FALSE,
  subsample = NA,
  cluster = TRUE,
  flavor = "Seurat",
  return_object = FALSE,
  ncores = 1,
  storeRanks = TRUE,
  interpolate = FALSE,
  nbin = 24,
  ctrl = 100,
  xlab = "Cells",
  ylab = "Gene set",
  font.size = 14,
  font.type = "sans",
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  legend.position = "bottom",
  legend.title = NULL,
  legend.type = "colorbar",
  legend.framewidth = 0.5,
  legend.tickwidth = 0.5,
  legend.length = 20,
```

```

legend.width = 1,
legend.framecolor = "grey50",
legend.tickcolor = "white",
strip.text.color = "black",
strip.text.angle = 0,
strip.spacing = 10,
legend.ncol = NULL,
legend.nrow = NULL,
legend.byrow = FALSE,
min.cutoff = NA,
max.cutoff = NA,
number.breaks = 5,
main.heatmap.size = 0.95,
enforce_symmetry = FALSE,
use_viridis = FALSE,
viridis.palette = "G",
viridis.direction = -1,
na.value = "grey75",
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
proportional.size = TRUE,
verbose = FALSE,
border.color = "black",
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
input_gene_list	named_list Named list of lists of genes to be used as input.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
features.order	character Should the gene sets be ordered in a specific way? Provide it as a vector of characters with the same names as the names of the gene sets.
metadata	character Categorical metadata variables to plot alongside the main heatmap.

metadata.colors	named_list Named list of valid colors for each of the variables defined in metadata.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
subsample	numeric Number of cells to subset for the analysis. NA will use all. Cells are selected at random.
cluster	logical Whether to perform clustering of rows and columns.
flavor	character One of: Seurat, UCell. Compute the enrichment scores using AddModuleScore or AddModuleScore_UCell .
return_object	logical Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.
ncores	numeric Number of cores used to run UCell scoring.
storeRanks	logical Whether to store the ranks for faster UCell scoring computations. Might require large amounts of RAM.
interpolate	logical Smooths the output heatmap, saving space on disk when saving the image. However, the image is not as crisp.
nbin	numeric Number of bins to use in AddModuleScore .
ctrl	numeric Number of genes in the control set to use in AddModuleScore .
xlab, ylab	character Titles for the X and Y axis.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.title	character Title for the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.

`legend.framewidth, legend.tickwidth`
 numeric | Width of the lines of the box in the legend.

`legend.length, legend.width`
 numeric | Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framecolor`
 character | Color of the lines of the box in the legend.

`legend.tickcolor`
 character | Color of the ticks of the box in the legend.

`strip.text.color`
 character | Color of the strip text.

`strip.text.angle`
 numeric | Rotation of the strip text (angles).

`strip.spacing` **numeric** | Controls the size between the different facets.

`legend.ncol` **numeric** | Number of columns in the legend.

`legend.nrow` **numeric** | Number of rows in the legend.

`legend.byrow` **logical** | Whether the legend is filled by row or not.

`min.cutoff, max.cutoff`
 numeric | Set the min/max ends of the color scale. Any cell/group with a value lower than `min.cutoff` will turn into `min.cutoff` and any cell with a value higher than `max.cutoff` will turn into `max.cutoff`. In `FeaturePlots`, provide as many values as features. Use NAs to skip a feature.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of `ggplot2`-based plots.

`main.heatmap.size`
 numeric | Controls the size of the main heatmap (proportion-wise, defaults to 0.95).

`enforce_symmetry`
 logical | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

`use_viridis` **logical** | Whether to use `viridis` color scales.

`viridis.palette`
 character | A capital letter from A to H or the scale name as in `scale_fill_viridis`.

`viridis.direction`
 numeric | Either 1 or -1. Controls how the gradient of `viridis` scale is formed.

`na.value` **character** | Color value for NA.

`diverging.palette`
 character | Type of symmetrical color palette to use. Out of the diverging palettes defined in `brewer.pal`.

`diverging.direction`
 numeric | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`sequential.palette`
 character | Type of sequential color palette to use. Out of the sequential palettes defined in `brewer.pal`.

`sequential.direction`
 numeric | Direction of the sequential color scale. Either 1 or -1.

`proportional.size`
 logical | Whether the groups should take the same space in the plot or not.

`verbose`
 logical | Whether to show extra comments, warnings, etc.

`border.color` **character** | Color for the border of the heatmap body.

`plot.title.face,` `plot.subtitle.face,` `plot.caption.face,`
`axis.title.face,` `axis.text.face,` `legend.title.face,` `legend.text.face`
 character | Controls the style of the font for the corresponding theme element.
 One of:

- `plain`: For normal text.
- `italic`: For text in italic.
- `bold`: For text in bold.
- `bold.italic`: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_SCEEnrichmentHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Genes have to be unique.
  genes <- list("A" = rownames(sample)[1:5],
               "B" = rownames(sample)[6:10],
               "C" = rownames(sample)[11:15])

  p <- SCpubr::do_SCEEnrichmentHeatmap(sample = sample,
                                       input_gene_list = genes,
                                       nbin = 1,
                                       ctrl = 5,
                                       flavor = "Seurat",
                                       subsample = NA)

  p
} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

`do_SCEExpressionHeatmap`*Perform a single-cell-based heatmap showing the expression of genes.*

Description

This function is heavily inspired by [DoHeatmap](#).

Usage

```
do_SCEExpressionHeatmap(  
  sample,  
  features,  
  assay = NULL,  
  slot = NULL,  
  group.by = NULL,  
  features.order = NULL,  
  metadata = NULL,  
  metadata.colors = NULL,  
  colorblind = FALSE,  
  subsample = NA,  
  cluster = TRUE,  
  interpolate = FALSE,  
  xlab = "Cells",  
  ylab = "Genes",  
  font.size = 14,  
  font.type = "sans",  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  legend.position = "bottom",  
  legend.title = "Expression",  
  legend.type = "colorbar",  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.length = 20,  
  legend.width = 1,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  strip.text.color = "black",  
  strip.text.angle = 0,  
  strip.spacing = 10,  
  legend.ncol = NULL,  
  legend.nrow = NULL,  
  legend.byrow = FALSE,  
  min.cutoff = NA,  
  max.cutoff = NA,
```

```

number.breaks = 5,
main.heatmap.size = 0.95,
enforce_symmetry = FALSE,
use_viridis = FALSE,
viridis.palette = "G",
viridis.direction = -1,
na.value = "grey75",
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
proportional.size = TRUE,
verbose = TRUE,
border.color = "black",
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
features.order	character Should the gene sets be ordered in a specific way? Provide it as a vector of characters with the same names as the names of the gene sets.
metadata	character Categorical metadata variables to plot alongside the main heatmap.
metadata.colors	named_list Named list of valid colors for each of the variables defined in metadata.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
subsample	numeric Number of cells to subset for the analysis. NA will use all. Cells are selected at random.
cluster	logical Whether to perform clustering of rows and columns.
interpolate	logical Smoothes the output heatmap, saving space on disk when saving the image. However, the image is not as crisp.

xlab, ylab	character Titles for the X and Y axis.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.title	character Title for the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
strip.text.color	character Color of the strip text.
strip.text.angle	numeric Rotation of the strip text (angles).
strip.spacing	numeric Controls the size between the different facets.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.

`number.breaks` [numeric](#) | Controls the number of breaks in continuous color scales of ggplot2-based plots.

`main.heatmap.size` [numeric](#) | Controls the size of the main heatmap (proportion-wise, defaults to 0.95).

`enforce_symmetry` [logical](#) | Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.

`use_viridis` [logical](#) | Whether to use viridis color scales.

`viridis.palette` [character](#) | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).

`viridis.direction` [numeric](#) | Either 1 or -1. Controls how the gradient of viridis scale is formed.

`na.value` [character](#) | Color value for NA.

`diverging.palette` [character](#) | Type of symmetrical color palette to use. Out of the diverging palettes defined in [brewer.pal](#).

`diverging.direction` [numeric](#) | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

`sequential.palette` [character](#) | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

`sequential.direction` [numeric](#) | Direction of the sequential color scale. Either 1 or -1.

`proportional.size` [logical](#) | Whether the groups should take the same space in the plot or not.

`verbose` [logical](#) | Whether to show extra comments, warnings, etc.

`border.color` [character](#) | Color for the border of the heatmap body.

`plot.title.face,` `plot.subtitle.face,` `plot.caption.face,`
`axis.title.face,` `axis.text.face,` `legend.title.face,` `legend.text.face` [character](#) | Controls the style of the font for the corresponding theme element. One of:

- `plain`: For normal text.
- `italic`: For text in italic.
- `bold`: For text in bold.
- `bold.italic`: For text both in italic and bold.

Value

A ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_SCEExpressionHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  p <- SCpubr::do_SCEExpressionHeatmap(sample = sample,
                                       features = rownames(sample)[1:2],
                                       subsample = NA)

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}
```

do_StripPlot

Generate a Strip plot.

Description

A strip plot is a scatter plot in which we plot continuous values on the Y axis grouped by a categorical value in the X. This is plotted as a dot plot, jittered so that the dots span all the way to the other groups. On top of this, the mean and .66 and .95 of the data is plotted, depicting the overall distribution of the dots. The cells can, then, be colored by a continuous variable (same as Y axis or different) or a categorical one (same as X axis or different).

Usage

```
do_StripPlot(
  sample,
  features,
  assay = NULL,
  slot = "data",
  group.by = NULL,
  split.by = NULL,
  enforce_symmetry = FALSE,
  scale_type = "continuous",
  order = TRUE,
  plot_cell_borders = TRUE,
  jitter = 0.45,
  pt.size = 1,
  border.size = 2,
```

```

border.color = "black",
legend.position = "bottom",
legend.width = 1,
legend.length = 20,
legend.framewidth = 0.5,
legend.tickwidth = 0.5,
legend.framecolor = "grey50",
legend.tickcolor = "white",
legend.type = "colorbar",
font.size = 14,
font.type = "sans",
axis.text.x.angle = 45,
viridis.palette = "G",
viridis.direction = 1,
colors.use = NULL,
colorblind = FALSE,
na.value = "grey75",
legend.ncol = NULL,
legend.nrow = NULL,
legend.icon.size = 4,
legend.byrow = FALSE,
legend.title = NULL,
plot.title = NULL,
plot.subtitle = NULL,
plot.caption = NULL,
xlab = "Groups",
ylab = feature,
flip = FALSE,
min.cutoff = rep(NA, length(features)),
max.cutoff = rep(NA, length(features)),
number.breaks = 5,
diverging.palette = "RdBu",
diverging.direction = -1,
sequential.palette = "YlGnBu",
sequential.direction = 1,
use_viridis = FALSE,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample [Seurat](#) | A Seurat object, generated by [CreateSeuratObject](#).

features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
enforce_symmetry	logical Return a symmetrical plot axes-wise or continuous color scale-wise, when applicable.
scale_type	character Type of color scale to use. One of: • categorical: Use a categorical color scale based on the values of "group.by". • continuous: Use a continuous color scale based on the values of "feature".
order	logical Whether to order the groups by the median of the data (highest to lowest).
plot_cell_borders	logical Whether to plot border around cells.
jitter	numeric Amount of jitter in the plot along the X axis. The lower the value, the more compacted the dots are.
pt.size	numeric Size of the dots.
border.size	numeric Width of the border of the cells.
border.color	character Color for the border of the heatmap body.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.framecolor	character Color of the lines of the box in the legend.
legend.tickcolor	character Color of the ticks of the box in the legend.
legend.type	character Type of legend to display. One of: • normal: Default legend displayed by ggplot2. • colorbar: Redefined colorbar legend, using guide_colorbar.

font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
colors.use	character Named vector of colors to use. Has to match the unique values of group.by when scale_type is set to categorical.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
na.value	character Color value for NA.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.icon.size	numeric Size of the icons in legend.
legend.byrow	logical Whether the legend is filled by row or not.
legend.title	character Title for the legend.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
flip	logical Whether to invert the axis of the displayed plot.
min.cutoff, max.cutoff	numeric Set the min/max ends of the color scale. Any cell/group with a value lower than min.cutoff will turn into min.cutoff and any cell with a value higher than max.cutoff will turn into max.cutoff. In FeaturePlots, provide as many values as features. Use NAs to skip a feature.
number.breaks	numeric Controls the number of breaks in continuous color scales of ggplot2-based plots.
diverging.palette	character Type of symmetrical color palette to use. Out of the diverging palettes defined in brewer.pal .
diverging.direction	numeric Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .

sequential.direction
 numeric | Direction of the sequential color scale. Either 1 or -1.

use_viridis **logical** | Whether to use viridis color scales.

plot.title.face, plot.subtitle.face, plot.caption.face,
 axis.title.face, axis.text.face, legend.title.face, legend.text.face
 character | Controls the style of the font for the corresponding theme element.
 One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

Either a plot of a list of plots, depending on the number of features provided.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_StripPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Geyser plot with categorical color scale.
  p <- SCpubr::do_StripPlot(sample = sample,
                             features = "nCount_RNA",
                             scale_type = "categorical")

  p

  # Geyser plot with continuous color scale.
  p <- SCpubr::do_StripPlot(sample = sample,
                             features = "nCount_RNA",
                             scale_type = "continuous")

  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_TermEnrichmentPlot *Display the enriched terms for a given list of genes.*

Description

Display the enriched terms for a given list of genes.

Usage

```
do_TermEnrichmentPlot(  
  mat,  
  n.chars = 40,  
  n.terms = 25,  
  font.size = 14,  
  font.type = "sans",  
  plot.title = NULL,  
  plot.subtitle = NULL,  
  plot.caption = NULL,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,  
  sequential.palette = "YlGnBu",  
  sequential.direction = 1,  
  dot.scale = 8,  
  legend.type = "colorbar",  
  legend.position = "bottom",  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.length = 20,  
  legend.width = 1,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  number.breaks = 5,  
  xlab = NULL,  
  ylab = NULL,  
  na.value = "grey75",  
  grid.color = "grey90",  
  grid.type = "dashed",  
  plot.title.face = "bold",  
  plot.subtitle.face = "plain",  
  plot.caption.face = "italic",  
  axis.title.face = "bold",  
  axis.text.face = "plain",  
  axis.text.x.angle = 45,  
  legend.title.face = "bold",  
  legend.text.face = "plain"  
)
```

Arguments

mat	list Result of over-representation test with clusterProfiler. Accepts only one result, be aware of that if you compute the test for all GO ontologies. Accessed through <code>mat@result</code> .
n.chars	numeric Number of characters to use as a limit to wrap the term names. The higher this value, the longer the lines would be for each term in the plots. Defaults to 40.
n.terms	numeric Number of terms to display. Defaults to 25.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • <code>mono</code>: Mono spaced font. • <code>serif</code>: Serif font family. • <code>sans</code>: Default font family.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
use_viridis	logical Whether to use viridis color scales.
viridis.palette	character A capital letter from A to H or the scale name as in scale_fill_viridis .
viridis.direction	numeric Either 1 or -1. Controls how the gradient of viridis scale is formed.
sequential.palette	character Type of sequential color palette to use. Out of the sequential palettes defined in brewer.pal .
sequential.direction	numeric Direction of the sequential color scale. Either 1 or -1.
dot.scale	numeric Scale the size of the dots.
legend.type	character Type of legend to display. One of: • <code>normal</code>: Default legend displayed by ggplot2. • <code>colorbar</code>: Redefined colorbar legend, using guide_colorbar.
legend.position	character Position of the legend in the plot. One of: • <code>top</code>: Top of the figure. • <code>bottom</code>: Bottom of the figure. • <code>left</code>: Left of the figure. • <code>right</code>: Right of the figure. • <code>none</code>: No legend is displayed.
legend.framewidth, legend.tickwidth	numeric Width of the lines of the box in the legend.
legend.length, legend.width	numeric Length and width of the legend. Will adjust automatically depending on legend side.

`legend.framecolor` **character** | Color of the lines of the box in the legend.
`legend.tickcolor` **character** | Color of the ticks of the box in the legend.
`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of ggplot2-based plots.
`xlab, ylab` **character** | Titles for the X and Y axis.
`na.value` **character** | Color value for NA.
`grid.color` **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.
`grid.type` **character** | One of the possible linetype options:

- blank.
- solid.
- dashed.
- dotted.
- dotdash.
- longdash.
- twodash.

`plot.title.face, plot.subtitle.face, plot.caption.face,`
`axis.title.face, axis.text.face, legend.title.face, legend.text.face`
character | Controls the style of the font for the corresponding theme element.
 One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

`axis.text.x.angle` **numeric** | Degree to rotate the X labels. One of: 0, 45, 90.

Value

A dotplot object with enriched terms.

Examples

```

# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_TermEnrichmentPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your enriched terms.
  enriched_terms <- readRDS(system.file("extdata/enriched_terms_example.rds", package = "SCpubr"))

  # Default plot.
  p <- SCpubr::do_TermEnrichmentPlot(mat = enriched_terms)

```

```
} else if (base::isFALSE(value)){  
  message("This function can not be used without its suggested packages.")  
  message("Check out which ones are needed using `SCpubr::state_dependencies()`".)  
}
```

do_TFActivityHeatmap *Plot TF Activities from decoupleR using Dorothea prior knowledge.*

Description

Plot TF Activities from decoupleR using Dorothea prior knowledge.

Usage

```
do_TFActivityHeatmap(  
  sample,  
  activities,  
  n_tfs = 25,  
  slot = "scale.data",  
  statistic = "norm_wmean",  
  tfs.use = NULL,  
  group.by = NULL,  
  split.by = NULL,  
  values.show = FALSE,  
  values.threshold = NULL,  
  values.size = 3,  
  values.round = 1,  
  na.value = "grey75",  
  legend.position = "bottom",  
  legend.width = 1,  
  legend.length = 20,  
  legend.framewidth = 0.5,  
  legend.tickwidth = 0.5,  
  legend.framecolor = "grey50",  
  legend.tickcolor = "white",  
  legend.type = "colorbar",  
  font.size = 14,  
  font.type = "sans",  
  axis.text.x.angle = 45,  
  enforce_symmetry = TRUE,  
  diverging.palette = "RdBu",  
  diverging.direction = -1,  
  use_viridis = FALSE,  
  viridis.palette = "G",  
  viridis.direction = -1,
```

```

sequential.palette = "YlGnBu",
sequential.direction = 1,
min.cutoff = NA,
max.cutoff = NA,
number.breaks = 5,
flip = FALSE,
return_object = FALSE,
grid.color = "white",
border.color = "black",
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
activities	tibble Result of running decoupleR method with dorothea regulon prior knowledge.
n_tfs	numeric Number of top regulons to consider for downstream analysis.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
statistic	character DecoupleR statistic to use. One of: • wmean: For weighted mean. • norm_wmean: For normalized weighted mean. • corr_wmean: For corrected weighted mean.
tfs.use	character Restrict the analysis to given regulons.
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
values.show	logical Whether to add values as text in the heatmap.
values.threshold	numeric Value from which the text color turns from black to white. If mode = "hvg", this is applied to both ends of the color scale.
values.size	numeric Size of the text labels.
values.round	numeric Decimal to which round the values to.
na.value	character Color value for NA.
legend.position	character Position of the legend in the plot. One of:

- top: Top of the figure.
- bottom: Bottom of the figure.
- left: Left of the figure.
- right: Right of the figure.
- none: No legend is displayed.

legend.length, legend.width
 numeric | Length and width of the legend. Will adjust automatically depending on legend side.

legend.framewidth, legend.tickwidth
 numeric | Width of the lines of the box in the legend.

legend.framecolor
 character | Color of the lines of the box in the legend.

legend.tickcolor
 character | Color of the ticks of the box in the legend.

legend.type
 character | Type of legend to display. One of:

- normal: Default legend displayed by **ggplot2**.
- colorbar: Redefined colorbar legend, using [guide_colorbar](#).

font.size
 numeric | Overall font size of the plot. All plot elements will have a size relationship with this font size.

font.type
 character | Base font family for the plot. One of:

- mono: Mono spaced font.
- serif: Serif font family.
- sans: Default font family.

axis.text.x.angle
 numeric | Degree to rotate the X labels. One of: 0, 45, 90.

enforce_symmetry
 logical | Whether the geyser and feature plot has a symmetrical color scale.

diverging.palette
 character | Type of symmetrical color palette to use. Out of the diverging palettes defined in [brewer.pal](#).

diverging.direction
 numeric | Either 1 or -1. Direction of the diverging palette. This basically flips the two ends.

use_viridis
 logical | Whether to use viridis color scales.

viridis.palette
 character | A capital letter from A to H or the scale name as in [scale_fill_viridis](#).

viridis.direction
 numeric | Either 1 or -1. Controls how the gradient of viridis scale is formed.

sequential.palette
 character | Type of sequential color palette to use. Out of the sequential palettes defined in [brewer.pal](#).

sequential.direction
 numeric | Direction of the sequential color scale. Either 1 or -1.

`min.cutoff, max.cutoff` **numeric** | Set the min/max ends of the color scale. Any cell/group with a value lower than `min.cutoff` will turn into `min.cutoff` and any cell with a value higher than `max.cutoff` will turn into `max.cutoff`. In `FeaturePlots`, provide as many values as features. Use NAs to skip a feature.

`number.breaks` **numeric** | Controls the number of breaks in continuous color scales of `ggplot2`-based plots.

`flip` **logical** | Whether to invert the axis of the displayed plot.

`return_object` **logical** | Returns the Seurat object with the modifications performed in the function. Normally, this contains a new assay with the data that can then be used for any other visualization desired.

`grid.color` **character** | Color of the grid in the plot. In heatmaps, color of the border of the cells.

`border.color` **character** | Color for the border of the heatmap body.

`plot.title.face`, `plot.subtitle.face`, `plot.caption.face`,
`axis.title.face`, `axis.text.face`, `legend.title.face`, `legend.text.face` **character** | Controls the style of the font for the corresponding theme element. One of:

- `plain`: For normal text.
- `italic`: For text in italic.
- `bold`: For text in bold.
- `bold.italic`: For text both in italic and bold.

Value

A `ggplot2` object.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_TFActivityHeatmap", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds",
                                package = "SCpubr"))

  # Define your activities object.
  dorothea_activities <- readRDS(system.file("extdata/dorothea_activities_example.rds",
                                             package = "SCpubr"))

  # General heatmap.
  out <- SCpubr::do_TFActivityHeatmap(sample = sample,
                                     activities = dorothea_activities)
  p <- out$heatmaps$saverage_scores
  p
```

```

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}

```

do_ViolinPlot

*Wrapper for [VlnPlot](#).***Description**

Wrapper for [VlnPlot](#).

Usage

```

do_ViolinPlot(
  sample,
  features,
  assay = NULL,
  slot = NULL,
  group.by = NULL,
  split.by = NULL,
  colors.use = NULL,
  colorblind = FALSE,
  pt.size = 0,
  line_width = 0.5,
  y_cut = rep(NA, length(features)),
  plot_boxplot = TRUE,
  boxplot_width = 0.2,
  legend.position = "bottom",
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  xlab = rep(NA, length(features)),
  ylab = rep(NA, length(features)),
  font.size = 14,
  font.type = "sans",
  axis.text.x.angle = 45,
  plot.grid = TRUE,
  grid.color = "grey75",
  grid.type = "dashed",
  order = TRUE,
  flip = FALSE,
  ncol = NULL,
  share.y.lims = FALSE,
  legend.title = NULL,

```

```

legend.title.position = "top",
legend.ncol = NULL,
legend.nrow = NULL,
legend.byrow = FALSE,
plot.title.face = "bold",
plot.subtitle.face = "plain",
plot.caption.face = "italic",
axis.title.face = "bold",
axis.text.face = "plain",
legend.title.face = "bold",
legend.text.face = "plain"
)

```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
features	character Features to represent.
assay	character Assay to use. Defaults to the current assay.
slot	character Data slot to use. Only one of: counts, data, scale.data. Defaults to "data".
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
split.by	character Secondary metadata variable to further group (split) the output by. Has to be a character of factor column.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
pt.size	numeric Size of points in the Violin plot.
line_width	numeric Width of the lines drawn in the plot. Defaults to 1.
y_cut	numeric Vector with the values in which the Violins should be cut. Only works for one feature.
plot_boxplot	logical Whether to plot a Box plot inside the violin or not.
boxplot_width	numeric Width of the boxplots. Defaults to 0.2.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.

plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
xlab, ylab	character Titles for the X and Y axis.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
axis.text.x.angle	numeric Degree to rotate the X labels. One of: 0, 45, 90.
plot.grid	logical Whether to plot grid lines.
grid.color	character Color of the grid in the plot. In heatmaps, color of the border of the cells.
grid.type	character One of the possible linetype options: • blank. • solid. • dashed. • dotted. • dotdash. • longdash. • twodash.
order	logical Whether to order the boxplots by average values. Can not be used alongside split.by.
flip	logical Whether to invert the axis of the displayed plot.
ncol	numeric Number of columns used in the arrangement of the output plot using "split.by" parameter.
share.y.lims	logical When querying multiple features, force the Y axis of all of them to be on the same range of values (this being the max and min of all features combined).
legend.title	character Title for the legend.
legend.title.position	character Position for the title of the legend. One of: • top: Top of the legend. • bottom: Bottom of the legend. • left: Left of the legend. • right: Right of the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.

```
plot.title.face,      plot.subtitle.face,      plot.caption.face,
axis.title.face, axis.text.face, legend.title.face, legend.text.face
```

character | Controls the style of the font for the corresponding theme element.
One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object containing a Violin Plot.

Examples

```
# Check Suggests.
value <- SCpubr:::check_suggests(function_name = "do_ViolinPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic violin plot.
  p <- SCpubr::do_ViolinPlot(sample = sample,
                             feature = "nCount_RNA")
  p

  # Remove the box plots.
  p <- SCpubr::do_ViolinPlot(sample = sample,
                             feature = "nCount_RNA",
                             plot_boxplot = FALSE)
  p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

do_VolcanoPlot

Compute a Volcano plot out of DE genes.

Description

Compute a Volcano plot out of DE genes.

Usage

```
do_VolcanoPlot(
  sample,
  de_genes,
  pval_cutoff = 0.05,
  FC_cutoff = 2,
  pt.size = 1,
  border.size = 1.5,
  border.color = "black",
  font.size = 14,
  font.type = "sans",
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  plot_lines = TRUE,
  line_color = "grey75",
  line_size = 0.5,
  add_gene_tags = TRUE,
  add_tag_side = "both",
  order_tags_by = "both",
  tag_size = 6,
  n_genes = 5,
  use_labels = FALSE,
  colors.use = NULL,
  plot.title.face = "bold",
  plot.subtitle.face = "plain",
  plot.caption.face = "italic",
  axis.title.face = "bold",
  axis.text.face = "plain",
  legend.title.face = "bold",
  legend.text.face = "plain"
)
```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
de_genes	tibble Output of <code>Seurat::FindMarkers()</code> .
pval_cutoff	numeric Cutoff for the p-value.
FC_cutoff	numeric Cutoff for the avg_log2FC.
pt.size	numeric Size of the dots.
border.size	numeric Width of the border of the cells.
border.color	character Color for the border of the heatmap body.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font.

- serif: Serif font family.
- sans: Default font family.

plot.title, plot.subtitle, plot.caption
 character | Title, subtitle or caption to use in the plot.

plot_lines logical | Whether to plot the division lines.

line_color character | Color for the lines.

line_size numeric | Size of the lines in the plot.

add_gene_tags logical | Whether to plot the top genes.

add_tag_side logical | Either "both", "positive" or "negative" to indicate which side of genes to tag

order_tags_by character | Either "both", "pvalue" or "logfc".

tag_size numeric | Size of the text/label for the tags.

n_genes numeric | Number of top genes to plot.

use_labels logical | Whether to use labels instead of text for the tags.

colors.use character | Color to generate a tetradic color scale with. If NULL, default colors are used.

plot.title.face, plot.subtitle.face, plot.caption.face,
 axis.title.face, axis.text.face, legend.title.face, legend.text.face
 character | Controls the style of the font for the corresponding theme element.
 One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A volcano plot as a ggplot2 object.

Examples

```
# Check Suggests.
value <- SCpubr::check_suggests(function_name = "do_VolcanoPlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Retrieve DE genes.
  de_genes <- readRDS(system.file("extdata/de_genes_example.rds", package = "SCpubr"))

  # Generate a volcano plot.
  p <- SCpubr::do_VolcanoPlot(sample = sample,
                              de_genes = de_genes)
```

```
p

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies()`.")
}
```

`do_WafflePlot`*Display the enriched terms for a given list of genes.*

Description

Display the enriched terms for a given list of genes.

Usage

```
do_WafflePlot(
  sample,
  group.by,
  waffle.size = 2,
  flip = TRUE,
  colors.use = NULL,
  colorblind = FALSE,
  na.value = "grey75",
  font.size = 14,
  font.type = "sans",
  plot.title = NULL,
  plot.subtitle = NULL,
  plot.caption = NULL,
  legend.title = NULL,
  legend.ncol = NULL,
  legend.nrow = NULL,
  legend.byrow = FALSE,
  legend.position = "bottom",
  plot.title.face = "bold",
  plot.subtitle.face = "plain",
  plot.caption.face = "italic",
  axis.title.face = "bold",
  axis.text.face = "plain",
  legend.title.face = "bold",
  legend.text.face = "plain",
  strip.text.face = "bold"
)
```

Arguments

sample	Seurat A Seurat object, generated by CreateSeuratObject .
group.by	character Metadata variable to group the output by. Has to be a character of factor column.
waffle.size	numeric Tile border size.
flip	logical Whether to invert the axis of the displayed plot.
colors.use	named_vector Named vector of valid color representations (either name of HEX codes) with as many named colors as unique values of group.by. If group.by is not provided, defaults to the unique values of Idents . If not provided, a color scale will be set by default.
colorblind	logical Whether to use colorblind-friendly colors for categorical variables. In place when colors.use is not used. Allows for a maximum of 85 different classes within a categorical variable.
na.value	character Color value for NA.
font.size	numeric Overall font size of the plot. All plot elements will have a size relationship with this font size.
font.type	character Base font family for the plot. One of: • mono: Mono spaced font. • serif: Serif font family. • sans: Default font family.
plot.title, plot.subtitle, plot.caption	character Title, subtitle or caption to use in the plot.
legend.title	character Title for the legend.
legend.ncol	numeric Number of columns in the legend.
legend.nrow	numeric Number of rows in the legend.
legend.byrow	logical Whether the legend is filled by row or not.
legend.position	character Position of the legend in the plot. One of: • top: Top of the figure. • bottom: Bottom of the figure. • left: Left of the figure. • right: Right of the figure. • none: No legend is displayed.
plot.title.face, plot.subtitle.face, plot.caption.face, axis.title.face, axis.text.face, legend.title.face, legend.text.face	character Controls the style of the font for the corresponding theme element. One of: • plain: For normal text. • italic: For text in italic. • bold: For text in bold. • bold.italic: For text both in italic and bold.

strip.text.face

character | Controls the style of the font for the strip text. One of:

- plain: For normal text.
- italic: For text in italic.
- bold: For text in bold.
- bold.italic: For text both in italic and bold.

Value

A ggplot2 object with a Waffle Plot.

Examples

```
# Check Suggests.
value <- SCpubr::check_suggests(function_name = "do_WafflePlot", passive = TRUE)

if (isTRUE(value)){
  # Consult the full documentation in https://enblacar.github.io/SCpubr-book/

  # Define your Seurat object.
  sample <- readRDS(system.file("extdata/seurat_dataset_example.rds", package = "SCpubr"))

  # Basic Waffle plot.
  p <- SCpubr::do_WafflePlot(sample = sample,
                             group.by = "seurat_clusters")

} else if (base::isFALSE(value)){
  message("This function can not be used without its suggested packages.")
  message("Check out which ones are needed using `SCpubr::state_dependencies`.")
}
```

human_chr_locations	<i>Chromosome arm locations for human genome GRCh38.</i>
---------------------	--

Description

A tibble containing the chromosome, arm and start and end coordinates.

Usage

```
data(human_chr_locations)
```

Format

A tibble with 48 rows and 4 columns:

chr Chromosome.

arm Chromosome arm.

start Start coordinates.

end End coordinates.

Index

* datasets

- human_chr_locations, [133](#)
- AddModuleScore, [6](#), [27](#), [53](#), [56](#), [93](#), [97](#), [106](#)
- AddModuleScore_UCell, [6](#), [56](#), [93](#), [106](#)
- brewer.pal, [5](#), [9](#), [17](#), [27](#), [34](#), [42](#), [52](#), [56](#), [60](#),
[67](#), [70](#), [74](#), [78](#), [85](#), [89](#), [93](#), [94](#), [98](#),
[102](#), [107](#), [112](#), [116](#), [119](#), [123](#)
- character, [4–6](#), [8–10](#), [12](#), [13](#), [16–18](#), [20–22](#),
[25–27](#), [29](#), [30](#), [33](#), [34](#), [36–38](#), [41–43](#),
[45–48](#), [50–52](#), [54–57](#), [59–61](#), [63–67](#),
[69–71](#), [73–75](#), [77–85](#), [88–90](#), [92–94](#),
[97–99](#), [101–103](#), [105–108](#), [110–112](#),
[115–117](#), [119](#), [120](#), [122–124](#),
[126–130](#), [132](#), [133](#)
- chordDiagramFromDataFrame, [30](#)
- chordDiagramFromMatrix, [30](#)
- CreateSeuratObject, [4](#), [8](#), [12](#), [16](#), [20](#), [25](#), [29](#),
[32](#), [41](#), [45](#), [50](#), [54](#), [59](#), [63](#), [69](#), [77](#), [80](#),
[83](#), [88](#), [92](#), [97](#), [101](#), [105](#), [110](#), [114](#),
[122](#), [126](#), [129](#), [132](#)
- data.frame, [80](#)
- DimPlot, [43](#)
- do_ActivityHeatmap, [3](#)
- do_AlluvialPlot, [7](#)
- do_BarPlot, [11](#)
- do_BeeSwarmPlot, [14](#)
- do_BoxPlot, [19](#)
- do_CellularStatesPlot, [23](#)
- do_ChordDiagramPlot, [28](#)
- do_CNVHeatmap, [31](#)
- do_ColorBlindCheck, [35](#)
- do_ColorPalette, [37](#)
- do_CorrelationHeatmap, [39](#)
- do_DimPlot, [43](#)
- do_DotPlot, [49](#)
- do_EnrichmentHeatmap, [53](#)
- do_ExpressionHeatmap, [58](#)
- do_FeaturePlot, [61](#)
- do_GroupwiseDEHeatmap, [68](#)
- do_LigandReceptorPlot, [72](#)
- do_LoadingsHeatmap, [76](#)
- do_MetadataHeatmap, [79](#)
- do_NebulosaPlot, [82](#)
- do_PackageReport, [86](#)
- do_PathwayActivityHeatmap, [87](#)
- do_RankedEnrichmentHeatmap, [91](#)
- do_RankedExpressionHeatmap, [95](#)
- do_RidgePlot, [100](#)
- do_SCEenrichmentHeatmap, [104](#)
- do_SCEExpressionHeatmap, [109](#)
- do_StripPlot, [113](#)
- do_TermEnrichmentPlot, [118](#)
- do_TFActivityHeatmap, [121](#)
- do_ViolinPlot, [125](#)
- do_VolcanoPlot, [128](#)
- do_WafflePlot, [131](#)
- DoHeatmap, [104](#), [109](#)
- DotPlot, [49](#)
- FeaturePlot, [61](#)
- geom_alluvium, [9](#)
- geom_flow, [9](#)
- geom_label, [46](#)
- geom_text, [46](#)
- guide_colorbar, [5](#), [16](#), [33](#), [42](#), [51](#), [56](#), [60](#), [65](#),
[71](#), [74](#), [78](#), [84](#), [89](#), [94](#), [98](#), [102](#), [106](#),
[111](#), [115](#), [119](#), [123](#)
- Heatmap, [53](#)
- human_chr_locations, [133](#)
- Idents, [6](#), [13](#), [16](#), [20](#), [25](#), [45](#), [70](#), [126](#), [132](#)
- infercnv, [32](#)
- list, [92](#), [97](#), [119](#)

logical, [4–6](#), [8](#), [9](#), [12](#), [13](#), [16–18](#), [20–22](#),
[25–27](#), [29](#), [30](#), [33](#), [34](#), [36](#), [38](#), [41](#), [42](#),
[45–47](#), [50–52](#), [55–57](#), [59](#), [60](#), [64–66](#),
[69–71](#), [73–75](#), [78](#), [80](#), [81](#), [84–86](#),
[88–90](#), [92–94](#), [97–99](#), [101–103](#),
[106–108](#), [110–112](#), [115–117](#), [119](#),
[122–124](#), [126](#), [127](#), [130](#), [132](#)

named_list, [4](#), [25](#), [41](#), [54](#), [59](#), [80](#), [92](#), [105](#),
[106](#), [110](#)

named_vector, [6](#), [13](#), [16](#), [20](#), [25](#), [29](#), [33](#), [45](#),
[70](#), [126](#), [132](#)

numeric, [4–6](#), [8](#), [9](#), [12](#), [13](#), [17](#), [18](#), [20](#), [21](#),
[25–27](#), [29](#), [30](#), [33](#), [34](#), [36–38](#), [41](#), [42](#),
[45–47](#), [50–52](#), [55](#), [56](#), [59](#), [60](#), [64–67](#),
[69–71](#), [73–75](#), [77–79](#), [81](#), [83–85](#),
[88–90](#), [92–94](#), [97–99](#), [101–103](#),
[106–108](#), [110–112](#), [115–117](#), [119](#),
[120](#), [122–124](#), [126](#), [127](#), [129](#), [130](#),
[132](#)

position_fill, [12](#)

position_stack, [12](#)

scale_fill_viridis, [4](#), [9](#), [17](#), [27](#), [34](#), [42](#), [51](#),
[55](#), [60](#), [65](#), [70](#), [74](#), [78](#), [85](#), [89](#), [93](#), [97](#),
[102](#), [107](#), [112](#), [116](#), [119](#), [123](#)

Seurat, [4](#), [8](#), [12](#), [16](#), [20](#), [25](#), [29](#), [32](#), [41](#), [45](#), [50](#),
[54](#), [59](#), [63](#), [69](#), [77](#), [80](#), [83](#), [88](#), [92](#), [97](#),
[101](#), [105](#), [110](#), [114](#), [122](#), [126](#), [129](#),
[132](#)

tibble, [33](#), [69](#), [73](#), [88](#), [122](#), [129](#)

VlnPlot, [125](#)