

Package ‘SPEDInstabR’

January 20, 2025

Version 2.2

Title Estimation of the Relative Importance of Factors Affecting
Species Distribution Based on Stability Concept

Author Castor Guisande Gonzalez

Maintainer Castor Guisande Gonzalez <castor@uvigo.es>

Description From output files obtained from the software 'ModestR', the relative contribution of factors to explain species distribution is depicted using several plots. A global geographic raster file for each environmental variable may be also obtained with the mean relative contribution, considering all species present in each raster cell, of the factor to explain species distribution. Finally, for each variable it is also possible to compare the frequencies of any variable obtained in the cells where the species is present with the frequencies of the same variable in the cells of the extent.

License GPL (>= 2)

Encoding UTF-8

Depends R (>= 3.1.1)

Suggests beanplot, raster, plotrix

Repository CRAN

NeedsCompilation no

Date/Publication 2024-02-10 20:50:02 UTC

Contents

adworld	2
ContrBB	2
ContrMap	5
FishFC	6
Instability	7
PreExt	7
Rmap	10
VI	13

Index	14
--------------	-----------

 adworld

GEOGRAPHICAL COORDINATES

Description

Latitude and longitude of all administrative areas

Usage

```
data(adworld)
```

Format

A matrix of many rows and 3 columns (Latitude, Longitude and name of the administrative area)

Source

Latitude and longitude coordinates of the administrative areas were obtained from the web page <https://www.openstreetmap.org>.

 ContrBB

BEANPLOTS AND BOXPLOTS OF CONTRIBUTION OF FACTORS

Description

It performs beanplots and boxplots with the contribution of environmental factors to explain the distribution of species.

Usage

```
ContrBB(data, vars, Level=NULL, Taxon=NULL, graph="beanplot", order="decreasing",
side="no", beanlines="median", what=c(1,1,1,1), ll=NULL, border="black", OrderCat=NULL,
LabelCat=NULL, XLAB="Variables", YLAB="Percentage of contribution to instability index",
COLOR=NULL, LEGEND=NULL, MTEXT= NULL, TEXT=NULL, ResetPAR=TRUE, PAR=NULL,
BEANPLOT=NULL, BOXPLOT=NULL)
```

Arguments

data	Data file, which it may be obtained using DataManager of ModestR. See details section for the explanation of the format of the data.
vars	Environmental factors.
Level	Optionally, a taxonomic level may be selected, i.e., class, family, order, genus or species.

Taxon	Optionally, it is possible to work only with a selected species, just specifying the name of the taxon or taxa selected within the taxonomic level selected in the argument <i>Level</i> , i.e., name of the order, family, etc. Can be a vector, so several taxa.
graph	Type of plot: "beanplot" or "boxplot".
order	If it is NULL the categories are ordered as found in the argument <i>vars</i> , if it is "increasing" are ordered from lesser to greater median or mean according to the method selected in the argument <i>beanlines</i> , if it is "decreasing" are ordered from greater to lesser median or mean, if it is "alphaAZ" are ordered from A to Z and if it is "alphaZA" from Z to A. If the method selected in <i>beanlines</i> ="quantiles", it is used the median for both "increasing" and "decreasing".
side	The side on which the beans are plot. Default is "no", for symmetric beans. The options "first", "second" and "both" are also supported.
beanlines	The method used for determining the average bean lines. Default is value "median", and other options are "mean" and "quantiles".
what	A vector of four booleans describing what to plot. In the following order, these booleans stand for the total average line, the beans, the bean average, and the beanlines. For example, <i>what=c(0,0,0,1)</i> produces a stripchart .
ll	Length of the beanline per point found.
border	Color of the border around the bean.
OrderCat	It allows to specify a vector with the order in which the categories are shown. If this argument is specified, the argument <i>order</i> is not taken into account.
LabelCat	It allows to specify a vector with the names of the categories.
XLAB	Legend of X axis.
YLAB	Legend of Y axis.
COLOR	Vector with the color of the categories or just one color for all categories.
LEGEND	It allows to include a legend to the graph.
MTEXT	It allows to add text on the margins of the graph.
TEXT	It allows to add text in any area of the inner part of the graph.
ResetPAR	If it is FALSE, the default condition of the function PAR is not placed and maintained those defined by the user in previous graphics.
PAR	It accesses the function PAR, allowing to modify different aspects of the graph.
BEANPLOT	It allows to specify the characteristics of the function beanplot of the beanplot package (Kampstra, 2008; Kampstra, 2015).
BOXPLOT	It allows to specify the characteristics of the function boxplot of graphics package.

Details

The CSV file required in the argument *data* has the following format: class, order, family, genus and species, along with the contribution of the environmental variables. This file may be obtained using ModestR (Garcia-Rosello et al., 2013; available at the web site using the following menu:


Export/Export checked maps/To RWizard Applications/To SPEDInstab. The default name of this file obtained from ModestR is "Contribution.CSV".

FUNCTIONS

The beanplot is performed with the function `beanplot` of the `beanplot` package (Kampstra, 2008; Kampstra, 2015). The boxplot is performed with the function `boxplot` of `graphics` package.

EXAMPLE

In the example, it was estimated the relative contribution of some factors on the distribution of some freshwater species (Guisande et al., 2010; Pelayo-Villamil et al., 2015).



Value

A beanplot or boxplot is obtained.

References

- Garcia-Rosello, E., Guisande, C., Gonzalez-Dacosta, J., Heine, J., Pelayo-Villamil, P., Manjarres-Hernandez, A., Vaamonde, A. & Granado-Lorencio, C. (2013) ModestR: a software tool for managing and analyzing species distribution map databases. *Ecography*, 36, 1202-1207.
- Guisande, C., Manjarres-Hernandez, A., Pelayo-Villamil, P., Granado-Lorencio, C., Riveiro, I., Acuña, A., Prieto-Piraquive, E., Janeiro, E., Matias, J.M., Patti, C., Patti, B., Mazzola, S., Jimenez, S., Duque, V. & Salmeron, F. (2010) Ipez: An expert system for the taxonomic identification of fishes based on machine learning techniques. *Fisheries Research*, 102, 240-247.
- Kampstra, P (2008). Beanplot: A Boxplot Alternative for Visual Comparison of Distributions. *Journal of Statistical Software, Code Snippets*, 28: 1-9.
- Kampstra, P (2015) Visualization via Beanplots (like Boxplot/Stripchart/Violin Plot). R package version 1.2. Available at: <https://CRAN.R-project.org/package=beanplot>.
- Pelayo-Villamil, P., Guisande, C., Vari, R.P., Manjarres-Hernandez, A., Garcia-Rosello, E., Gonzalez-Dacosta, J. et al. (2015) Global diversity patterns of freshwater fishes - potential victims of their own success. *Diversity and Distributions*, 21, 345-356.

Examples

```
data(FishFC)

ContrBB(data=FishFC, vars=c("Altitude","Aspect","BI01","BI012", "BI014","BI015","BI018",
"BI019","BI02","BI03","BI04","BI08","Pop","TPP","Slope","TH24","VI"), graph="boxplot")
```

 ContrMap

 CONTRIBUTION MAPS

Description

It creates global geographic ESRI ASCII raster files with the mean relative contribution of the factors (considering all species present in the cell).

Usage

```
ContrMap(data, vars, Species, Level=NULL, Taxon=NULL, jpg=FALSE)
```

Arguments

data	Data file, which it may be obtained using DataManager of ModestR. See details section of the function ContrBB for the explanation of the format of the data. IMPORTANT: It is also necessary the ESRI ASCII raster files with the distribution of the species obtained from ModestR, which are saved by default in a folder named "Species". Therefore, the working directory must be this folder with the ESRI ASCII raster files of the distribution of the species.
vars	Factors.
Species	Variable with the name of the species.
Level	Optionally, a taxonomic level may be selected, i.e., class, family, order, genus or species.
Taxon	Optionally, it is possible to work only with a selected species, just specifying the name of the taxon or taxa selected within the taxonomic level selected in the argument <i>Level</i> , i.e., name of the order, family, etc. Can be a vector, so several taxa.
jpg	If TRUE the plots are exported to jpg files instead of using the windows device.

Details**FUNCTIONS**

The raster file is created using the functions [raster](#), [writeRaster](#) and [setValues](#) of the package raster (Hijmans et al., 2015).

Value

ESRI ASCII raster files are obtained for each factor selected in the argument *vars*. Each raster cell is the mean relative contribution of the factor considering all species present in the cell. This raster map can be displayed with MapMaker of ModestR (Garcia-Rosello et al., 2013), the function `Rmap` or any GIS software.

References

Hijmans, R.J., Eten, J. van, Cheng, J., Mattiuzzi, M., Sumner, M., Greenberg, J.A., Lamigueiro, O.P., Bevan, A., Racine, E.B., Shortridge, A., (2015) Geographic Data Analysis and Modeling. R package version 2.5-8. Available at: <https://CRAN.R-project.org/package=raster>.

FishFC

FACTORS AND FRESHWATER FISH SPECIES

Description

Relative contribution of factors to explain the distribution of some freshwater fish species of the orders Amiiiformes, Atheriniformes and Perciformes. The file was obtained using ModestR.

Usage

```
data(FishFC)
```

Format

An data frame with 22 columns: taxonomic data (order, family, genus and species) and the contribution of 17 factors.

Source

The records of the species and some environmental variables such as altitude, aspect, slope, topographic heterogeneity (TH24), terrestrial primary production (TPP), vegetation index (VI) and population density (Pop) were obtained from Guisande et al. (2010) and Pelayo-Villamil et al. (2015). The variables mean annual temperature (BIO1), temperature diurnal range (BIO2), isothermality (BIO3), temperature seasonality (BIO4), mean temperature of wettest quarter (BIO8), annual precipitation (BIO12), precipitation of driest month (BIO14), precipitation seasonality (BIO15), precipitation of warmest quarter (BIO18) and precipitation of coldest quarter (BIO19) were downloaded from the web <https://www.worldclim.org/>.

References

Guisande, C., Manjarres-Hernandez, A., Pelayo-Villamil, P., Granado-Lorencio, C., Riveiro, I., Acuña, A., Prieto-Piraquive, E., Janeiro, E., Matias, J.M., Patti, C., Patti, B., Mazzola, S., Jimenez, S., Duque, V. & Salmeron, F. (2010) Ipez: An expert system for the taxonomic identification of fishes based on machine learning techniques. *Fisheries Research*, 102, 240-247.

Hijmans, R.J., Cameron, S.E., Parra, J.L., Jones, P.G. and Jarvis, A. (2005) Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology*, 25, 1965-1978.

Pelayo-Villamil, P., Guisande, C., Vari, R.P., Manjarres-Hernandez, A., Garcia-Rosello, E., Gonzalez-Dacosta, J. et al. (2015) Global diversity patterns of freshwater fishes - potential victims of their own success. *Diversity and Distributions*, 21, 345-356.

Instability

INSTABILITY INDEX AND FREQUENCIES FOR PRESENCES AND THE EXTENT

Description

Instability index of some freshwater fish species of the orders Amiiiformes and Perciformes. The file was obtained using ModestR (Pelayo-Villamil et al., 2012; Garcia-Roselló et al., 2013).

Usage

`data(Instability)`

Format

An data frame with 15 columns: taxonomic data (order, family, genus and species), variable, number of interval, value of the interval, frequencies of the cells of presence and the extent, frequencies standardized to 0-1 for both the cells of presence and the extent, instability, instability standardized to 0-1 and the contribution of the factor in percentage.

Source

As mentioned in [FishFC](#).

PreExt

COMPARISON OF THE FREQUENCIES OF A FACTOR BETWEEN PRESENCES AND THE EXTENT

Description

It performs a plot comparing the mean and standard deviation of the frequencies between the cells of presence and the cells of the extent.

Usage

```
PreExt(data, var, envar, Interval, Interval.Value, Pre, Extent, Level=NULL,
Taxon=NULL, ResetPAR=TRUE, PAR=NULL, PLOT=NULL, XLAB=NULL, YLAB="Frequency",
MAIN=NULL, COLOR=c("#00FF0032", "#FF000032"), XLIM=NULL, YLIM=NULL, TYPE="l",
LTY=c(1,2), PCH=NULL, LEGEND=NULL, AXIS=NULL, MTEXT= NULL, TEXT=NULL)
```

Arguments

data	Data file, which it may be obtained using DataManager of ModestR. See details section for the explanation of the format of the data.
var	Variable with the names of the factors.
envar	Factor.
Interval	Variable with the intervals.
Interval.Value	Variable with the values of the intervals.
Pre	Values of intervals for the presences.
Extent	Values of intervals for the extent.
Level	Optionally, a taxonomic level may be selected, i.e., class, family, order, genus or species.
Taxon	Optionally, it is possible to work only with a selected species, just specifying the name of the taxon or taxa selected within the taxonomic level selected in the argument <i>Level</i> , i.e., name of the order, family, etc. Can be a vector, so several taxa.
ResetPAR	If it is FALSE, the default condition of the function PAR is not placed and maintained those defined by the user in previous graphics.
PAR	It accesses the function PAR, allowing to modify different aspects of the graph.
PLOT	It allows to specify the characteristics of the function plot.default .
XLAB	Legend of X axis.
YLAB	Legend of Y axis.
MAIN	Main title of the plot. Default is the name of the environmental factor selected in the argument <i>envar</i> .
COLOR	Vector with the color of the presences and absences.
XLIM	Vector with the limits of the X axis.
YLIM	Vector with the limits of the Y axis.
TYPE	Type of plot. The following values are possible: "p" for points, "l" for lines, "b" for both points and lines, "c" for empty points joined by lines, "o" for overplotted points and lines, "s" and "S" for stair steps and "h" for histogram-like vertical lines. Finally, "n" does not produce any points or lines.
LTY	The line type. Line types can either be specified as an integer (0=blank, 1=solid (default), 2=dashed, 3=dotted, 4=dotdash, 5=longdash, 6=twodash) or as one of the character strings "blank", "solid", "dashed", "dotted", "dotdash", "longdash", or "twodash", where "blank" uses invisible lines (i.e., does not draw them).
PCH	Graphic symbol.
LEGEND	It allows to include a legend to the graph.
AXIS	It allows to add axes to the graph.
MTEXT	It allows to add text on the margins of the graph.
TEXT	It allows to add text in any area of the inner part of the graph.

Details


The CSV file required in the argument *data* has the following format: class, order, family, genus and species, along with the frequencies for presence and for the extent. This file may be obtained using ModestR (Garcia-Rosello et al., 2013; available at the web site using the following menu: Export checked maps/To RWizard Applications/To SPEDInstab. The default name of this file obtained from ModestR is "Instability.CSV".

FUNCTIONS

The plot is performed with the function `plot.default` of base graphics package

EXAMPLE

In the example, it was estimated the instability index for several species of the orders Amiiiformes and Perciformes (Guisande et al., 2010; Pelayo-Villamil et al., 2015). It is shown the percentiles of the variable altitude for presence and the extent.



Value

A plot is obtained.

References

- Garcia-Rosello, E., Guisande, C., Gonzalez-Dacosta, J., Heine, J., Pelayo-Villamil, P., Manjarres-Hernandez, A., Vaamonde, A. & Granado-Lorencio, C. (2013) ModestR: a software tool for managing and analyzing species distribution map databases. *Ecography*, 36, 1202-1207.
- Guisande, C., Manjarres-Hernandez, A., Pelayo-Villamil, P., Granado-Lorencio, C., Riveiro, I., Acuña, A., Prieto-Piraquive, E., Janeiro, E., Matias, J.M., Patti, C., Patti, B., Mazzola, S., Jimenez, S., Duque, V. & Salmeron, F. (2010) Ipez: An expert system for the taxonomic identification of fishes based on machine learning techniques. *Fisheries Research*, 102, 240-247.

Pelayo-Villamil, P., Guisande, C., Vari, R.P., Manjarres-Hernandez, A., Garcia-Rosello, E., Gonzalez-Dacosta, J. et al. (2015) Global diversity patterns of freshwater fishes - potential victims of their own success. *Diversity and Distributions*, 21, 345-356.

Examples

```
data(Instability)
```

```
PreExt(data=Instability, var="Variable", envar="Altitude", Interval="Interval",
Interval.Value="Interval.Value", Pre="Presence.Prop", Extent="Extent.Prop",
XLAB="Altitude (m)")
```

Rmap

RASTER MAP

Description

Enables mapping of administrative areas with high resolution and raster maps of environmental variables, biogeographic indexes, species richness, etc.

Usage

```
Rmap(data, Area="World", minLon, maxLon, minLat, maxLat, colbg="#FFFFFF",
colcon="#C8C8C8", colf="black", pro=TRUE, inc=0.005, exclude=NULL,
colexc=NULL, colfexc="black", colscale=c("#C8FFFFFF", "#64FFFFFF", "#00FFFFFF",
"#64FF64FF", "#C8FF00FF", "#FFFF00FF", "#FFC800FF", "#FF6400FF", "#FF0000FF"),
legend.pos="y", breaks=10, xl=0, xr=0, yb=0, yt=0, asp, lab=NULL, xlab="Longitude",
ylab="Latitude", main=NULL, cex.main=1.2, cex.lab=1, cex.axis=0.9, cex.legend=0.9,
family="sans", font.main=2, font.lab=1, font.axis=1, lwdP=0.6, lwdC=0.1, trans=c(1,1),
log=c(0,0), ndigits=0, ini=NULL, end=NULL, jpg=FALSE, filejpg="Map.jpg")
```

Arguments

data	A matrix (see details section) or an ESRI ASCII raster file with the environmental variable, data of richness, etc.
Area	Only if using RWizard. A character with the name of the administrative area or a vector with several administrative areas (countries, regions, etc.) or river basins. If it is "World" (default) the entire world is plotted. For using administrative areas or river basins, in addition to use RWizard, it is also necessary to replace data(world) by @_Build_AdWorld_ (see example 2).
minLon, maxLon	Optionally it is possible to define the minimum and maximum longitude.
minLat, maxLat	Optionally it is possible to define the minimum and maximum latitude.
colbg	Background color of the map (in some cases this is the sea).
colcon	Background color of the administrative areas.
colf	Color of administrative areas border.

pro	If it is TRUE an automatic calculation is made in order to correct the aspect ratio y/x along latitude.
inc	Adds some room along the map margins with the limits x and y thus not exactly the limits of the selected areas.
exclude	A character with the name of the administrative area or a vector with several administrative areas that may be plotted with a different color on the map (only if using RWizard).
colexc	Background color of areas selected in the argument exclude.
colfexc	Color of borders of the areas selected in the argument exclude.
colscale	Palette color.
legend.pos	Whether to have a horizontal "x" or vertical "y" color scale.
breaks	Number of breakpoints of the color legend.
x1, xr, yb, yt	The lower left and upper right coordinates of the color legend in user coordinates.
asp	The y/x aspect ratio.
lab	A numerical vector of the form $c(x, y)$ which modifies the default way that axes are annotated. The values of x and y give the (approximate) number of tickmarks on the x and y axes.
xlab	A title for the X axis.
ylab	A title for the Y axis.
main	An overall title for the plot.
cex.main	The magnification to be used for main titles relative to the current setting of <code>cex</code> .
cex.lab	The magnification to be used for X and Y labels relative to the current setting of <code>cex</code> .
cex.axis	The magnification to be used for axis annotation relative to the current setting of <code>cex</code> .
cex.legend	The magnification to be used for the color scale relative to the current setting of <code>cex</code> .
family	The name of a font family for drawing text.
font.main	The font to be used for plot main titles.
font.lab	The font to be used for x and y labels.
font.axis	The font to be used for axis annotation.
lwdP	Line width of the plot.
lwdC	Line width of the borders.
trans	It is possible to multiply or divide the dataset by a value. For a vector with two values, the first may be 0 (divide) or 1 (multiply), and the second number is the value of the division or multiplication.
log	It is possible to apply a logarithmic transformation to the dataset. For a vector with two values, the first may be 0 (do not log transform) or 1 (log transformation), and the second number is the value to be added in case of log transformation.

<code>ndigits</code>	Number of decimals in legend of the color scale.
<code>ini</code>	Minimum to be considered in the color scale.
<code>end</code>	Maximum to be considered in the color scale.
<code>jpg</code>	If TRUE the plots are exported to jpg files instead of using the windows device.
<code>filejpg</code>	Name of the jpg file.

Details


The matrix required in the argument *data* may be obtained using ModestR: Export/Export checked maps/To RWizard Applications/To MapsR. It is also possible to use an ESRI ASCII raster file obtained with the function `ContrMap` or with any other software.

FUNCTIONS

The function `color.legend` of the package `plotrix` (Lemon et al., 2014) is used for building the map.

EXAMPLE

Example 1. An ESRI ASCII raster file obtained with the function `ContrMap` is used to obtain the map displayed below, which is the mean contribution to explain species distribution of some freshwater fish species, in cells of 1 degree, of the variable vegetation index.



Value

A map is obtained.

References

- Lemon, J. (2006) Plotrix: a package in the red light district of R. *R-News*, 6(4):8-12.
- Lemon, J., Bolker, B., Oom, S., Klein, E., Rowlingson, B., Wickham, H., Tyagi, A., Etteradossi, O., Grothendieck, G., Toews, M., Kane, J., Turner, R., Witthoft, C., Stander, J., Petzoldt, T., Duursma,

R., Biancotto, E., Levy, O., Dutang, C., Solymos, P., Engelmann, R., Hecker, M., Steinbeck, F., Borchers, H., Singmann, H., Toal, T. & Ogle, D. (2015). Various plotting functions. R package version 3.6-1. Available at: <https://CRAN.R-project.org/package=plotrix>.

Examples

```
## Not run:

#Example 1

#If using RWizard, for a better quality of the geographic
#coordinates, replace data(adworld) by @_Build_AdWorld_
data(adworld)
data(VI)
Rmap(data=VI, colscale=rev(heat.colors(100)),
main= "Percentage of contribution of vegetation index")

#Example 2. Only to be used with RWizard and the map is exported to a jpg

data(VI)
@_Build_AdWorld_
Rmap(data = VI , Area = c("Argentina", "Bolivia", "Brazil", "Chile", "Colombia",
"Ecuador", "French Guiana", "Guyana", "Paraguay", "Peru", "Suriname",
"Uruguay", "Venezuela", "Panama", "Nicaragua", "Costa Rica"),
main = "Percentage of contribution of vegetation index", jpg=TRUE)

## End(Not run)
```

Description

Relative contribution of vegetation index to explain species distribution of freshwater fish species, in cells of 1 degree around the world.

Usage

```
data(VI)
```

Format

A matrix with 180 rows (latitudes) and 360 columns (longitudes).

Index

- * **ContrBB**
 - ContrBB, 2
- * **ContrMap**
 - ContrMap, 5
- * **FishFC**
 - FishFC, 6
- * **Instability**
 - Instability, 7
- * **PreExt**
 - PreExt, 7
- * **Rmap**
 - Rmap, 10
- * **VI**
 - VI, 13
- * **adworld**
 - adworld, 2

adworld, 2

beanplot, 3, 4
boxplot, 3, 4

color.legend, 12
ContrBB, 2, 5
ContrMap, 5, 12

FishFC, 6, 7

Instability, 7

plot.default, 8, 9
PreExt, 7

raster, 5
Rmap, 6, 10

setValues, 5
stripchart, 3

VI, 13

writeRaster, 5